

DAFTAR PUSTAKA

- 1 Thiruvoth F, Mohapatra D, Sivakumar D, Chittoria R, Nandhagopal V. Current concepts in the physiology of adult wound healing. *Plast Aesthetic Res* 2015; **2**: 250.
- 2 Frykberg RG, Banks J. Challenges in the Treatment of Chronic Wounds. *Adv Wound Care* 2015; **4**: 560–582.
- 3 Park JW, Hwang SR, Yoon IS. Advanced Growth Factor Delivery Systems in Wound Management and Skin Regeneration. *Molecules* 2017; **22**: 1–20.
- 4 Ohashi CM, Caldeira FAM, Feitosa DJS, Valente AL, Dutra PRW, Miranda M dos S *et al*. Stem cells from adipose tissue improve the time of wound healing in rats. *Acta Cir Bras* 2016; **31**: 821–825.
- 5 Mock C. WHO joins forces with international society for burn injuries to confront global burden of burns. *Inj. Prev.* 2007. doi:10.1136/ip.2007.016493.
- 6 Maan ZN, Januszyk M, Rennert RC, Duscher D, Rodrigues M, Fujiwara T *et al*. Noncontact, low-frequency ultrasound therapy enhances neovascularization and wound healing in diabetic mice. *Plast Reconstr Surg* 2014. doi:10.1097/PRS.0000000000000467.
- 7 Posnett J, Gottrup F, Lundgren H, Saal G. The resource impact of wounds on health-care providers in Europe. *J. Wound Care.* 2009. doi:10.12968/jowc.2009.18.4.41607.
- 8 McInnes E, Jammali-Blasi A, Bell-Syer SEM, Dumville JC, Middleton V, Cullum N. Support surfaces for pressure ulcer prevention. *Cochrane Database Syst. Rev.* 2015. doi:10.1002/14651858.CD001735.pub5.
- 9 O'meara S, Cullum N, Nelson EA, Dumville JC. Compression for venous leg ulcers. *Cochrane Database Syst. Rev.* 2012. doi:10.1002/14651858.CD000265.pub3.
10. Noronha NC, Mizukami A, Calíári-Oliveira C, Cominal JG, Rocha JLM, Covas DT, Swiech K, Malmegrim KCR. Priming approaches to improve the efficacy of mesenchymal stromal cell-based therapies. *Stem Cell Res Ther.* 2019;10:131.
11. Seo Y, Shin T, Kim H. Current strategies to enhance adipose stem cell function: an update. *Int J Mol Sci.* 2019;20: 3827.

12. Hu MS, Borrelli MR, Lorenz HP, Longaker MT, Wan DC. Mesenchymal stromal cells and cutaneous wound healing: a comprehensive review of the background, role, and therapeutic potential. *Stem Cells Int.* 2018;2018:1-13.
13. Putra A. *Basic Molecular Stem Cell*. Semarang: Unissula Press; 2019.
14. Klingberg F, Hinz B, White ES. The myofibroblast matrix: implications for tissue repair and fibrosis. *J Pathol.* 2013;229:298-309.
15. Du L, Lv R, Yang X, Cheng S, Ma T, Xu J. Hypoxic conditioned medium of placenta-derived mesenchymal stem cells protects against scar formation. *Life Sciences.* 2016; 149:51-57.
16. Hu MS, Borrelli MR, Lorenz HP, Longaker MT, Wan DC. Mesenchymal stromal cells and cutaneous wound healing: a comprehensive review of the background, role, and therapeutic potential. *Hindawi Stem Cells International.* 2018;6901983.
17. Putra A, Ridwan FB, Putridewi AI, Kustiyah AR, Wirastuti K, Sadyah NAC, Rosdiana I, Munir D. The role of TNF- α induced MSCs on suppressive inflammation by increasing TGF- β and IL-10. *Open Access Maced J Med Sci.* 2018;6:1779-1783.
18. Jorgensen C. Mesenchymal stem cells immunosuppressive properties: is it specific to bone marrow-derived cells? *Stem Cell Res Ther.* 2016;1:1-2.
19. Chang CP, Chio CC, Cheong CU, Chao CM, Cheng BC, Lin MT. Hypoxic preconditioning enhances the therapeutic potential of the secretome from cultured human mesenchymal stem cells in experimental traumatic brain injury. *Clin Sci* 2013. doi:10.1042/CS20120226.
20. Hamra N. Pengaruh Msc Hipoksia Terhadap Kecepatan Penutupan Luka Dan Ekspresi A-SMA Pada Fibroblas (Studi In Vivo Pada Tikus Galur Wistar Yang Diekripsi).2020.
21. Kuntardjo N, Dharmana E, Chodidjah C, Nasihun TR, Putra A. TNF- α -Activated MSC-CM Topical Gel Effective in Increasing PDGF Level, Fibroblast Density, and Wound Healing Process Compared to Subcutaneous Injection Combination. *Maj Kedokt Bandung* 2019; **51**: 1–6.
22. Bartaala-Brevik S. Secretome of Mesenchymal Stem Cells Grown in Hypoxia Accelerates Wound Healing and Vessel Formation In Vitro. *Int J Stem cell Res Ther* 2017; **4**. doi:10.23937/2469-570x/1410045.
23. Textor JA, Clark KC, Walker NJ, Aristizabal FA, Kol A, LeJeune SS *et al.* Allogeneic Stem Cells Alter Gene Expression and Improve Healing of Distal Limb Wounds in Horses. *Stem Cells Transl Med* 2018; **7**: 98–108.

24. Somia HA, Faten ZM, Shimaa HA. Evaluation of bone marrow derived mesenchymal stem cell potency on wound healing. *J Stem Cell Ther.* 2015;5:1-7
25. Kovalenko M V., Kazlauskas A. *Platelet-Derived Growth Factor Receptor Family.* 2nd ed. Elsevier Inc., 2013 doi:10.1016/B978-0-12-378630-2.00494-1.
26. Blair P, Flaumenhaft R. Platelet α -granules: Basic biology and clinical correlates. *Blood Rev* 2009; **23**: 177–189.
27. Yamada K, Hamashima T, Ishii Y, Yamamoto S, Okuno N, Yoshida N *et al.* Different PDGF receptor dimers drive distinct migration modes of the mouse skin fibroblast. *Cell Physiol Biochem* 2018; **51**: 1461–1479.
28. Zhang J, Zhang H, Chen Y, Fu J, Lei Y, Sun J *et al.* Platelet-derived growth factor D promotes the angiogenic capacity of endothelial progenitor cells. *Mol Med Rep* 2019; **19**: 125–132.
29. Xiang D, Feng Y, Wang J, Zhang X, Shen J, Zou R *et al.* Platelet-derived growth factor-BB promotes proliferation and migration of retinal microvascular pericytes by up-regulating the expression of C-X-C chemokine receptor types 4. *Exp Ther Med* 2019; : 4022–4030.
30. Gianni-Barrera R, Burger M, Wolff T, Heberer M, Schaefer DJ, Gürke L *et al.* Long-term safety and stability of angiogenesis induced by balanced single-vector co-expression of PDGF-BB and VEGF 164 in skeletal muscle. *Sci Rep* 2016; **6**: 1–15.
31. Barrientos S, Brem H, Stojadinovic O, Tomic-Canic M. Clinical application of growth factors and cytokines in wound healing. *Wound Repair Regen* 2014. doi:10.1111/wrr.12205.
32. Bowlby M, Blume P, Schmidt B, Donegan R. Safety and efficacy of Bepacupermin gel in the treatment of diabetic foot ulcers. *Chronic Wound Care Manag Res* 2014; : 11.
33. Nishimoto S, Fujita K, Sotsuka Y, Kinoshita M, Fujiwara T, Kawai K *et al.* Growth Factor Measurement and Histological Analysis in Platelet Rich Fibrin: A Pilot Study. *J Maxillofac Oral Surg* 2015. doi:10.1007/s12663-015-0768-3.
34. Smith CL, Kilic O, Schiapparelli P, Guerrero-Cazares H, Kim DH, Sedora-Roman NI *et al.* Migration Phenotype of Brain-Cancer Cells Predicts Patient Outcomes. *Cell Rep* 2016. doi:10.1016/j.celrep.2016.05.042.

- 35 Brodsky B, Persikov A V. Molecular structure of the collagen triple helix. *Adv Protein Chem* 2005. doi:10.1016/S0065-3233(05)70009-7.
- 36 Bella J, Humphries MJ. Ca-H···O = C hydrogen bonds contribute to the specificity of RGD cell-adhesion interactions. *BMC Struct Biol* 2005. doi:10.1186/1472-6807-5-4.
- 37 Pittenger MF, Discher DE, Péault BM, Phinney DG, Hare JM, Caplan AI. Mesenchymal stem cell perspective: cell biology to clinical progress. *npj Regen. Med.* 2019. doi:10.1038/s41536-019-0083-6.
- 38 Crisan M, Yap S, Casteilla L, Chen CW, Corselli M, Park TS *et al.* A Perivascular Origin for Mesenchymal Stem Cells in Multiple Human Organs. *Cell Stem Cell* 2008. doi:10.1016/j.stem.2008.07.003.
- 39 Andrzejewska A, Lukomska B, Janowski M. Concise Review: Mesenchymal Stem Cells: From Roots to Boost. *Stem Cells*. 2019. doi:10.1002/stem.3016.
- 40 Gao F, Chiu SM, Motan DAL, Zhang Z, Chen L, Ji HL *et al.* Mesenchymal stem cells and immunomodulation: Current status and future prospects. *Cell Death Dis.* 2016. doi:10.1038/cddis.2015.327.
- 41 De Witte SFH, Peters FS, Merino A, Korevaar SS, Van Meurs JBJ, O'Flynn L *et al.* Epigenetic changes in umbilical cord mesenchymal stromal cells upon stimulation and culture expansion. *Cyotherapy* 2018. doi:10.1016/j.jcyt.2018.05.005.
- 42 Ullah M, Liu DD, Thakor AS. Mesenchymal Stromal Cell Homing: Mechanisms and Strategies for Improvement. *iScience*. 2019. doi:10.1016/j.isci.2019.05.004.
- 43 Putra A, Pertiwi D, Milla MN, Indrayani UD, Jannah D, Sahariyani M *et al.* Hypoxia-preconditioned MSCs have superior effect in ameliorating renal function on acute renal failure animal model. *Open Access Maced J Med Sci* 2019. doi:10.3889/oamjms.2019.049.
- 44 Zimna A, Kurpisz M. Hypoxia-Inducible factor-1 in physiological and pathophysiological angiogenesis: Applications and therapies. *Biomed Res. Int.* 2015. doi:10.1155/2015/549412.
- 45 Speth JM, Hoggatt J, Singh P, Pelus LM. Pharmacologic increase in HIF1 α enhances hematopoietic stem and progenitor homing and engraftment. *Blood* 2014. doi:10.1182/blood-2013-07-516336.
- 46 Putra A, Alif I, Hamra N, Santosa O, Kustiyah AR, Muhar AM, Lukman K. MSC-released TGF- β regulate α -SMA expression of myofibroblast during wound healing. *J Stem Cells Regen Med.* 2020 Dec 11;16(2):73-79. doi:

- 10.46582/jsrm.1602011. PMID: 33414583; PMCID: PMC7772809.
- 47 Woo YC, Park SS, Subieta AR, Brennan TJ. Changes in tissue pH and temperature after incision indicate acidosis may contribute to postoperative pain. *Anesthesiology* 2004. doi:10.1097/00000542-200408000-00029.
- 48 Bernardo ME, Fibbe WE. Mesenchymal stromal cells: Sensors and switchers of inflammation. *Cell Stem Cell*. 2013. doi:10.1016/j.stem.2013.09.006.
- 49 De Becker A, Van Riet I, Yagi H, Soto-Gutierrez A, Parekkadan B, Kitagawa Y *et al*. Homing and migration of mesenchymal stromal cells: How to improve the efficacy of cell therapy? *Cell Transplant*. 2010. doi:10.3727/096368910X508762.
- 50 Hocking AM. The Role of Chemokines in Mesenchymal Stem Cell Homing to Wounds. *Adv Wound Care* 2015. doi:10.1089/wound.2014.0579.
- 51 Murray PJ, Wynn TA. Protective and pathogenic functions of macrophage subsets. *Nat. Rev. Immunol.* 2011. doi:10.1038/nri3073.
- 52 Vannella KM, Wynn TA. Mechanisms of Organ Injury and Repair by Macrophages*. *Annu. Rev. Physiol.* 2017. doi:10.1146/annurev-physiol-022516-034356.
- 53 Lopes RL, Borges TJ, Zanin RF, Bonorino C. IL-10 is required for polarization of macrophages to M2-like phenotype by mycobacterial DnaK (heat shock protein 70). *Cytokine* 2016. doi:10.1016/j.cyto.2016.06.018.
- 54 Roemeling-Van Rhijn M, Mensah FKF, Korevaar SS, Leijs MJ, Van Osch GJVM, IJzermans JNM *et al*. Effects of hypoxia on the immunomodulatory properties of adipose tissue-derived mesenchymal stem cells. *Front Immunol* 2013. doi:10.3389/fimmu.2013.00203.
- 55 Freyhaus H Ten, Dagnell M, Leuchs M, Vantler M, Berghausen EM, Caglayan E *et al*. Hypoxia enhances platelet-derived growth factor signaling in the pulmonary vasculature by down-regulation of protein tyrosine phosphatases. *Am J Respir Crit Care Med* 2011. doi:10.1164/rccm.200911-1663OC.
- 56 Riis S, Newman R, Ipek H, Andersen JI, Kuninger D, Boucher S *et al*. Hypoxia enhances the wound-healing potential of adipose-derived stem cells in a novel human primary keratinocyte-based scratch assay. *Int J Mol Med* 2017; **39**: 587–594.

- 57 Silva LHA, Antunes MA, Dos Santos CC, Weiss DJ, Cruz FF, Rocco PRM. Strategies to improve the therapeutic effects of mesenchymal stromal cells in respiratory diseases. *Stem Cell Res. Ther.* 2018. doi:10.1186/s13287-018-0802-8
- 58 Xu L, Wang X, Wang J, Liu D, Wang Y, Huang Z *et al.* Hypoxia-induced secretion of IL-10 from adipose-derived mesenchymal stem cell promotes growth and cancer stem cell properties of Burkitt lymphoma. *Tumor Biol* 2016. doi:10.1007/s13277-015-4664-8.
- 59 Glim JE, Niessen FB, Everts V, van Egmond M, Beelen RHJ. Platelet derived growth factor-CC secreted by M2 macrophages induces alpha-smooth muscle actin expression by dermal and gingival fibroblasts. *Immunobiology* 2013. doi:10.1016/j.imbio.2012.10.004.
- 60 Kadler KE, Baldeck C, Bella J, Boot-Handford RP. Collagens at a glance. *J Cell Sci* 2007. doi:10.1242/jcs.03453.
- 61 Lancellotti P, Oury C. IL-10 targets myofibroblasts and dampens cardiac fibrosis. *J Public Heal Emerg* 2017. doi:10.21037/jphe.2017.10.03.
- 62 Shi J, Li J, Guan H, Cai W, Bai X, Fang X *et al.* Anti-fibrotic actions of interleukin-10 against hypertrophic scarring by activation of PI3K/AKT and STAT3 signaling pathways in scar-forming fibroblasts. *PLoS One* 2014. doi:10.1371/journal.pone.0098228.
- 63 Dong LH, Jiang YY, Liu YJ, Cui S, Xia CC, Qu C *et al.* The anti-fibrotic effects of mesenchymal stem cells on irradiated lungs via stimulating endogenous secretion of HGF and PGE2. *Sci Rep* 2015. doi:10.1038/srep08713