

DAFTAR PUSTAKA

1. Gilchrest BA. Photobiology / Photomedicine. *J Invest Dermatol*. 2013;6(E1):1-10.
2. Kim MR, Lee HS, Choi HS, Kim SY, Park Y, Suh HJ. Protective effects of ginseng leaf extract using enzymatic extraction against oxidative damage of UVA-irradiated human keratinocytes. *Appl Biochem Biotechnol*. 2014;173(4):933-945.
3. Virador VM, Kobayashi N, Matsunaga J, Hearing VJ. A standardized protocol for assessing regulators of pigmentation. *Anal Biochem*. 1999;270(2):207-219.
4. Sarkar R, Bhalla M, Kanwar AJ. A comparative study of 20% azelaic acid cream monotherapy versus a sequential therapy in the treatment of melasma in dark-skinned patients. *Dermatology*. 2002;205(2-3):249-254.
5. Baliña LM, Graupe K. The Treatment of Melasma 20% Azelaic Acid versus 4% Hydroquinone Cream. *Int J Dermatol*. 1991;30(12):893-895.
6. Rendon MI, Gaviria JL. Review of skin-lightening agents. *Dermatol Surg*. 2005;31(7 Pt 2):886-890.
7. Cheng SL, Liu RH, Sheu JN, Chen ST, Sinchaikul S, Tsay GJ. Toxicogenomics of A375 human malignant melanoma cells treated with arbutin. *J Biomed Sci*. 2007;14(1):87-105.
8. García-Gavín J, González-Vilas D, Fernández-Redondo V, Toribio J. Pigmented contact dermatitis due to kojic acid. A paradoxical side effect of a skin lightener. *Contact Dermatitis*. 2010;62(1):63-64.
9. Pankajakshan D, Agrawal DK. Mesenchymal Stem Cell Paracrine Factors in Vascular Repair and Regeneration. *J Biomed Technol Res*. 2014;1(1):1-21.
10. Gao F, Chiu SM, Motan DAL, et al. Mesenchymal stem cells and immunomodulation: Current status and future prospects. *Cell Death Dis*. 2016;7(1).
11. Dokka S, Shi X, Leonard S, Wang L, Castranova V, Rojanasakul Y. Interleukin-10-mediated inhibition of free radical generation in macrophages. *Am J Physiol - Lung Cell Mol Physiol*. 2001;280(6 24-6):1196-1202.
12. Gao Y, Tu D, Yang R, Chu CH, Gao HM, Hong JS. Through reducing ROS production, IL-10 suppresses caspase-1-dependent IL-1 β maturation, thereby preventing chronic neuroinflammation and neurodegeneration. *Int J Mol Sci*. 2020;21(2):1-15.

13. English K. Mechanisms of mesenchymal stromal cell immunomodulation. *Immunol Cell Biol.* 2013;91(1):19-26.
14. Abreu SC, Weiss DJ, Rocco PRM. Extracellular vesicles derived from mesenchymal stromal cells: A therapeutic option in respiratory diseases? *Stem Cell Res Ther.* 2016;7(1):1-10.
15. Alam MB, Bajpai VK, Lee JI, et al. Inhibition of melanogenesis by jineol from *Scolopendra subspinipes mutilans* via MAP-Kinase mediated MITF downregulation and the proteasomal degradation of tyrosinase. *Sci Rep.* 2017;7(December 2016):1-12.
16. Cichorek M, Wachulska M, Stasiewicz A, Tymińska A. Skin melanocytes: Biology and development. *Postep Dermatologii i Alergol.* 2013;30(1):30-41.
17. Slominski A. L-tyrosine and L-DOPA as hormone-like regulators of melanocytes functions. *Pigment Cell Melanoma Res.* 2011;72(2):181-204.
18. Wölfle U, Esser PR, Simon-Haarhaus B, Martin SF, Lademann J, Schempp CM. UVB-induced DNA damage, generation of reactive oxygen species, and inflammation are effectively attenuated by the flavonoid luteolin in vitro and in vivo. *Free Radic Biol Med.* 2011;50(9):1081-1093.
19. Gupta A, Kaur CD, Jangdey M, Saraf S. Matrix metalloproteinase enzymes and their naturally derived inhibitors: Novel targets in photocarcinoma therapy. *Ageing Res Rev.* 2014;13(1):65-74.
20. Feng XX, Yu XT, Li WJ, et al. Effects of topical application of patchouli alcohol on the UV-induced skin photoaging in mice. *Eur J Pharm Sci.* 2014;63:113-123.
21. Cooper S, Bowden G. Ultraviolet B Regulation of Transcription Factor Families: Roles of Nuclear Factor-kappa B (NF- κ B) and Activator Protein-1 (AP-1) in UVB-Induced Skin Carcinogenesis. *Curr Cancer Drug Targets.* 2007;7(4):325-334.
22. Indra MR, Karyono S, Ratnawati R, Malik SG. Quercetin suppresses inflammation by reducing ERK1/2 phosphorylation and NF kappa B activation in Leptin-induced Human Umbilical Vein Endothelial Cells (HUVECs). *BMC Res Notes.* 2013;6(1):0-7.
23. Kim DS, Park SH, Park KC. Transforming growth factor- β 1 decreases melanin synthesis via delayed extracellular signal-regulated kinase activation. *Int J Biochem Cell Biol.* 2004;36(8):1482-1491.
24. Pierrat MJ, Marsaud V, Mauviel A, Javelaud D. Expression of microphthalmia-associated transcription factor (MITF), which is critical for melanoma progression, is inhibited by both transcription factor GLI2 and

- transforming growth factor- β . *J Biol Chem*. 2012;287(22):17996-18004.
25. Balasubramanian S, Thej C, Walvekar A, et al. Evaluation of the Secretome Profile and Functional Characteristics of Human Bone Marrow Mesenchymal Stromal Cells-Derived Conditioned Medium Suggest Potential for Skin Rejuvenation. *J Cosmet Dermatological Sci Appl*. 2017;07(01):99-117.
 26. Olusegun A, Makun HA, Ogara IM, et al. We are IntechOpen , the world ' s leading publisher of Open Access books Built by scientists , for scientists TOP 1 % . *Intech*. 2012;i(tourism):38.
 27. Jablonski NG, Chaplin G. Human skin pigmentation as an adaptation to UV radiation. *Proc Natl Acad Sci U S A*. 2010;107(SUPPL. 2):8962-8968.
 28. Lin JY, Fisher DE. Melanocyte biology and skin pigmentation. *Nature*. 2007;445(7130):843-850.
 29. Kumari S, Thng STG, Verma NK, Gautam HK. Melanogenesis inhibitors. *Acta Derm Venereol*. 2018;98(10):924-931.
 30. Eichner A, Hänsel M, Domino KB, Hübler M. Case 24: Tibia fracture. *Complicat Mishaps Anesth Cases - Anal - Prev Strateg*. 2014;9783642454(1):233-242.
 31. Vance KW, Goding CR. The transcription network regulating melanocyte development and melanoma. *Pigment Cell Res*. 2004;17(4):318-325.
 32. Xu W, Gong L, Haddad MM, et al. Regulation of microphthalmia-associated transcription factor MITF protein levels by association with the ubiquitin-conjugating enzyme hUBC9. *Exp Cell Res*. 2000;255(2):135-143.
 33. Lee SE, Park SH, Oh SW, et al. Beauvericin inhibits melanogenesis by regulating cAMP/PKA/CREB and LXR- α /p38 MAPK-mediated pathways. *Sci Rep*. 2018;8(1):1-12.
 34. Hong Y, Song B, Chen HD, Gao XH. Melanocytes and skin immunity. *J Investig Dermatology Symp Proc*. 2015;17(1):37-39.
 35. Nishio T, Usami M, Awaji M, Shinohara S, Sato K. Dual effects of acetylsalicylic acid on ERK signaling and Mitf transcription lead to inhibition of melanogenesis. *Mol Cell Biochem*. 2016;412(1-2):101-110.
 36. Wellbrock C, Arozarena I. Microphthalmia-associated transcription factor in melanoma development and MAP-kinase pathway targeted therapy. *Pigment Cell Melanoma Res*. 2015;28(4):390-406.
 37. Kawai T, Akira S. Signaling to NF- κ B by Toll-like receptors. *Trends Mol Med*. 2007;13(11):460-469.

38. Hoenig LJ. Molecular Mechanisms of Skin Aging and Age-Related Diseases. *Skinmed*. 2017;15(3):240.
39. Shoulders MD, Raines RT. Collagen Structure and Stability *Ann Rev Biochemistry*. 2009;78:929-958.
40. Farage MA, Miller KW, Elsner P, Maibach HI. Characteristics of the Aging Skin. *Adv Wound Care*. 2013;2(1):5-10.
41. Chung HJ, Uitto J. Type VII Collagen: The Anchoring Fibril Protein at Fault in Dystrophic Epidermolysis Bullosa. *Dermatol Clin*. 2010;28(1):93-105.
42. Edwards QA, Lunat I, Neale LDG, Kulikov SM. Water-Organic Solvent Media. 2015;13(3):1218-1226.
43. Varani J, Dame MK, Rittie L, et al. Decreased collagen production in chronologically aged skin: Roles of age-dependent alteration in fibroblast function and defective mechanical stimulation. *Am J Pathol*. 2006;168(6):1861-1868.
44. Zhang YZ, Ran LY, Li CY, Chen XL. Diversity, structures, and collagen-degrading mechanisms of bacterial collagenolytic proteases. *Appl Environ Microbiol*. 2015;81(18):6098-6107.
45. Hwang YP, Choi JH, Kim HG, et al. Cultivated ginseng suppresses ultraviolet B-induced collagenase activation via mitogen-activated protein kinases and nuclear factor κ B/activator protein-1-dependent signaling in human dermal fibroblasts. *Nutr Res*. 2012;32(6):428-438.
46. Gazon H, Barbeau B, Mesnard JM, Peloponese JM. Hijacking of the AP-1 signaling pathway during development of ATL. *Front Microbiol*. 2018;8(JAN):1-13.
47. Fernandez F. BIOSYNTHESIS OF COLLAGEN Biochemical and Physicochemical Characterization of Collagen-Synthesizing Polyribosomes Preparation of the Ribosomal Suspension. *J Cell Biol*. 1967;33:27-42.
48. Canty EG, Kadler KE. Procollagen trafficking, processing and fibrillogenesis. *J Cell Sci*. 2005;118(7):1341-1353.
49. Omari S, Makareeva E, Gorrell L, Jarnik M, Lippincott-Schwartz J, Leikin S. Mechanisms of procollagen and HSP47 sorting during ER-to-Golgi trafficking. *Matrix Biol*. Published online 2020:1-16.
50. Xi Q. *Razumikhin-Type Theorems for Impulsive Differential Equations with Piecewise Constant Argument of Generalized Type*. Vol 2018.; 2018.
51. Ishikawa Y, Bächinger HP. A molecular ensemble in the rER for procollagen maturation. *Biochim Biophys Acta - Mol Cell Res*.

2013;1833(11):2479-2491.

52. Rabe JH, Mamelak AJ, McElgunn PJS, Morison WL, Sauder DN. Photoaging: Mechanisms and repair. *J Am Acad Dermatol*. 2006;55(1):1-19.
53. Lan CCE. Effects and interactions of increased environmental temperature and UV radiation on photoageing and photocarcinogenesis of the skin. *Exp Dermatol*. 2019;28(October 2018):23-27.
54. Rittié L, Fisher GJ. Natural and sun-induced aging of human skin. *Cold Spring Harb Perspect Med*. 2015;5(1):1-14.
55. Pandel R, Poljšak B, Godic A, Dahmane R. Skin Photoaging and the Role of Antioxidants in Its Prevention. *ISRN Dermatol*. 2013;2013:1-11.
56. Helfrich YR, Sachs DL, Voorhees JJ. Overview of skin aging and photoaging. *Dermatol Nurs*. 2008;20(3).
57. Farage MA, Miller KW, Elsner P, Maibach HI. Intrinsic and extrinsic factors in skin ageing: A review. *Int J Cosmet Sci*. 2008;30(2):87-95.
58. Hwang K-A, Yi B-R, Choi K-C. Molecular Mechanisms and In Vivo Mouse Models of Skin Aging Associated with Dermal Matrix Alterations. *Lab Anim Res*. 2011;27(1):1.
59. Marino L, Castaldi MA, Rosamilio R, et al. Mesenchymal stem cells from the Wharton's jelly of the human umbilical cord: Biological properties and therapeutic potential. *Int J Stem Cells*. 2019;12(2):218-226.
60. Schachtele S, Clouser C, Aho J. Methods to Validate Mesenchymal Stem Cell Identity, Potency, and Quality. *R&D Syst*. Published online 2018.
61. Dittmer J, Oerlecke I, Leyh B. Involvement of Mesenchymal Stem Cells in Breast Cancer Progression. *Breast Cancer - Focus Tumor Microenviron Stem cells Metastasis*. 2011;(December 2011).
62. Yustianingsih V, Sumarawati T, Putra A. Hypoxia enhances self-renewal properties and markers of mesenchymal stem cells. *Universa Med*. 2019;38(3):164.
63. Weiss ARR, Dahlke MH. Immunomodulation by Mesenchymal Stem Cells (MSCs): Mechanisms of action of living, apoptotic, and dead MSCs. *Front Immunol*. 2019;10(JUN):1-10.
64. Naguib YW, Cui Z. Nanomedicine: The Promise. Published online 2014:135-156.
65. Sargent A, Miller RH. MSC Therapeutics in Chronic Inflammation. *Curr Stem Cell Reports*. 2016;2(2):168-173.

66. Scuteri A, Monfrini M. Mesenchymal stem cells as new therapeutic approach for diabetes and pancreatic disorders. *Int J Mol Sci.* 2018;19(9).
67. Putra A, Pertiwi D, Milla MN, et al. Hypoxia-preconditioned MSCs have superior effect in ameliorating renal function on acute renal failure animal model. *Open Access Maced J Med Sci.* 2019;7(3):305-310.
68. Madrigal M, Rao KS, Riordan NH. A review of therapeutic effects of mesenchymal stem cell secretions and induction of secretory modification by different culture methods. *J Transl Med.* 2014;12(1):1-14.
69. Harrell C, Fellabaum C, Jovicic N, Djonov V, Arsenijevic N, Volarevic V. Molecular Mechanisms Responsible for Therapeutic Potential of Mesenchymal Stem Cell-Derived Secretome. *Cells.* 2019;8(5):467.
70. Kyurkchiev D. Secretion of immunoregulatory cytokines by mesenchymal stem cells. *World J Stem Cells.* 2014;6(5):552.
71. Wang L, Qin W, Zhou Y, et al. Transforming growth factor β plays an important role in enhancing wound healing by topical application of Povidone-iodine. *Sci Rep.* 2017;7(1):1-8.
72. Kevin Range and DMYAM. 基因的改变 NIH Public Access. *Bone.* 2012;23(1):1-7.
73. Lin PS, Chang HH, Yeh CY, et al. Transforming growth factor beta 1 increases collagen content, and stimulates procollagen I and tissue inhibitor of metalloproteinase-1 production of dental pulp cells: Role of MEK/ERK and activin receptor-like kinase-5/Smad signaling. *J Formos Med Assoc.* 2017;116(5):351-358.
74. Yang H, Li G, Wu JJ, Wang L, Uhler M, Simeone DM. Protein kinase α modulates transforming growth factor- β signaling through a direct interaction with Smad4 protein. *J Biol Chem.* 2013;288(12):8737-8749.
75. Shoma Suresh K, Bhat S, Guru BR, Muttigi MS, Seetharam RN. A nanocomposite hydrogel delivery system for mesenchymal stromal cell secretome. *Stem Cell Res Ther.* 2020;11(1):1-14.
76. Waters R, Alam P, Pacelli S, et al. HHS Public Access. Published online 2019:95-106.
77. Maxey J. AADE-11-NTCE-23 Viscosity and Gel Structure : The Unseen Results of Their Manipulation. 2011;(April 2011).
78. Trostyanskaya YB, Makarova SB, Aptova TA, Murashko IN. Hydrophobic and hydrophilic gels of various permeabilities prepared by copolymerization of styrene with p-divinylbenzene. *Polym Sci USSR.* 1965;7(12):2282-2289.

79. Cabral MES, Ramos AN, Macedo AJ, et al. Formulation and quality control of semi-solid containing harmless bacteria by-products: Chronic wounds pro-healing activity. *Pharm Dev Technol*. 2015;20(8):911-918.
80. Nair A, Jacob S, Al-Dhubiab B, Attimarad M, Harsha S. Basic considerations in the dermatokinetics of topical formulations. *Brazilian J Pharm Sci*. 2013;49(3):423-434.
81. Xie WJ, Zhang YP, Xu J, Sun XB, Yang FF, Kalia Y. The effect and mechanism of transdermal penetration enhancement of Fu's cupping therapy: New physical penetration technology for transdermal administration with Traditional Chinese Medicine (TCM) characteristics. *Molecules*. 2017;22(4).
82. Ribeiro FM, Volpato H, Lazarin-Bidóia D, et al. The extended production of UV-induced reactive oxygen species in L929 fibroblasts is attenuated by posttreatment with *Arrabidaea chica* through scavenging mechanisms. *J Photochem Photobiol B Biol*. 2018;178(November 2017):175-181.
83. Shin JW, Kwon SH, Choi JY, et al. Molecular mechanisms of dermal aging and antiaging approaches. *Int J Mol Sci*. 2019;20(9).
84. Kwon KR, Alam MB, Park JH, Kim TH, Lee SH. Attenuation of UVB-induced photo-aging by polyphenolic-rich *spatholobus suberectus* stem extract via modulation of MAPK/AP-1/MMPs signaling in human keratinocytes. *Nutrients*. 2019;11(6).
85. Khalaf H, Jass J, Olsson PE. Differential cytokine regulation by NF- κ B and AP-1 in Jurkat T-cells. *BMC Immunol*. 2010;11:1-12.
86. You YJ, Wu PY, Liu YJ, et al. Sesamol inhibited ultraviolet radiation-induced hyperpigmentation and damage in C57BL/6 mouse skin. *Antioxidants*. 2019;8(7):1-16.
87. Karan S, Dash P, Kaushik H, Sahoo PK, Garg LC, Dixit A. Structural and Functional Characterization of Recombinant Interleukin-10 from Indian Major Carp *Labeo rohita*. *J Immunol Res*. 2016;2016.
88. Baillie R, Coombes RC, Smith J. Multiple forms of TGF- β 1 in breast tissue: A biologically active form of the small latent complex of TGF- β 1. *Eur J Cancer Part A*. 1996;32(9):1566-1573.
89. Darlan DM, Munir D, Putra A, Jusuf NK. MSCs-released TGF β 1 generate CD4+CD25+Foxp3+ in T-reg cells of human SLE PBMC. *J Formos Med Assoc*. 2020;(xxxx):1-7.
90. Putra A, Ridwan FB, Putridewi AI, et al. The role of tnf- α induced mscs on suppressive inflammation by increasing tgf- β and il-10. *Open Access Maced J Med Sci*. 2018;6(10):1779-1783.

91. Murakami M, Matsuzaki F, Funaba M. Regulation of melanin synthesis by the TGF- β family in B16 melanoma cells. *Mol Biol Rep.* 2009;36(6):1247-1250.
92. Moon HR, Jung JM, Kim SY, Song Y, Chang SE. TGF- β 3 suppresses melanogenesis in human melanocytes cocultured with UV-irradiated neighboring cells and human skin. *J Dermatol Sci.* 2020;99(2):100-108.
93. Jung M, Ma Y, Iyer RP, et al. IL-10 improves cardiac remodeling after myocardial infarction by stimulating M2 macrophage polarization and fibroblast activation. *Basic Res Cardiol.* 2017;112(3):1-14.
94. Saqib U, Sarkar S, Suk K, Mohammad O, Baig MS, Savai R. Phytochemicals as modulators of M1-M2 macrophages in inflammation. *Oncotarget.* 2018;9(25):17937-17950.
95. Nugraha A, Putra A. Tumor necrosis factor- α -activated mesenchymal stem cells accelerate wound healing through vascular endothelial growth factor regulation in rats. *Universa Med.* 2018;37(2):135.
96. Reitamo S, Remitz A, Tamai K, Uitto J. Interleukin-10 modulates type I collagen and matrix metalloprotease gene expression in cultured human skin fibroblasts. *J Clin Invest.* 1994;94(6):2489-2492.
97. Gilchrest BA. Skin aging and photoaging: An overview. *J Am Acad Dermatol.* 1989;21(3):610-613.
98. Comi M, Amodio G, Gregori S. Interleukin-10-producing DC-10 is a unique tool to promote tolerance via antigen-specific T regulatory type 1 cells. *Front Immunol.* 2018;9(APR):1-8.
99. Gong D, Shi W, Yi S ju, Chen H, Groffen J, Heisterkamp N. TGF β signaling plays a critical role in promoting alternative macrophage activation. *BMC Immunol.* 2012;13.
100. Trisnadi S, Muhar AM, Putra A, Kustiyah AR. Hypoxia-preconditioned mesenchymal stem cells attenuate peritoneal adhesion through TGF- β inhibition. *Universa Med.* 2020;39(2):97.
101. Ganceviciene R, Liakou AI, Theodoridis A, Makrantonaki E, Zouboulis CC. Skin anti-aging strategies. 2012;4(3):308-319.
102. Ismardianita E, Elianora D, Rosalina W, Nofrike L, Khairani VY. The effectiveness methanol extract clausena excavate on number of fibroblast and density of collagen fibers after tooth extraction. 2019;4(3):170-175.
103. Sunarto H, Trisnadi S, Putra A, Sa'dyah NAC, Tjipta A, Chodidjah C. The Role of Hypoxic Mesenchymal Stem Cells Conditioned Medium in Increasing Vascular Endothelial Growth Factors (VEGF) Levels and

Collagen Synthesis to Accelerate Wound Healing. *Indones J Cancer Chemoprevention*. 2020;11(3):134.

104. Gibb AA, Lazaropoulos MP, Elrod JW. Myofibroblasts and Fibrosis: Mitochondrial and Metabolic Control of Cellular Differentiation. *Circ Res*. Published online 2020:427-447.

