

## LAMPIRAN

### Lampiran 1 Perhitungan biaya riil

Jenis Kelamin	Usia	Diagnosis	Jenis Obat	Jumlah item obat	Aturan pakai obat	Lama hari	Jumlah obat (Tab)	e-Catalog	P-cost	Total cost
L	47	Hipertensi DM tipe 2	Amlodipin Captopril Metformin Glimepirid	4	1x1 1x1 2x1 1x1	30 hari 30 hari 60 hari 30 hari	30 30 60 30	75 66 102 207	2250 1980 6120 6210	16560

$$p\text{-cost} = \text{jumlah obat (tab)} \times e\text{-catalog}$$

$$\text{Total cost} = \sum p\text{-cost}$$

- a. p-cost Amlodipin :  $30 \times 75 = 2250$
- b. p-cost Captopril :  $30 \times 66 = 1980$
- c. p-cost Metformin :  $60 \times 102 = 6120$
- d. p-cost Glimepirid :  $30 \times 207 = 6210$
- Total cost =  $2250 + 1980 + 6120 + 6210 = 16.560$

### Lampiran 2 Frekuensi Responden

\*Jenis kelamin

#### Jenis Kelamin

	Frekuensi	Percent	Valid Percent	Cumulative Percent
Laki-Laki	257	45.9	45.9	45.9
Valid Perempuan	303	54.1	54.1	100.0
Total	560	100.0	100.0	

**\*Usia**

<b>Usia</b>				
	Frequency	Percent	Valid Percent	Cumulative Percent
45-59	278	49.6	49.6	49.6
60-74	247	44.1	44.1	93.8
75-90	13	2.3	2.3	96.1
28	1	.2	.2	96.3
33	2	.4	.4	96.6
34	1	.2	.2	96.8
40	2	.4	.4	97.1
41	1	.2	.2	97.3
42	1	.2	.2	97.5
43	9	1.6	1.6	99.1
44	5	.9	.9	100.0
Total	560	100.0	100.0	

**\*Item Obat**

<b>Jumlah Item</b>				
	Frequency	Percent	Valid Percent	Cumulative Percent
< 3	112	20.0	20.0	20.0
Valid > 3	448	80.0	80.0	100.0
Total	560	100.0	100.0	

**\*Diagnosis**

<b>Diagnosis</b>				
	Frequenc y	Percent	Valid Percent	Cumulative Percent
DM Tipe 2	158	28.2	28.2	28.2
Hipertensi	139	24.8	24.8	53.0
DM Tipe 2 , Hipertensi	203	36.3	36.3	89.3
DM tipe 2, Hipertensi, Nyeri Sendi	9	1.6	1.6	90.9
DM Tipe 2, Nyeri Sendi	4	.7	.7	91.6
DM tipe 2, Hipertensi,Mual Muntah	1	.2	.2	91.8
DM Tipe 2, Hiperlipidemia	1	.2	.2	92.0
DM tipe 2, Hipertensi, Asma,Nyeri Sendi	1	.2	.2	92.1
Valid DM Tipe 2, Sakit Kepala, Nyeri Sendi	1	.2	.2	92.3
DM Tipe 2, Sakit Kepala	1	.2	.2	92.5
Hipertensi, Nyeri Sendi	18	3.2	3.2	95.7
Hipertensi, Sakit Kepala,Hiperleipidemia	1	.2	.2	95.9
Hipertensi, Sakit Kepala	9	1.6	1.6	97.5
Hipertensi, Hiperlipidemia	1	.2	.2	97.7
Hipertensi, Nyeri Sendi, Demam	1	.2	.2	97.9
Hipertensi, Mual Muntah	1	.2	.2	98.0

Hipertensi, Angina Pectoris, Sakit Kepala	2	.4	.4	98.4
Hipertensi, Gagal Jantung, Hiperlipidemia, Angina Pectoris	1	.2	.2	98.6
Hipertensi, Gagal Jantung	4	.7	.7	99.3
Hipertensi, Osteoarthritis	1	.2	.2	99.5
Hipertensi, Hiperlipidemia, Nyeri Sendi	2	.4	.4	99.8
Hipertensi, Demam	1	.2	.2	100.0
Total	560	100.0	100.0	

**\*Jenis Obat**

**Jenis Obat Diterima**

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Metformin, Glimepirid, Sohobion	65	11.6	11.6	11.6
Glimepirid, Sohobion	8	1.4	1.4	13.0
Amlodipin, Sohobion	17	3.0	3.0	16.1
Amlodipin, Furosemid	3	.5	.5	16.6
Amlodipin, furosemid, Sohobion	8	1.4	1.4	18.0
Captopril, Amlodipin, Sohobion	8	1.4	1.4	19.5
Captopril, Amlodipin, Furosemid, Sohobion	13	2.3	2.3	21.8
Captopril, Amlodipin, Furosemid	11	2.0	2.0	23.8
Captopril, Sohobion	11	2.0	2.0	25.7

Candesartan,Amlodipin, Sohobion	2	.4	.4	26.1
Metformin,Glimepirid, Captopril,Sohobion	19	3.4	3.4	29.5
Metformin,Glimepirid, Captopril,Amlodipin,F urosemid	5	.9	.9	30.4
Glimepirid,Amlodipin, Sohobion	8	1.4	1.4	31.8
Metformin,glimepirid, Amlodipin,Sohobion	40	7.1	7.1	38.9
Metformin,Glimepirid, Captopril,Furosemid,So hobion	6	1.1	1.1	40.0
Metformin,Glimepirid, Amlodipin,Furosemid, Sohobion	10	1.8	1.8	41.8
Glimepirid,Captopril,A mlodipin,Furosemid,So hobion	2	.4	.4	42.1
Metformin,glimepirid,a mlodipin,candesartan,s ohobion	2	.4	.4	42.5
Metformin,glimepirid,a mlodipin,Captopril	2	.4	.4	42.9
Candesartanmetformin, glimepirid,sohobion	2	.4	.4	43.2
Glimepirid,amlodipin,f urosemid,sohobion	4	.7	.7	43.9
Captopril,Glibenklamid ,sohobion	2	.4	.4	44.3
metformin,glimepirid,c aptopril,amlodipin,soho bion	4	.7	.7	45.0

metformin, amlodipin, furosemid	4	.7	.7	45.7
glimepirid,metformin, mecobalamin	10	1.8	1.8	47.5
glimepirid, metformin, B komplek	17	3.0	3.0	50.5
glimepirid, metformin, vitamin B1	7	1.3	1.3	51.8
acarbose, metformin	1	.2	.2	52.0
metformin, B komplek	2	.4	.4	52.3
metformin, Vitamin B12	3	.5	.5	52.9
glimepirid, metformin, vitamin B12	10	1.8	1.8	54.6
glimepirid, metformin,vitamin B1, mecobalamin	3	.5	.5	55.2
glimepirid, metformin	24	4.3	4.3	59.5
glimepirid	5	.9	.9	60.4
Glibenklamid	3	.5	.5	60.9
Amlodipin,Bisoprolol, VitaminB1	3	.5	.5	61.4
Amlodipin,Bisoprolol, Vitamin B6	1	.2	.2	61.6
Amlodipin,Spironolact one,B komplek	3	.5	.5	62.1
Amlodipin,Spironolact one,Vitamin B1,vitamin B6	1	.2	.2	62.3
Amlodipin,Bisoprolol,S pironolactone, Vitamin B1	4	.7	.7	63.0

Amlodipin,Irbesartna,B Complek, Spironolactone	1	.2	.2	63.2
Amlodipin 5mg	5	.9	.9	64.1
Amlodipin 10mg	12	2.1	2.1	66.3
Amlodipin, Vitamin B1, Spironolactone	2	.4	.4	66.6
Bisoprolol,Aspilet	1	.2	.2	66.8
Amlodipin, Mecobalamin	5	.9	.9	67.7
Amlodipin,B complek	9	1.6	1.6	69.3
Amlodipin, Bisoprolol,B complek	11	2.0	2.0	71.3
Amlodipin, Bisoprolol, Vitamin B12	1	.2	.2	71.4
Amlodipin, Candesartan, Vitamin B1	1	.2	.2	71.6
Amlodipin, B complek, Furosemid	2	.4	.4	72.0
Amlodipin, bisoprolol,Spironolacto ne	1	.2	.2	72.1
Amlodipin, Vitamin B12	1	.2	.2	72.3
amlodipin, bisoprolol, vitamin B12	3	.5	.5	72.9
amlodipin,propanolol,v itamin B12	1	.2	.2	73.0
glimepirid, metformin, amlodipin, B complek	3	.5	.5	73.6
glimepirid, metformin,amlodipin,N a diklofenak,B complek	8	1.4	1.4	75.0

Amlodipin, glimepirid, B komplek	3	.5	.5	75.5
Glimepirid, Metformin, Bisoprolol	2	.4	.4	75.9
glimepirid, metformin, amlodipin, Bisoprolol, B komplek	9	1.6	1.6	77.5
glimepirid, metformin, amlodipin, bisoprolil, dimenhidrinat	1	.2	.2	77.7
glimepirid, metformin, amlodipin, propanolol, Vitamin B1	4	.7	.7	78.4
glimepirid, bisoprolol, vitamin B1	2	.4	.4	78.8
glimepirid, metformin, bisoprolol, B komplek	6	1.1	1.1	79.8
glimepirid, metformin, Na diklofenak	2	.4	.4	80.2
glimepirid, metformin, amlodipin	32	5.7	5.7	85.9
amlodipin, Candesartan, glimepirid, metformin, Vitamin B1	9	1.6	1.6	87.5
Metformin,Na diklofenak, Vitamin B12	1	.2	.2	87.7
Glimepirid, Metformin, Simvastatin, Mecobalamin	1	.2	.2	87.9
Glimepirid, Metformin, Vitamin B1, Na diklofenak	1	.2	.2	88.0



Amlodipin, Metformin, glimepirid, Vitamin B1	4	.7	.7	88.8
Amlodipin, Candesartan, Propranolol, Furosemid, Vitamin B12	5	.9	.9	89.6
Metformin, Glimepirid, Candesartan, Propranolol, Furosemid, Vitamin B12	3	.5	.5	90.2
Amlodipin, Bisoprolol, Glibenklamid, Metformin, Glimepirid, Mecobalamin	1	.2	.2	90.4
Amlodipin, Metformin, Vitamin B12	10	1.8	1.8	92.1
Amlodipin, Glimepirid, Metformin, Salbutamol, Na diklofenak, Vitamin B12	1	.2	.2	92.3
Metformin, Aspilet, Na diklofenak, Vitamin B12	1	.2	.2	92.5
Glimepirid, Metformin, Asam Mefenamat, B Complek	1	.2	.2	92.7
Amlodipin, Na diklofenak	3	.5	.5	93.2
Amlodipin, Na diklofenak, Vitamin B1	3	.5	.5	93.8
Amlodipin, Aspilet, Simvastatin, Vitamin B1	1	.2	.2	93.9

Amlodipin, Aspilet, Vitamin B1	3	.5	.5	94.5
Amlodipin, Bisoprolol, Asam Mefenamat	2	.4	.4	94.8
Candesartan, Amlodipin, Vitamin B1, Simvastatin	1	.2	.2	95.0
Bisoprolol, Amlodipin, Na diklofenak, B Complek	6	1.1	1.1	96.1
Amlodipin, Irbesartan, Mecobalamin, Na diklofenak	1	.2	.2	96.3
Amlodipin, Vitamin B1, Na diklofenak, Paracetamol	1	.2	.2	96.4
Amlodipin, Candesartan, Asam Mefenamat, Vitamin B1	1	.2	.2	96.6
Amlodipin, Vitamin B1, Bisoprolol, Dimenhidrinat	1	.2	.2	96.8
Amlodipin, Propanolol, Vitamin B12, Na diklofenak	3	.5	.5	97.3
Amlodipin, Candesartan, Simvastatin,, Na diklofenak, Vitamin B12	1	.2	.2	97.5
Amlodipin, Bisoprolol, Vitamin B6	1	.2	.2	97.7
Amlodipin, ISDN, Aspilet, B Complek	2	.4	.4	98.0

Amlodipin, Digoxin, Simvastatin, ISDN, B Komplek	1	.2	.2	98.2
Amlodipin, Bisoprolol, Digoxin, Vitamin B12	2	.4	.4	98.6
Amlodipin, Digoxin, Vitamin B6	1	.2	.2	98.8
Amlodipin, Vitamin B12, Asam Mefenamat	2	.4	.4	99.1
Amlodipin, B Komplek, Piroxicam	1	.2	.2	99.3
Amlodipin, Bisoprolol, Simvastatin, Na Diklofenak	1	.2	.2	99.5
Amlodipin, Bisoprolol, Spironolactone, Na diklofenak	2	.4	.4	99.8
Amlodipin, B Komplek, Ibu Profen	1	.2	.2	100.0
Total	560	100.0	100.0	

### Lampiran 3 Analisis Deskriptif

\*Jenis Kelamin



#### Descriptives

		Jenis Kelamin	Statistic	Std. Error
Total Cost	Laki-Laki	Mean	16718.81	522.272
		Lower Bound	15690.32	
		Upper Bound	17747.31	
		5% Trimmed Mean	16348.08	

	Median		15000.00	
	Variance		70101467.23	
			8	
	Std. Deviation		8372.662	
	Minimum		2250	
	Maximum		39270	
	Range		37020	
	Interquartile Range		9485	
	Skewness		.569	.152
	Kurtosis		.185	.303
	Mean		17292.31	427.184
		Lower		
	95% Confidence	Bound	16451.68	
	Interval for Mean	Upper		
		Bound	18132.94	
	5% Trimmed Mean		17031.42	
	Median		16800.00	
Perempuan	Variance		55293196.13	
			5	
	Std. Deviation		7435.939	
	Minimum		2970	
	Maximum		48720	
	Range		45750	
	Interquartile Range		10590	
	Skewness		.542	.140
	Kurtosis		1.113	.279

## \*Usia

Descriptives<sup>a,b,c,d</sup>

	Usia		Statistic	Std. Error
		Mean	17489.24	489.566
		95% Confidence Interval for Mean		
		Lower Bound	16525.50	
		Upper Bound	18452.99	
		5% Trimmed Mean	17177.70	
		Median	16800.00	
		Variance	66629642.749	
	45-59	Std. Deviation	8162.698	
		Minimum	2250	
		Maximum	48720	
		Range	46470	
		Interquartile Range	10620	
		Skewness	.487	.146
		Kurtosis	.579	.291
Total Harga		Mean	16552.25	489.249
		95% Confidence Interval for Mean		
		Lower Bound	15588.59	
		Upper Bound	17515.90	
		5% Trimmed Mean	16179.39	
		Median	14580.00	
		Variance	59123170.642	
	60-74	Std. Deviation	7689.159	
		Minimum	2250	
		Maximum	44220	
		Range	41970	
		Interquartile Range	9090	
		Skewness	.683	.155
		Kurtosis	.717	.309
	75-90	Mean	19083.85	1961.357
		Lower Bound	14810.42	

	95% Confidence Interval for Mean	Upper Bound	23357.28	
	5% Trimmed Mean		19250.94	
	Median		20670.00	
	Variance		50009975.641	
	Std. Deviation		7071.773	
	Minimum		5280	
	Maximum		29880	
	Range		24600	
	Interquartile Range		8610	
	Skewness		-.872	.616
	Kurtosis		.522	1.191

\*Item Obat



### Descriptives

	Jumlah Item	Statistic	Std. Error
Total Harga		Mean	10968.13
		95% Confidence Interval for Mean	600.480
		Lower Bound	9778.23
		Upper Bound	12158.02
		5% Trimmed Mean	10488.47
	< 3	Median	11410.00
		Variance	40384481.58
		Std. Deviation	8
		Minimum	6354.879
		Maximum	2250
	Range	35430	
		33180	

	Interquartile Range		9610	
	Skewness		.958	.228
	Kurtosis		1.746	.453
	Mean		18544.36	353.783
		Lower		
	95% Confidence	Bound	17849.08	
	Interval for Mean	Upper		
		Bound	19239.65	
	5% Trimmed Mean		18198.87	
	Median		19385.00	
> 3	Variance		56072914.41	
			5	
	Std. Deviation		7488.185	
	Minimum		2970	
	Maximum		48720	
	Range		45750	
	Interquartile Range		10350	
	Skewness		.601	.115
	Kurtosis		.834	.230

## \*Diagnosis



## Descriptives

	Diagnosis		Statistic	Std. Error
Total Cost	DM Tipe 2	Mean	17806.23	540.365
		95% Confidence	16738.91	
		Interval for Mean		
		Upper	18873.56	
		Lower		
		Bound		
		Upper		
		Bound		
		5% Trimmed Mean	17500.85	
		Median	20670.00	

	Variance		46135086.524	
	Std. Deviation		6792.281	
	Minimum		3570	
	Maximum		36390	
	Range		32820	
	Interquartile Range		7868	
	Skewness		.626	.193
	Kurtosis		.953	.384
	Mean		12948.96	663.647
		Lower		
	95% Confidence	Bound	11636.73	
	Interval for Mean	Upper		
		Bound	14261.19	
	5% Trimmed Mean		12342.62	
	Median		11820.00	
Hipertensi	Variance		61219357.056	
	Std. Deviation		7824.280	
	Minimum		2250	
	Maximum		37920	
	Range		35670	
	Interquartile Range		7930	
	Skewness		1.108	.206
	Kurtosis		1.226	.408
	Mean		19536.95	523.439
		Lower		
	95% Confidence	Bound	18504.84	
	Interval for Mean	Upper		
		Bound	20569.05	
DM Tipe 2 , Hipertensi	5% Trimmed Mean		19311.30	
	Median		19905.00	



	Variance		55619568.	
			596	
	Std. Deviation		7457.853	
	Minimum		2970	
	Maximum		44220	
	Range		41250	
	Interquartile Range		9160	
	Skewness		.341	.171
	Kurtosis		.576	.340
	Mean		17373.33	1409.87
				5
		Lower		
	95% Confidence	Bound	14122.15	
	Interval for Mean	Upper		
		Bound	20624.51	
	5% Trimmed Mean		17285.37	
	Median		19095.00	
DM tipe 2, Hipertensi, Nyeri Sendi	Variance		17889737.	
			500	
	Std. Deviation		4229.626	
	Minimum		11130	
	Maximum		25200	
	Range		14070	
	Interquartile Range		5355	
	Skewness		.264	.717
	Kurtosis		.378	1.400
	Mean		31265.00	7525.30
				6
		Lower		
	95% Confidence	Bound	7316.12	
	Interval for Mean	Upper		
		Bound	55213.88	
DM Tipe 2, Nyeri Sendi	5% Trimmed Mean		31055.56	

	Median		29380.00	
	Variance		226520900	
			.000	
	Std. Deviation		15050.611	
	Minimum		17580	
	Maximum		48720	
	Range		31140	
	Interquartile Range		28105	
	Skewness		.337	1.014
	Kurtosis		-3.881	2.619
	Mean		15949.17	1373.84
				2
		Lower		
	95% Confidence	Bound	13050.61	
	Interval for Mean	Upper		
		Bound	18847.72	
	5% Trimmed Mean		15836.30	
	Median		16170.00	
	Variance		33973962.	
			500	
	Std. Deviation		5828.719	
	Minimum		6660	
	Maximum		27270	
	Range		20610	
	Interquartile Range		7174	
	Skewness		-.058	.536
	Kurtosis		-.297	1.038
	Mean		14338.89	1969.80
				5
		Lower		
	95% Confidence	Bound	9796.51	
	Interval for Mean	Upper		
		Bound	18881.27	
Hipertensi, Nyeri Sendi				
Hipertensi, Sakit Kepala				

	5% Trimmed Mean		14379.60	
	Median		12840.00	
	Variance		34921179.861	
	Std. Deviation		5909.415	
	Minimum		3720	
	Maximum		24225	
	Range		20505	
	Interquartile Range		6898	
	Skewness		.015	.717
	Kurtosis		.759	1.400
	Mean		22615.00	7265.000
		Lower Bound	-69695.58	
	95% Confidence Interval for Mean	Upper Bound	114925.58	
	5% Trimmed Mean		.	
	Median		22615.00	
	Variance		105560450.000	
	Std. Deviation		10274.262	
	Minimum		15350	
	Maximum		29880	
	Range		14530	
	Interquartile Range		.	
	Skewness		.	.
	Kurtosis		.	.
	Mean		4272.50	761.581
		Lower Bound	1848.81	
	95% Confidence Interval for Mean	Upper Bound	6696.19	
		Bound		
Hipertensi, Angina Pectoris, Sakit Kepala				
Hipertensi, Gagal Jantung				

	5% Trimmed Mean	4256.11	
	Median	4125.00	
	Variance	2320025.00	
	Std. Deviation	1523.163	
	Minimum	2970	
	Maximum	5870	
	Range	2900	
	Interquartile Range	2753	
	Skewness	.128	1.014
	Kurtosis	-5.264	2.619
	Mean	11580.00	5430.000
	95% Confidence Interval for Mean	Lower Bound -57414.69 Upper Bound 80574.69	
	5% Trimmed Mean	.	
Hipertensi, Hiperlipidemia, Nyeri Sendi	Median	11580.00	
	Variance	58969800.000	
	Std. Deviation	7679.180	
	Minimum	6150	
	Maximum	17010	
	Range	10860	
	Interquartile Range	.	
	Skewness	.	.
	Kurtosis	.	.

## \*Jenis Obat

## Descriptive

Jenis Obat Diterima		Statistic		Std. Error	
Total Cost	Amlodipin, Sohobion	Mean		10447.65	727.279
		95% Confidence Interval for Mean	Lower Bound	8905.89	
			Upper Bound	11989.41	
		5% Trimmed Mean		10584.05	
		Median		10590.00	
		Variance		8991881.618	
		Std. Deviation		2998.647	
		Minimum		3070	
		Maximum		15370	
		Range		12300	
		Interquartile Range		3490	
		Skewness		-.812	.550
		Kurtosis		1.172	1.063
	Amlodipin, Furosemid	Mean		13896.67	3476.667
		95% Confidence Interval for Mean	Lower Bound	-1062.22	
			Upper Bound	28855.56	
		5% Trimmed Mean		.	
		Median		14890.00	
		Variance		36261633.33	
		Std. Deviation		6021.763	
		Minimum		7440	
		Maximum		19360	
		Range		11920	
		Interquartile Range		.	
		Skewness		-.722	1.225
		Kurtosis		.	.
	Amlodipin, furosemid, Sohobion	Mean		16681.25	3461.401
		95% Confidence Interval for Mean	Lower Bound	8496.34	
			Upper Bound	24866.16	
		5% Trimmed Mean		15889.72	
		Median		11855.00	
		Variance		95850355.36	
		Std. Deviation		9790.319	
		Minimum		10590	
		Maximum		37020	
		Range		26430	
		Interquartile Range		12848	
		Skewness		1.708	.752
		Kurtosis		2.016	1.481

Captopril,Amlodipin, Sohobion	Mean		13953.75	777.050
	95% Confidence Interval for Mean	Lower Bound	12116.32	
		Upper Bound	15791.18	
	5% Trimmed Mean		13891.39	
	Median		13425.00	
	Variance		4830455.357	
	Std. Deviation		2197.830	
	Minimum		11410	
	Maximum		17620	
	Range		6210	
	Interquartile Range		3378	
	Skewness		.509	.752
	Kurtosis		-1.076	1.481
Captopril,Amlodipin, Furosemid,Sohobion	Mean		19897.69	2380.465
	95% Confidence Interval for Mean	Lower Bound	14711.10	
		Upper Bound	25084.28	
	5% Trimmed Mean		19551.88	
	Median		15370.00	
	Variance		73665969.23	
	Std. Deviation		8582.888	
	Minimum		10590	
	Maximum		35430	
	Range		24840	
	Interquartile Range		11920	
	Skewness		.798	.616
	Kurtosis		-.388	1.191
Captopril,Amlodipin, Furosemid	Mean		12571.82	1431.746
	95% Confidence Interval for Mean	Lower Bound	9381.69	
		Upper Bound	15761.95	
	5% Trimmed Mean		12304.80	
	Median		12300.00	
	Variance		22548856.36	
	Std. Deviation		4748.564	
	Minimum		7030	
	Maximum		22920	
	Range		15890	
	Interquartile Range		7930	
	Skewness		.821	.661
	Kurtosis		.895	1.279
Captopril,Sohobion	Mean		12933.64	1284.278
	95% Confidence Interval for Mean	Lower Bound	10072.09	
		Upper Bound	15795.19	
	5% Trimmed Mean		12721.82	
	Median		10590.00	
	Variance		18143065.45	
	Std. Deviation		4259.468	
	Minimum		7030	
	Maximum		22650	
	Range		15620	
	Interquartile Range		5190	
	Skewness		1.133	.661
	Kurtosis		1.668	1.279

Candesartan,Amlodipin, Sohobion	Mean		18430.00	7020.000
	95% Confidence Interval for Mean	Lower Bound	-70767.56	
		Upper Bound	107627.56	
	5% Trimmed Mean		.	
	Median		18430.00	
	Variance		98560800.00	
	Std. Deviation		9927.779	
	Minimum		11410	
	Maximum		25450	
	Range		14040	
	Interquartile Range		.	
	Skewness		.	.
	Kurtosis		.	.
Metformin,Glimepirid, Captopril,Sohobion	Mean		22582.63	1024.600
	95% Confidence Interval for Mean	Lower Bound	20430.03	
		Upper Bound	24735.24	
	5% Trimmed Mean		23087.92	
	Median		24630.00	
	Variance		19946298.25	
	Std. Deviation		4466.128	
	Minimum		9190	
	Maximum		26880	
	Range		17690	
	Interquartile Range		1980	
	Skewness		-2.261	.524
	Kurtosis		4.805	1.014
Metformin,Glimepirid, Captopril,Amlodipin, Furosemid	Mean		16546.00	2336.826
	95% Confidence Interval for Mean	Lower Bound	10057.93	
		Upper Bound	23034.07	
	5% Trimmed Mean		16872.78	
	Median		19360.00	
	Variance		27303780.00	
	Std. Deviation		5225.302	
	Minimum		7440	
	Maximum		19770	
	Range		12330	
	Interquartile Range		7445	
	Skewness		-1.977	.913
	Kurtosis		3.920	2.000
Glimepirid,Amlodipin, Sohobion	Mean		19826.25	1144.242
	95% Confidence Interval for Mean	Lower Bound	17120.55	
		Upper Bound	22531.95	
	5% Trimmed Mean		19822.50	
	Median		19725.00	
	Variance		10474312.50	
	Std. Deviation		3236.404	
	Minimum		16800	
	Maximum		22920	
	Range		6120	
	Interquartile Range		6120	
	Skewness		.003	.752
	Kurtosis		-2.794	1.481

Metformin,glimepirid, Amlodipin,Sohobion	Mean		21404.50	753.627
	95% Confidence Interval for Mean	Lower Bound	19880.15	
		Upper Bound	22928.85	
	5% Trimmed Mean		21960.56	
	Median		22920.00	
	Variance		22718133.08	
	Std. Deviation		4766.354	
	Minimum		3070	
	Maximum		26940	
	Range		23870	
	Interquartile Range		0	
	Skewness		-2.371	.374
	Kurtosis		5.813	.733
Metformin,Glimepirid, Captopril,Furosemid, Sohobion	Mean		23485.00	1355.723
	95% Confidence Interval for Mean	Lower Bound	20000.00	
		Upper Bound	26970.00	
	5% Trimmed Mean		23735.56	
	Median		25040.00	
	Variance		11027910.00	
	Std. Deviation		3320.830	
	Minimum		17010	
	Maximum		25450	
	Range		8440	
	Interquartile Range		4008	
	Skewness		-2.027	.845
	Kurtosis		4.135	1.741
Metformin,Glimepirid, Amlodipin,Furosemid, Sohobion	Mean		23905.00	905.214
	95% Confidence Interval for Mean	Lower Bound	21857.26	
		Upper Bound	25952.74	
	5% Trimmed Mean		24131.11	
	Median		23740.00	
	Variance		8194116.667	
	Std. Deviation		2862.537	
	Minimum		16800	
	Maximum		26940	
	Range		10140	
	Interquartile Range		2865	
	Skewness		-1.778	.687
	Kurtosis		4.476	1.334
Glimepirid,Captopril, Amlodipin,Furosemid, Sohobion	Mean		14715.00	7275.000
	95% Confidence Interval for Mean	Lower Bound	-77722.64	
		Upper Bound	107152.64	
	5% Trimmed Mean		.	
	Median		14715.00	
	Variance		105851250.0	
	Std. Deviation		10288.404	
	Minimum		7440	
	Maximum		21990	
	Range		14550	
	Interquartile Range		.	
	Skewness		.	.
	Kurtosis		.	.



Candesartanmetformin, glimepirid,sohobion	Mean		27320.00	9700.000
	95% Confidence Interval for Mean	Lower Bound	-95930.19	
		Upper Bound	150570.19	
	5% Trimmed Mean		.	
	Median		27320.00	
	Variance		188180000.0	
	Std. Deviation		13717.872	
	Minimum		17620	
	Maximum		37020	
	Range		19400	
	Interquartile Range		.	
	Skewness		.	.
	Kurtosis		.	.
Glimepirid,amlodipin, furosemid,sohobion	Mean		18245.00	2597.154
	95% Confidence Interval for Mean	Lower Bound	9979.70	
		Upper Bound	26510.30	
	5% Trimmed Mean		18175.56	
	Median		17620.00	
	Variance		26980833.33	
	Std. Deviation		5194.308	
	Minimum		12570	
	Maximum		25170	
	Range		12600	
	Interquartile Range		9450	
	Skewness		.708	1.014
	Kurtosis		1.781	2.619
Captopril,Glibenklamid, sohobion	Mean		20385.00	6495.000
	95% Confidence Interval for Mean	Lower Bound	-62141.80	
		Upper Bound	102911.80	
	5% Trimmed Mean		.	
	Median		20385.00	
	Variance		84370050.00	
	Std. Deviation		9185.317	
	Minimum		13890	
	Maximum		26880	
	Range		12990	
	Interquartile Range		.	
	Skewness		.	.
	Kurtosis		.	.
metformin,glimepirid, captopril,amlodipin, sohobion	Mean		24900.00	1143.154
	95% Confidence Interval for Mean	Lower Bound	21261.98	
		Upper Bound	28538.02	
	5% Trimmed Mean		24900.00	
	Median		24900.00	
	Variance		5227200.000	
	Std. Deviation		2286.307	
	Minimum		22920	
	Maximum		26880	
	Range		3960	
	Interquartile Range		3960	
	Skewness		.000	1.014
	Kurtosis		-6.000	2.619

metformin, amlodipin, furosemid	Mean		11647.50	1795.440
	95% Confidence Interval for Mean	Lower Bound	5933.61	
		Upper Bound	17361.39	
	5% Trimmed Mean		11497.78	
	Median		10300.00	
	Variance		12894425.00	
	Std. Deviation		3590.881	
	Minimum		9190	
	Maximum		16800	
	Range		7610	
	Interquartile Range		6263	
	Skewness		1.542	1.014
	Kurtosis		2.093	2.619
	gliimepirid,metformin, mecobalamin	Mean		24435.00
95% Confidence Interval for Mean		Lower Bound	16967.26	
		Upper Bound	31902.74	
5% Trimmed Mean			24501.67	
Median			25215.00	
Variance			108976500.0	
Std. Deviation			10439.181	
Minimum			11280	
Maximum			36390	
Range			25110	
Interquartile Range			21206	
Skewness			-.085	.687
Kurtosis			-2.095	1.334
gliimepirid, metformin, B komplek		Mean		18457.65
	95% Confidence Interval for Mean	Lower Bound	13917.23	
		Upper Bound	22998.07	
	5% Trimmed Mean		18110.16	
	Median		14580.00	
	Variance		77984419.12	
	Std. Deviation		8830.879	
	Minimum		6780	
	Maximum		36390	
	Range		29610	
	Interquartile Range		10190	
	Skewness		1.121	.550
	Kurtosis		.206	1.063
	gliimepirid, metformin, vitamin B1	Mean		18649.29
95% Confidence Interval for Mean		Lower Bound	7940.44	
		Upper Bound	29358.13	
5% Trimmed Mean			18264.76	
Median			12330.00	
Variance			134074553.6	
Std. Deviation			11579.057	
Minimum			8790	
Maximum			35430	
Range			26640	
Interquartile Range			23535	
Skewness			1.142	.794
Kurtosis			-.892	1.587

glimepirid, metformin, vitamin B12	Mean		13089.00	1400.888
	95% Confidence Interval for Mean	Lower Bound	9919.97	
		Upper Bound	16258.03	
	5% Trimmed Mean		13100.00	
	Median		13335.00	
	Variance		19624860.00	
	Std. Deviation		4429.995	
	Minimum		6165	
	Maximum		19815	
	Range		13650	
	Interquartile Range		6098	
	Skewness		-.204	.687
	Kurtosis		-.498	1.334
	glimepirid, metformin, vitamin B1, mecobalamin	Mean		11050.00
95% Confidence Interval for Mean		Lower Bound	2885.50	
		Upper Bound	19214.50	
5% Trimmed Mean			.	
Median			11940.00	
Variance			10802100.00	
Std. Deviation			3286.655	
Minimum			7410	
Maximum			13800	
Range			6390	
Interquartile Range			.	
Skewness			-1.129	1.225
Kurtosis			.	.
glimepirid, metformin		Mean		13885.83
	95% Confidence Interval for Mean	Lower Bound	11133.72	
		Upper Bound	16637.95	
	5% Trimmed Mean		13557.13	
	Median		12645.00	
	Variance		42478336.23	
	Std. Deviation		6517.541	
	Minimum		3570	
	Maximum		29880	
	Range		26310	
	Interquartile Range		4515	
	Skewness		1.157	.472
	Kurtosis		1.655	.918
	glimepirid	Mean		11160.00
95% Confidence Interval for Mean		Lower Bound	5519.43	
		Upper Bound	16800.57	
5% Trimmed Mean			11391.67	
Median			12330.00	
Variance			20636550.00	
Std. Deviation			4542.747	
Minimum			3570	
Maximum			14580	
Range			11010	
Interquartile Range			7425	
Skewness			-1.581	.913
Kurtosis			2.550	2.000

Glibenklamid	Mean		8220.00	2055.000
	95% Confidence Interval for Mean	Lower Bound	-621.95	
		Upper Bound	17061.95	
	5% Trimmed Mean		.	
	Median		6165.00	
	Variance		12669075.00	
	Std. Deviation		3559.364	
	Minimum		6165	
	Maximum		12330	
	Range		6165	
	Interquartile Range		.	
	Skewness		1.732	1.225
	Kurtosis		.	.
Amlodipin,Bisoprolol, VitaminB1	Mean		17950.00	5614.366
	95% Confidence Interval for Mean	Lower Bound	-6206.67	
		Upper Bound	42106.67	
	5% Trimmed Mean		.	
	Median		13740.00	
	Variance		94563300.00	
	Std. Deviation		9724.366	
	Minimum		11040	
	Maximum		29070	
	Range		18030	
	Interquartile Range		.	
	Skewness		1.583	1.225
	Kurtosis		.	.
Amlodipin, Spironolactone,B komplek	Mean		23390.00	1031.164
	95% Confidence Interval for Mean	Lower Bound	18953.26	
		Upper Bound	27826.74	
	5% Trimmed Mean		.	
	Median		22560.00	
	Variance		3189900.000	
	Std. Deviation		1786.029	
	Minimum		22170	
	Maximum		25440	
	Range		3270	
	Interquartile Range		.	
	Skewness		1.640	1.225
	Kurtosis		.	.
Amlodipin,Bisoprolol, Spironolactone, Vitamin B1	Mean		20955.00	5992.752
	95% Confidence Interval for Mean	Lower Bound	1883.39	
		Upper Bound	40026.61	
	5% Trimmed Mean		20483.33	
	Median		16710.00	
	Variance		143652300.0	
	Std. Deviation		11985.504	
	Minimum		12480	
	Maximum		37920	
	Range		25440	
	Interquartile Range		21180	
	Skewness		1.422	1.014
	Kurtosis		1.535	2.619

Amlodipin 5mg	Mean		3838.00	1414.887
	95% Confidence Interval for Mean	Lower Bound	-90.35	
		Upper Bound	7766.35	
	5% Trimmed Mean		3613.33	
	Median		2250.00	
	Variance		10009520.00	
	Std. Deviation		3163.783	
	Minimum		2250	
	Maximum		9470	
	Range		7220	
	Interquartile Range		3970	
	Skewness		2.184	.913
	Kurtosis		4.798	2.000
Amlodipin 10mg	Mean		3676.25	840.989
	95% Confidence Interval for Mean	Lower Bound	1825.25	
		Upper Bound	5527.25	
	5% Trimmed Mean		3243.89	
	Median		2970.00	
	Variance		8487141.477	
	Std. Deviation		2913.270	
	Minimum		2250	
	Maximum		12885	
	Range		10635	
	Interquartile Range		0	
	Skewness		3.406	.637
	Kurtosis		11.721	1.232
Amlodipin, Vitamin B1, Spironolactone	Mean		7350.00	690.000
	95% Confidence Interval for Mean	Lower Bound	-1417.28	
		Upper Bound	16117.28	
	5% Trimmed Mean		.	
	Median		7350.00	
	Variance		952200.000	
	Std. Deviation		975.807	
	Minimum		6660	
	Maximum		8040	
	Range		1380	
	Interquartile Range		.	
	Skewness		.	.
	Kurtosis		.	.
Amlodipin, Mecobalamin	Mean		18088.00	4504.864
	95% Confidence Interval for Mean	Lower Bound	5580.49	
		Upper Bound	30595.51	
	5% Trimmed Mean		18416.11	
	Median		25350.00	
	Variance		101469020.0	
	Std. Deviation		10073.183	
	Minimum		4920	
	Maximum		25350	
	Range		20430	
	Interquartile Range		18155	
	Skewness		-.723	.913
	Kurtosis		-2.667	2.000

Amlodipin,B komplek	Mean		6645.00	1725.000
	95% Confidence Interval for Mean	Lower Bound	2667.14	
		Upper Bound	10622.86	
	5% Trimmed Mean		5974.17	
	Median		4920.00	
	Variance		26780625.00	
	Std. Deviation		5175.000	
	Minimum		4920	
	Maximum		20445	
	Range		15525	
	Interquartile Range		0	
	Skewness		3.000	.717
	Kurtosis		9.000	1.400
	Amlodipin, Bisoprolol,B komplek	Mean		16437.27
95% Confidence Interval for Mean		Lower Bound	10985.69	
		Upper Bound	21888.86	
5% Trimmed Mean			15656.14	
Median			12480.00	
Variance			65849706.82	
Std. Deviation			8114.783	
Minimum			12480	
Maximum			34455	
Range			21975	
Interquartile Range			2700	
Skewness			1.924	.661
Kurtosis			2.234	1.279
Amlodipin, B komplek, Furosemid		Mean		6862.50
	95% Confidence Interval for Mean	Lower Bound	-16485.15	
		Upper Bound	30210.15	
	5% Trimmed Mean		.	
	Median		6862.50	
	Variance		6752812.500	
	Std. Deviation		2598.617	
	Minimum		5025	
	Maximum		8700	
	Range		3675	
	Interquartile Range		.	
	Skewness		.	.
	Kurtosis		.	.
	amlodipin, bisoprolol, vitamin B12	Mean		10020.00
95% Confidence Interval for Mean		Lower Bound	4598.66	
		Upper Bound	15441.34	
5% Trimmed Mean			.	
Median			11280.00	
Variance			4762800.000	
Std. Deviation			2182.384	
Minimum			7500	
Maximum			11280	
Range			3780	
Interquartile Range			.	
Skewness			-1.732	1.225
Kurtosis			.	.

glimepirid, metformin, amlodipin, B komplek	Mean		20910.00	774.403
	95% Confidence Interval for Mean	Lower Bound	17578.01	
		Upper Bound	24241.99	
	5% Trimmed Mean		.	
	Median		21060.00	
	Variance		1799100.000	
	Std. Deviation		1341.305	
	Minimum		19500	
	Maximum		22170	
	Range		2670	
	Interquartile Range		.	
	Skewness		-.497	1.225
	Kurtosis		.	.
glimepirid, metformin, amlodipin, Na diklofenak, B komplek	Mean		17985.00	1440.363
	95% Confidence Interval for Mean	Lower Bound	14579.08	
		Upper Bound	21390.92	
	5% Trimmed Mean		17965.00	
	Median		19095.00	
	Variance		16597157.14	
	Std. Deviation		4073.961	
	Minimum		11130	
	Maximum		25200	
	Range		14070	
	Interquartile Range		3803	
	Skewness		.074	.752
	Kurtosis		1.341	1.481
Amlodipin, glimepirid, B komplek	Mean		18230.00	1400.000
	95% Confidence Interval for Mean	Lower Bound	12206.29	
		Upper Bound	24253.71	
	5% Trimmed Mean		.	
	Median		16830.00	
	Variance		5880000.000	
	Std. Deviation		2424.871	
	Minimum		16830	
	Maximum		21030	
	Range		4200	
	Interquartile Range		.	
	Skewness		1.732	1.225
	Kurtosis		.	.
Glimepirid, Metformin, Bisoprolol	Mean		17232.50	4517.500
	95% Confidence Interval for Mean	Lower Bound	-40167.78	
		Upper Bound	74632.78	
	5% Trimmed Mean		.	
	Median		17232.50	
	Variance		40815612.50	
	Std. Deviation		6388.710	
	Minimum		12715	
	Maximum		21750	
	Range		9035	
	Interquartile Range		.	
	Skewness		.	.
	Kurtosis		.	.

glimepirid, metformin, amlodipin, Bisoprolol, B komplek	Mean		19881.11	2004.428
	95% Confidence Interval for Mean	Lower Bound	15258.89	
		Upper Bound	24503.33	
	5% Trimmed Mean		19894.57	
	Median		19890.00	
	Variance		36159579.86	
	Std. Deviation		6013.284	
	Minimum		8500	
	Maximum		31020	
	Range		22520	
	Interquartile Range		5153	
	Skewness		-.094	.717
	Kurtosis		2.097	1.400
	glimepirid, metformin, amlodipin, propranolol, Vitamin B1	Mean		18247.50
95% Confidence Interval for Mean		Lower Bound	5465.39	
		Upper Bound	31029.61	
5% Trimmed Mean			17930.00	
Median			15390.00	
Variance			64527225.00	
Std. Deviation			8032.884	
Minimum			12330	
Maximum			29880	
Range			17550	
Interquartile Range			14093	
Skewness			1.622	1.014
Kurtosis			2.537	2.619
glimepirid, bisoprolol, vitamin B1		Mean		15915.00
	95% Confidence Interval for Mean	Lower Bound	-29636.74	
		Upper Bound	61466.74	
	5% Trimmed Mean		.	
	Median		15915.00	
	Variance		25704450.00	
	Std. Deviation		5069.956	
	Minimum		12330	
	Maximum		19500	
	Range		7170	
	Interquartile Range		.	
	Skewness		.	.
	Kurtosis		.	.
	glimepirid, metformin, bisoprolol, B komplek	Mean		14362.50
95% Confidence Interval for Mean		Lower Bound	10475.65	
		Upper Bound	18249.35	
5% Trimmed Mean			14500.83	
Median			15180.00	
Variance			13717777.50	
Std. Deviation			3703.752	
Minimum			7590	
Maximum			18645	
Range			11055	
Interquartile Range			4249	
Skewness			-1.338	.845
Kurtosis			2.857	1.741



glimepirid, metformin, Na diklofenak	Mean		29380.00	9500.000
	95% Confidence Interval for Mean	Lower Bound	-91328.94	
		Upper Bound	150088.94	
	5% Trimmed Mean		.	
	Median		29380.00	
	Variance		180500000.0	
	Std. Deviation		13435.029	
	Minimum		19880	
	Maximum		38880	
	Range		19000	
	Interquartile Range		.	
	Skewness		.	.
	Kurtosis		.	.
glimepirid, metformin, amlodipin	Mean		14910.63	1188.519
	95% Confidence Interval for Mean	Lower Bound	12486.62	
		Upper Bound	17334.63	
	5% Trimmed Mean		14394.65	
	Median		14580.00	
	Variance		45202502.82	
	Std. Deviation		6723.281	
	Minimum		2970	
	Maximum		38580	
	Range		35610	
	Interquartile Range		2093	
	Skewness		1.568	.414
	Kurtosis		4.512	.809
amlodipin, Candesartan, glimepirid, metformin, Vitamin B1	Mean		19788.33	4696.743
	95% Confidence Interval for Mean	Lower Bound	8957.62	
		Upper Bound	30619.04	
	5% Trimmed Mean		19153.70	
	Median		13530.00	
	Variance		198534587.5	
	Std. Deviation		14090.230	
	Minimum		6780	
	Maximum		44220	
	Range		37440	
	Interquartile Range		25058	
	Skewness		.998	.717
	Kurtosis		-.752	1.400
Amlodipin, Metformin, glimepirid, Vitamin B1	Mean		22758.75	4181.277
	95% Confidence Interval for Mean	Lower Bound	9452.06	
		Upper Bound	36065.44	
	5% Trimmed Mean		22884.17	
	Median		23887.50	
	Variance		69932306.25	
	Std. Deviation		8362.554	
	Minimum		12330	
	Maximum		30930	
	Range		18600	
	Interquartile Range		15941	
	Skewness		-.545	1.014
	Kurtosis		-1.889	2.619

Amlodipin, Candesartan, Propranolol, Furosemid, Vitamin B12	Mean		23478.00	6473.543
	95% Confidence Interval for Mean	Lower Bound	5504.56	
		Upper Bound	41451.44	
	5% Trimmed Mean		23753.33	
	Median		29880.00	
	Variance		209533770.0	
	Std. Deviation		14475.281	
	Minimum		2970	
	Maximum		39030	
	Range		36060	
	Interquartile Range		26205	
	Skewness		-.672	.913
	Kurtosis		-.984	2.000
	Metformin, Glimpirid, Candesartan, Propranolol, Furosemid, Vitamin B12	Mean		21360.00
95% Confidence Interval for Mean		Lower Bound	-13645.41	
		Upper Bound	56365.41	
5% Trimmed Mean			.	
Median			14580.00	
Variance			198572400.0	
Std. Deviation			14091.572	
Minimum			11940	
Maximum			37560	
Range			25620	
Interquartile Range			.	
Skewness			1.664	1.225
Kurtosis			.	.
Amlodipin, Metformin, Vitamin B12		Mean		13965.00
	95% Confidence Interval for Mean	Lower Bound	7436.49	
		Upper Bound	20493.51	
	5% Trimmed Mean		13350.00	
	Median		12330.00	
	Variance		83288050.00	
	Std. Deviation		9126.229	
	Minimum		3570	
	Maximum		35430	
	Range		31860	
	Interquartile Range		8010	
	Skewness		1.614	.687
	Kurtosis		3.029	1.334
	Amlodipin, Na diklofenak	Mean		13350.00
95% Confidence Interval for Mean		Lower Bound	-1108.26	
		Upper Bound	27808.26	
5% Trimmed Mean			.	
Median			16140.00	
Variance			33875100.00	
Std. Deviation			5820.232	
Minimum			6660	
Maximum			17250	
Range			10590	
Interquartile Range			.	
Skewness			-1.661	1.225
Kurtosis			.	.

Amlodipin, Na diklofenak, Vitamin B1	Mean		12620.00	5900.000
	95% Confidence Interval for Mean	Lower Bound	-12765.65	
		Upper Bound	38005.65	
	5% Trimmed Mean		.	
	Median		6720.00	
	Variance		104430000.0	
	Std. Deviation		10219.100	
	Minimum		6720	
	Maximum		24420	
	Range		17700	
	Interquartile Range		.	
	Skewness		1.732	1.225
	Kurtosis		.	.
	Amlodipin, Aspilet, Vitamin B1	Mean		18985.00
95% Confidence Interval for Mean		Lower Bound	3030.29	
		Upper Bound	34939.71	
5% Trimmed Mean			.	
Median			20910.00	
Variance			41250225.00	
Std. Deviation			6422.634	
Minimum			11820	
Maximum			24225	
Range			12405	
Interquartile Range			.	
Skewness			-1.228	1.225
Kurtosis			.	.
Bisoprolol, Amlodipin, Na diklofenak, B Komplek		Mean		16890.00
	95% Confidence Interval for Mean	Lower Bound	14239.58	
		Upper Bound	19540.42	
	5% Trimmed Mean		17026.67	
	Median		17505.00	
	Variance		6378480.000	
	Std. Deviation		2525.565	
	Minimum		12480	
	Maximum		18840	
	Range		6360	
	Interquartile Range		3593	
	Skewness		-1.197	.845
	Kurtosis		1.013	1.741
	Amlodipin, Propanolol, Vitamin B12, Na diklofenak	Mean		17530.00
95% Confidence Interval for Mean		Lower Bound	-3428.69	
		Upper Bound	38488.69	
5% Trimmed Mean			.	
Median			12840.00	
Variance			71183100.00	
Std. Deviation			8437.008	
Minimum			12480	
Maximum			27270	
Range			14790	
Interquartile Range			.	
Skewness			1.729	1.225
Kurtosis			.	.

Amlodipin, ISDN, Aspilet, B Komplek	Mean		22615.00	7265.000
	95% Confidence Interval for Mean	Lower Bound	-69695.58	
		Upper Bound	114925.58	
	5% Trimmed Mean		.	
	Median		22615.00	
	Variance		105560450.0	
	Std. Deviation		10274.262	
	Minimum		15350	
	Maximum		29880	
	Range		14530	
	Interquartile Range		.	
	Skewness		.	.
	Kurtosis		.	.
Amlodipin, Bisoprolol, Digoxin, Vitamin B12	Mean		4125.00	1155.000
	95% Confidence Interval for Mean	Lower Bound	-10550.67	
		Upper Bound	18800.67	
	5% Trimmed Mean		.	
	Median		4125.00	
	Variance		2668050.000	
	Std. Deviation		1633.417	
	Minimum		2970	
	Maximum		5280	
	Range		2310	
	Interquartile Range		.	
	Skewness		.	.
	Kurtosis		.	.
Amlodipin, Vitamin B12, Asam Mefenamat	Mean		8280.00	4560.000
	95% Confidence Interval for Mean	Lower Bound	-49660.29	
		Upper Bound	66220.29	
	5% Trimmed Mean		.	
	Median		8280.00	
	Variance		41587200.00	
	Std. Deviation		6448.814	
	Minimum		3720	
	Maximum		12840	
	Range		9120	
	Interquartile Range		.	
	Skewness		.	.
	Kurtosis		.	.

### Lampiran 4 Analisis Spearman's rho

		Correlations						
		Usia	Jenis Kelamin	Diagnosis	Obat Diterima	Jumlah Item	Total Harga	
Spearman's rho	Usia	Correlation Coefficient	1.000	.044	.002	.095	.011	-.058
		Sig. (2-tailed)	.	.304	.967	.024	.789	.174
		N	560	560	560	560	560	560
	Jenis Kelamin	Correlation Coefficient	.044	1.000	.078	-.040	-.022	.058
		Sig. (2-tailed)	.304	.	.063	.343	.612	.173
		N	560	560	560	560	560	560
	Diagnosis	Correlation Coefficient	.002	.078	1.000	.577**	.304**	.094
		Sig. (2-tailed)	.967	.063	.	.000	.000	.026
		N	560	560	560	560	560	560
	Obat Diterima	Correlation Coefficient	.095	-.040	.577**	1.000	.039	-.212**
		Sig. (2-tailed)	.024	.343	.000	.	.358	.000
		N	560	560	560	560	560	560
	Jumlah Item	Correlation Coefficient	.011	-.022	.304**	.039	1.000	.404**
		Sig. (2-tailed)	.789	.612	.000	.358	.	.000
		N	560	560	560	560	560	560
	Total Harga	Correlation Coefficient	-.058	.058	.094	-.212**	.404**	1.000
		Sig. (2-tailed)	.174	.173	.026	.000	.000	.
		N	560	560	560	560	560	560



## Lampiran 5 Surat Keterangan telah melaksanakan penelitian

### SURAT KETERANGAN

Telah Melaksnakan Penelitian

Nomor :                    /        /        2020

Yang bertandatangan di bawah ini **dr. Bahaudin** dengan menerangkan dengan sebenarnya bahwa Mahasiswa tersebut di bawah ini:

Nama                    : **Garnes Mona Yulieta**  
 NIM                     : 33101600439  
 Semester             : VIII (Delapan)  
 Fakultas/Prodi      : Kedokteran/Farmasi  
 Institusi Pendidikan : Universitas Islam Sultan Agung Semarang (UNISSULA)

Telah melakukan penelitian dengan baik dan lancar dalam rangka penyusunan skripsi dengan judul : *Analisis Blaya Obat Pada Pasien Hipertensi dan Diabetes Melitus Tipe II Di Dokter Praktek Mandiri Pada Era Jaminan Kesehatan Nasional (Studi di Fasilitas Kesehatan Tingkat Pertama di Kabupaten Tegal).*

Waktu Penelitian : 1 Oktober 2020

Demikian surat Pencitian ini dibuat untuk dapat digunakan sebagaimana mestinya.

Tegal,

Membuat,  
  
 dr. Bahaudin



**SURAT KETERANGAN**

Telah Melaksanakan Penelitian

Nomor :            /        /        /2020

Yang bertandatangan di bawah ini **dr. Judy Wahjono** dengan menerangkan dengan sebenarnya bahwa Mahasiswa tersebut di bawah ini:

Nama                    : **Garnes Mona Yulieta**

NIM                     : 33101600439

Semester              : VIII (Delapan)

Fakultas/Prodi        : Kedokteran/Farmasi

Institusi Pendidikan : Universitas Islam Sultan Agung Semarang (UNISSULA)

Telah melakukan penelitian dengan baik dan lancar dalam rangka penyusunan skripsi dengan judul : ***Analisis Biaya Obat Pada Pasien Hipertensi dan Diabetes Mellitus Tipe II Di Dokter Praktek Mandiri Pada Era Jaminan Kesehatan Nasional (Studi di Fasilitas Kesehatan Tingkat Pertama di Kabupaten Tegal).***

Waktu Penelitian : 20 - 26 September 2020

Demikian surat Penelitian ini dibuat untuk dapat digunakan sebagaimana mestinya.

Tegal,

Yang Membuat,

dr. Judy Wahjono  
Dokter Kardiologi  
RSCM Kabupaten Tegal  
dr. Judy Wahjono

## Lampiran 6 Surat Keterangan Layak Etik



KOMITE ETIK PENELITIAN KESEHATAN  
HEALTH RESEARCH ETHICS COMMITTEE  
RSI SULTAN AGUNG  
KEPK RSI SULTAN AGUNG

**KETERANGAN LAYAK ETIK**  
DESCRIPTION OF ETHICAL EXEMPTION  
"ETHICAL EXEMPTION"

No. 15/EC/KEPK/2020

Protokol penelitian yang diusulkan oleh  
*The research protocol proposed by*

:

Peneliti utama  
*Principal In Investigator*

: GARNES MONA YULIETA

Nama Institusi  
*Name of Institution*

: UNIVERSITAS ISLAM SULTAN AGUNG SEMARANG

Dengan Judul  
*Title*

**"ANALISIS BIAYA OBAT PADA PASIEN HIPERTENSI DAN DIABETES MELLITUS TIPE 2 (PROLANIS) DI DOKTER PRAKTIK MANDIRI PADA ERA JAMINAN KESEHATAN NASIONAL (STUDI DI FASILITAS KESEHATAN TINGKAT PERTAMA DI KABUPATEN TEGAL)"**


*"Analysis of Drug Costs in Patients With Hypertension and Type 2 Diabetes mellitus (PROLANIS) at The independent Practice Physician in the Era of National Health Insurance (Studies at First-level Health Facilities in the District of Tegal."*

Dinyatakan layak etik sesuai 7(tujuh) Standar WHO 2011, yaitu 1) Nilai Sosial, 2) Nilai Ilmiah, 3) Pemerataan Beban dan Manfaat, 4) Risiko, 5) Bujukan/Eksploitasi, 6) Kerahasiaan dan Privacy, dan 7) Persetujuan Setelah Penjelasan, yang merujuk pada Pedoman CIOMS 2016. Hal ini seperti yang ditunjukkan oleh terpenuhinya indikator setiap standar.

*Declared to be ethically appropriate in accordance to 7 (seven) WHO 2011 Standards, 1)Social Values, 2)Scientific Values, 3)Equitable Assessment and Benefits, 4)Risks, 5)Persuasion/Exploitation, 6)Confidentiality and Privacy, and 7)Informed Consent, referring to the 2016 CIOMS Guidelines. This is as indicated by the fulfillment of the indicators of each standard.*

Pernyataan Laik Etik ini berlaku selama kurun waktu tanggal 24 Juli 2020 sampai dengan tanggal 24 Juli 2021.

*This declaration of ethics applies during the period July 24, 2020 until July 24, 2021.*

YAYASAN BADAN WAKAF SULTAN AGUNG July 24, 2020  
Chairperson  
  
RSI SULTAN AGUNG  
ISLAMIC TEACHING HOSPITAL  
Rumah Sakit Sesuai Prinsip Syariah  
SEMARANG - JAWA TENGAH  
dr. Muhamad Aziz Rosidi