

DAFTAR PUSTAKA

- Allam, E., Windsor, L. J., & Stone, C. (2014). Anatomy & Physiology : Current Cleft Lip and Palate : Etiology , Epidemiology , Preventive and Intervention Strategies. *Anat Physiol Journal*, 4(3), 2–6. <https://doi.org/10.4172/2161-0940.1000150>
- Almaeeni, M. M., & Hassan, A. M. (2018). Selected Salivary Physicochemical Properties among Cleft Lip and Palate Children in Iraq. *International Journal of Medical Research & Health Sciences*, 7(9), 132–136.
- Antonarakis, G. S., Palaska, P., & Herzog, G. (2013). Caries Prevalence in Non-Syndromic Patients with Cleft Lip and / or Palate : A Meta-Analysis. *Caries Res*, 47, 406–413. <https://doi.org/10.1159/000349911>
- Badabaan, G. M., & Arafa, D. A. A. (2017). The Relationship between Salivary IgA Level and Dental Caries in Healthy School-Aged Children in Makkah al-Mukarramah. *International Journal of Health Sciences and Research*, 7(6), 125–134. <https://www.researchgate.net/publication/318317511%0AThe>
- Bekele, K. K., Ekanem, P. E., & Meberate, B. (2019). Anatomical patterns of cleft lip and palate deformities among neonates in Mekelle, Tigray, Ethiopia; implication of environmental impact. *BMC Pediatrics*, 19(1), 254. <https://doi.org/10.1186/s12887-019-1624-2>
- Bhattarai, K. R., Kim, H., & Chae, H. (2018). Compliance with Saliva Collection Protocol in Healthy Volunteers : Strategies for Managing Risk and Errors. *International Journal of Medical Sciences*, 15(8), 823–831. <https://doi.org/10.7150/ijms.25146>
- Cassiano, E. C. H., Pinto, E. G., Soares, S., Oliveira, T. M., Almeida, A. L. P. F., Bastos, J.-R. M., & Bastos, R. S. (2013). A Critical Review of Dental Caries in Individual with Cleft Lip. *World Journal of Dentistry*, 4(4), 272–275. <https://doi.org/10.5005/jp-journals-10015-1244>
- Chawda, J. G., Chaduvula, N., Patel, H. R., Jain, S. S., & Lala, A. K. (2011). Salivary SIgA and dental caries activity. *Indian Pediatrics*, 48(9), 719–721. <https://doi.org/10.1007/s13312-011-0113-y>
- Cholid, Z. (2013). Celah Palatum (Palatoscizis). *Stomatognatic (Jurnal Kedokteran Gigi Unej)*, 10(2), 99–104.
- Chopra, A., Lakhanpal, M., Rao, N. C., Gupta, N., & Vashisth, S. (2014). Oral Health in 4-6 Years Children with Cleft Lip / Palate : A Case Control Study. *North American Journal of Medical Sciences*, 6(6), 27–31. <https://doi.org/10.4103/1947-2714.134371>
- Chowdhury, C. R., Khijmatgar, S., Kishore, N. P., & Shetty, V. (2017). Oral

- health status among cleft lip and palate patients in South India : A profile. *Journal of Cleft Lip Palate and Craniofacial Anomalies*, 4(1), 152–159. <https://doi.org/10.4103/jclpca.jclpca>
- Corthésy, B. (2010). Role of secretory immunoglobulin A and secretory component in the protection of mucosal surfaces. *Future Microbiology*, 5(5), 817–829. <https://doi.org/10.2217/fmb.10.39>
- Deshpande, R. R., Sabhlok, S., Patil, V., Dasgupta, S., & Kumar, A. (2015). Comparative Evaluation of Salivary Total Protein Levels in Patients with Cleft Lip/Palate to Healthy Children in Mixed Dentition Age Group. *The Journal for Dentistry*, 111, 255–259.
- Gan, S. D., & Patel, K. R. (2013). Enzyme Immunoassay and Enzyme-Linked Immunosorbent Assay. *Journal of Investigative Dermatology*, 133, 1–3. <https://doi.org/10.1038/jid.2013.287>
- Gornowicz, A., Tokajuk, G., Bielawska, A., Maciorkowska, E., Jabłoński, R., Wójcicka, A., & Bielawski, K. (2014). The assessment of sIgA, histatin-5, and lactoperoxidase levels in saliva of adolescents with dental caries. *Medical Science Monitor*, 20, 1095–1100. <https://doi.org/10.12659/MSM.890468>
- Hayati, M., Herman, H., & Rezano, A. (2014). Peran Immunoglobulin A (SIgA) Dalam Menghambat Pembentukan Biofilm Streptokokus Mutans Pada Permukaan Gigi. *Dentika Dental Journal*, 18(2), 199–203.
- Hazza'a, A., Rawashdeh, M., Al-Nimri, K., & Al Habashneh, R. (2011). AM Hazza ' a Dental and oral hygiene status in Jordanian children with cleft lip and palate : a comparison between unilateral and bilateral clefts. *International Journal of Dental Hygiene*, 9, 30–36. <https://doi.org/10.1111/j.1601-5037.2009.00426.x>
- Hegde, M., Devadiga, D., Shetty, C., & Shetty, A. (2013). Correlation Between Dental Caries And Salivary Immunoglobulin In Adult Indian Population : An in vivo study. *Journal of Restorative Dentistry*, 1(1), 22–25.
- Javaid, M. A., Ahmed, A. S., Durand, R., & Tran, S. D. (2015). Saliva As a Diagnostic Tool For Oral And Systemic Disease. *Journal of Oral Biology and Craniofacial Research*, 6(1), 67–76. <https://doi.org/10.1016/j.jobcr.2015.08.006>
- Kamble, S., Hiremath, S. S., Puranik, M. P., Gaikwad, R., Biradar, A., Gadail, A. R., Sarode, S. C., Sarode, G. S., & Patil, S. (2017). Dental Caries and Dental Anomalies in Children with Cleft Lip and Cleft Palate in Bengaluru city , India. *World Journal of Dentistry*, 8(4), 304–308. <https://doi.org/10.5005/jp-journals-10015-1455>
- King, N. M., Wong, W. L., & Wong, H. M. (2013). Caries Experience of Chinese Children With Cleft Lip and Palate. *The Cleft Palate-Craniofacial Journal*,

50(July), 448–455. <https://doi.org/10.1597/11-133>

- Kuriakose, S., Sundaresan, C., Mathai, V., Khosla, E., & Gaffoor, F. M. A. (2013). A comparative study of salivary buffering capacity, flow rate, resting pH, and salivary Immunoglobulin A in children with rampant caries and caries-resistant children. *Journal of Indian Society of Pedodontics and Preventive Dentistry*, 31(2), 69–73. <https://doi.org/10.4103/0970-4388.115697>
- Loho Natalia, J. (2013). Prevalensi Labioschisis Di RSUP. PROF. Dr. R. D. Kandou Manado Periode Januari 2011 – Oktober 2012. *Jurnal E-Biomedik (EBM)*, 1(1), 396–401.
- Mattingly, A., Finley, J. K., Knox, S. M., & Overview, M. A. N. (2015). Salivary gland development and disease. *Wiley Periodicals*, 4(December), 573–590. <https://doi.org/10.1002/wdev.194>
- Moura, A. M. De, Andre, M., Lopez, M. T., & Dias, R. B. (2013). Prevalence of caries in Brazilian children with cleft lip and / or palate , aged 6 to 36 months. *Braz Oral Res.*
- Muhamad, A. H., Azzaldeen, A., & Watted, N. (2014). Cleft Lip And Palate: A Comprehensive Review. *International Journal of Basic and Applied Medical Scieces*, 4(1), 338–355. <https://www.researchgate.net/publication/269573936%0ACLEFT>
- Nicholls, W. (2016). Dental Anomalies in Children With Cleft Lip and palate in Western Australia. *European Journal of Dentistry*, 10(2), 254–258. <https://doi.org/10.4103/1305-7456.178317>
- Octiara, E., Sutadi, H., Siregar, Y., & Primasari, A. (2018). sIgA and Lisozim as Biomarker of Early Childhood Caries Risk. *Advances in Health Science Research*, 8, 96–101. <https://doi.org/10.2991/idcsu-17.2018.26>
- Pal, S., Mitra, M., Mishra, J., Saha, S., & Bhattacharya, B. (2013). Correlation of total salivary secretory immunoglobulin A (SIgA) and mutans specific SIgA in children having different caries status. *Journal of Indian Society of Pedodontics and Preventive Dentistry*, 31(4), 270–274. <https://doi.org/10.4103/0970-4388.121831>
- Pandey, S., Goel, M., Nagpal, R., Kar, A., Rapsang, E., & Matani, P. (2018). Evaluation of total salivary secretory immunoglobulin A and mutans-specific SIgA among children having dissimilar caries status. *Journal of Contemporary Dental Practice*, 19(6), 651–655. <https://doi.org/10.5005/jp-journals-10024-2314>
- Prabhu, S., Krishnapillai, R., Jose, M., & Prabhu, V. (2012). Etiopathogenesis Of Orofacial Clefting Revisited. *Journal of Oral and Maxillofacial Pathology*, 16(2), 228–232. <https://doi.org/10.4103/0973-029X.99074>
- Ranadheer, E., Nayak, U. A., Venugopal Reddy, N., & Arun Prasad Rao, V.

- (2011). The relationship between salivary IgA levels and dental caries in children. *Journal of Indian Society of Pedodontics and Preventive Dentistry*, 29(2), 106–112. <https://doi.org/10.4103/0970-4388.84681>
- Rochmah, Y. S., Harumsari, S., Sosiawan, A., & Rajiani, I. (2018). Association between Maternal Folate Intake and Polymorphism MTHFR A1298C as Risk Factor of Non-Syndromic Cleft Lips. *Indian Journal of Public Health Research and Development*, 9(7), 43–47. <https://doi.org/10.5958/0976-5506.2018.00611.3>
- Rochmah, Y. S., Suwarsi, L., Harumsari, S., Sosiawan, A., Muis, S. F., & Faradz, S. M. (2018). Maternal Polymorphism MTHFR a1298C not C677T and MSX1 as the Risk Factors of Non-Syndrome Cleft Lips/Palate in Sasak Tribe Indonesia. *Journal of International Dental and Medical Research*, 11(1), 120–123.
- Sharma, A., Subramaniam, P., & Moiden, S. (2017). Analysis of Salivary IgA, Amylase, Lactoferrin, and Lysozyme Before and After Comprehensive Dental Treatment in Children: A Prospective Study. *Contemporary Clinical Dentistry*, 8(September), 11–19. <https://doi.org/10.4103/ccd.ccd>
- Shashni, R., Goyal, A., Gauba, K., Utreja, A. K., Ray, P., & Jena, A. K. (2015). Comparison Of Risk Indicators Of Dental Caries In Children With And Without Cleft Lip And Palate Deformities. *Contemporary Clinical Dentistry*, 6(1), 58–62. <https://doi.org/10.4103/0976-237X.149293>
- Soesilawati, P., Notoputro, H., Yuliati, Ariani, M. D., Bayu, M. A., & Firdauzy. (2019). The role of salivary sIgA as protection for dental caries activity in Indonesian children. *Clinical, Cosmetic and Investigational Dentistry*, 11, 291–295.
- Sundell, A. L., Ullbro, C., Marcusson, A., & Twetman, S. (2015). Comparing caries risk profiles between 5- and 10- year-old children with cleft lip and / or palate and non-cleft controls. *BioMedical Central Oral Health*, 15(85), 1–6. <https://doi.org/10.1186/s12903-015-0067-x>
- Supandi, A., Monoarfa, A., & Oley, M. H. (2013). *Angka Kejadian Sumbing Bibir Di RSUP Prof. Dr. R. D Kandou Manado Periode 2011-2013*.
- Suratri, M. A. L., Joviana, T. A., & N, I. T. (2017). Effects (pH) Of Saliva By Dental Caries Occurrence In Pre-School Children Age. *Buletin Penelitian Kesehatan*, 45(4), 241–248. <http://dx.doi.org/10.22435/bpk.v45i4.6247.241-248>
- Szabo, G. T., Tihanyi, R., Csulak, F., Jambor, E., Bona, A., Szabo, G., & Mark, L. (2012). Comparative salivary proteomics of cleft palate patients. *Cleft Palate-Craniofacial Journal*, 49(5), 519–523. <https://doi.org/10.1597/10-135>
- Tamasas, B., & Cox, T. C. (2017). Massively Increased Caries Susceptibility in an Irf6 Cleft Lip / Palate Model. *Journal of Dental Research*, 96(3), 315–322.

<https://doi.org/10.1177/0022034516679376>

- Weraarchakul, W., & Weraarchakul, W. (2017). Dental Caries in Children with Cleft Lip and Palate. *Journal Medical Association Thailand*, 100(6), 131–135.
- Wirawan, E., & Puspita, S. (2017). Hubungan pH Saliva dan Kemampuan Buffer dengan DMF-T dan def-t pada Periode Gigi Bercampur Anak Usia 6-12 Tahun The Effect of Saliva pH and Buffer Capacity on DMF-T and. *Insisiva Dental Journal*, 6(1), 25–30.
- Xiao, W., Zhang, D., & Xu, Y. (2015). The Caries Prevalence of Oral Clefts In Eastern China. *International Journal Clinical Exp Medical*, 8(9), 16322–16327. www.ijcem.com /ISSN:1940-5901/IJCEM0008794
- Yohana, W. (2013). Sekretory iga sebagai bagian reaksi sistem imunitas mukosa oral akibat aplikasi material kurang tepat. *Jurnal Material Kedokteran Gigi*, 2(1), 83–89.
- Zhu, W. C., Xiao, J., Liu, Y., Wu, J., & Li, J. (2010). Caries Experience in Individuals With Cleft Lip and / or Palate in China. *Cleft Palate-Craniofacial Journal*, 47(1), 43–47. <https://doi.org/10.1597/07-076.1>

