

## DAFTAR PUSTAKA

- A. Boehme, C. Esenwa, M.E., 2018. Stroke: Risk factors and prevention. *J. Pak. Med. Assoc.* 60, 412.
- Abatenh, E., Gizaw, B., Tsegay, Z., Tefera, G., Aynalem, E., 2018. Health benefits of probiotics . 2.
- Abbott, A.L., Silvestrini, M., Topakian, R., Golledge, J., Brunser, A.M., de Borst, G.J., Harbaugh, R.E., Doubal, F.N., Rundek, T., Thapar, A., Davies, A.H., Kam, A., Wardlaw, J.M., 2017. Optimizing the definitions of stroke, transient ischemic attack, and infarction for research and application in clinical practice. *Front. Neurol.* 8, 1–14.
- Akhoundzadeh, K., Vakili, A., Shadnoush, M., Sadeghzadeh, J., 2018. Effects of the oral ingestion of probiotics on brain damage in a transient model of focal cerebral ischemia in mice. *Iran. J. Med. Sci.* 43, 32–40.
- Arya, A.K., Hu, B., 2018. Brain-gut axis after stroke. *Brain Circ.* 4, 165–173.
- Asano, Y., Hiramoto, T., Nishino, R., Aiba, Y., Kimura, T., Yoshihara, K., Koga, Y., Sudo, N., 2012. Critical role of gut microbiota in the production of biologically active, free catecholamines in the gut lumen of mice. *Am. J. Physiol. - Gastrointest. Liver Physiol.* 303, 1288–1295.
- Battaglini, D., Pimentel-Coelho, P.M., Robba, C., dos Santos, C.C., Cruz, F.F., Pelosi, P., Rocco, P.R.M., 2020. Gut Microbiota in Acute Ischemic Stroke: From Pathophysiology to Therapeutic Implications. *Front. Neurol.* 11, 1–13.
- Bennett, N., 2020. Acute ischemic stroke. *Handb. Neurosurgery, Neurol. Spinal Med. Nurses Adv. Pract. Heal. Prof.* 461–472.
- Carabotti, M., Scirocco, A., Maselli, M.A., Severi, C., 2015. The gut-brain axis: Interactions between enteric microbiota, central and enteric nervous systems. *Ann. Gastroenterol.* 28, 203–209.
- Chandra, A., Li, W., Stone, C., Geng, X., Ding, Y., 2017. The cerebral circulation and cerebrovascular disease I: Anatomy. *Brain circulation*, 3(2), 45. *Brain Circ.* 35–40.
- Chugh, C., 2019. Acute Ischemic Stroke: Management Approach. *Indian J. Crit. care Med.* 23, 140–146.
- Collins, S.M., Surette, M., Bercik, P., 2012. The interplay between the intestinal microbiota and the brain. *Nat. Rev. Microbiol.* 10, 735–742.
- Durgan, D.J., Lee, J., McCullough, L.D., Bryan, R.M., 2019. Examining the Role of the Microbiota-Gut-Brain Axis in Stroke. *Stroke* 50, 2270–2277.
- Flach, J., van der Waal, M.B., van den Nieuwboer, M., Claassen, E., Larsen, O.F.A., 2018. The underexposed role of food matrices in probiotic products:

- Reviewing the relationship between carrier matrices and product parameters. *Crit. Rev. Food Sci. Nutr.* 58, 2570–2584.
- Grabska, K., Gromadzka, G., Członkowska, A., 2011. Infections and ischemic stroke outcome. *Neurol. Res. Int.* 2011.
- Guarner, F., Khan, A., Garisch, J., 2011. Probiotics and Prebiotics: World Gastroenterology Organisation Global Guidelines.
- Guo, Y., Li, P., Guo, Q., Shang, K., Yan, D., Du, S., Lu, Y., 2013. Pathophysiology and biomarkers in acute ischemic stroke - A review. *Trop. J. Pharm. Res.* 12, 1097–1105.
- Harbige LS, Pinto E, Allgrove J, T.L., 2016. Immune Response of Healthy Adults to the Ingested Probiotic *Lactobacillus casei* Shirota. *Scand J Immunol* 84(6), 353–364.
- Hénaut, L., Grissi, M., Brazier, F., Assem, M., Poirot-Leclercq, S., Lenglet, G., Boudot, C., Avondo, C., Boullier, A., Choukroun, G., Massy, Z.A., Kamel, S., Chillon, J.M., 2019. Cellular and molecular mechanisms associated with ischemic stroke severity in female mice with chronic kidney disease. *Sci. Rep.* 9, 1–11.
- Isakov, E., 2011. Calculated decisions. *Cut. Tool Eng.* 63, 74–78.
- Kwah, L.K., Diong, J., 2014. National Institutes of Health Stroke Scale (NIHSS). *J. Physiother.* 60, 61.
- Lees, K.R., Bath, P.M.W., Schellinger, P.D., Kerr, D.M., Fulton, R., Hacke, W., Matchar, D., Sehra, R., Toni, D., 2012. Contemporary outcome measures in acute stroke research: Choice of primary outcome measure. *Stroke* 43, 1163–1170.
- Lescheid, D.W., 2014. Probiotics as regulators of inflammation: A review. *Funct. Foods Heal. Dis.* 4, 299.
- Li, H., Li, H., Zhang, X., Zhang, X., Pan, D., Pan, D., Liu, Y., Liu, Y., Yan, X., Tang, Y., Tao, M., Gong, L., Zhang, T., Woods, C.R., Du, Y., Gao, R., Gao, R., Qin, H., Qin, H., 2020. Dysbiosis characteristics of gut microbiota in cerebral infarction patients. *Transl. Neurosci.* 11, 124–133.
- Markowiak-Kopeć, P., Ślizewska, K., 2020. The effect of probiotics on the production of short-chain fatty acids by human intestinal microbiome. *Nutrients* 12.
- Markowiak, P., Ślizewska, K., 2017. Effects of probiotics, prebiotics, and synbiotics on human health. *Nutrients* 9.
- Martin, C.R., Osadchiy, V., Kalani, A., Mayer, E.A., 2018. The Brain-Gut-Microbiome Axis. *Cmgh* 6, 133–148.
- Mayer, E.A., Savidge, T., Shulman, R.J., 2014. Brain-gut microbiome interactions

- and functional bowel disorders. *Gastroenterology* 146, 1500–1512.
- Neto, A.C.L., Bittar, R., Gattas, G.S., Bor-Seng-shu, E., De Lima Oliveira, M., Da Costa Monsanto, R., Bittar, L.F., 2017. Pathophysiology and diagnosis of vertebrobasilar insufficiency: A review of the literature. *Int. Arch. Otorhinolaryngol.* 21, 302–307.
- Singh, V., Roth, S., Llovera, G., Sadler, R., Garzetti, D., Stecher, B., Dichgans, M., Liesz, A., 2016. Microbiota dysbiosis controls the neuroinflammatory response after stroke. *J. Neurosci.* 36, 7428–7440.
- Tan, M., Zhu, J.C., Du, J., Zhang, L.M., Yin, H.H., 2011. Effects of probiotics on serum levels of Th1/Th2 cytokine and clinical outcomes in severe traumatic brain-injured patients: A prospective randomized pilot study. *Crit. Care* 15, R290.
- Tobinick, E., Kim, N.M., Reyzin, G., Rodriguez-Romanacce, H., Depuy, V., 2012. Selective TNF inhibition for chronic stroke and traumatic brain injury: An observational study involving 629 consecutive patients treated with perispinal etanercept. *CNS Drugs* 26, 1051–1070.
- Venkatasubramanian, N., Yoon, B.W., Pandian, J., Navarro, J.C., 2017. Stroke epidemiology in south, east, and south-east asia: A review. *J. Stroke* 19, 286–294.
- Wang, H., Lee, I.S., Braun, C., Enck, P., 2016. Effect of probiotics on central nervous system functions in animals and humans: A systematic review. *J. Neurogastroenterol. Motil.* 22, 589–605.
- Wang, H.X., Wang, Y.P., 2016. Gut microbiota-brain axis. *Chin. Med. J. (Engl.)* 129, 2373–2380.
- Wilkins, H.M., Swerdlow, R.H., 2015. TNF $\alpha$  in cerebral ischemia: Another stroke against you? *J. Neurochem.* 132, 369–372.
- Xia, G.H., You, C., Gao, X.X., Zeng, X.L., Zhu, J.J., Xu, K.Y., Tan, C.H., Xu, R.T., Wu, Q.H., Zhou, H.W., He, Y., Yin, J., 2019. Stroke dysbiosis index (SDI) in gut microbiome are associated with brain injury and prognosis of stroke. *Front. Neurol.* 10, 1–13.
- Yamashiro, K., Tanaka, R., Urabe, T., Ueno, Y., Yamashiro, Y., Nomoto, K., Takahashi, T., Tsuji, H., Asahara, T., Hattori, N., 2017. Gut dysbiosis is associated with metabolism and systemic inflammation in patients with ischemic stroke. *PLoS One* 12, 1–15.
- Zhang, Y., Wang, J., Zhu, H., Liang, Y., Wu, J., 2017. Effects of bifidobacterium-containing enteral nutrition intervention on the nutritional status and intestinal flora disturbance in patients with the severe cerebral infarction 23, 151–154.