

DAFTAR PUSTAKA

- Aminah, S., Ramdhan, T. and Yanis, M. (2015) 'Syarifah Aminah et. al.: Kandungan Nutrisi dan Sifat Fungsional Tanaman Kelor (*Moringa oleifera*)', *Buletin Pertanian Perkotaan*, 5(30), pp. 35–44.
- Aring, A. M. and Chan, M. M. (2016) 'Current concepts in adult acute rhinosinusitis', *American Family Physician*, 94(2), pp. 97–105.
- Baratawidjaja, K. G. and Rengganis, I. (2014) *Imunologi Dasar*. Jakarta: Balai Penerbit Fakultas Kedokteran Universitas Indonesia.
- Birben, E. et al. (2012) 'Oxidative stress and antioxidant defense', *World Allergy Organization Journal*, 5(1), pp. 9–19. doi: 10.1097/WOX.0b013e3182439613.
- Chen, L. et al. (2018) 'Oncotarget 7204 www.impactjournals.com/oncotarget Inflammatory responses and inflammation-associated diseases in organs', *Oncotarget*, 9(6), pp. 7204–7218. Available at: www.impactjournals.com/oncotarget/.
- Dahlan, S. M. (2013) 'Statistik untuk Kedokteran dan kesehatan: Deskriptif, Bivariat, dan Multivariat.', pp. 1–128.
- David, B. O., Franklin, C. K. and Chioma, A. O. (2014) 'Moringa oleifera leaf extract potentiates anti-pseudomonal activity of ciprofloxacin', *African Journal of Biotechnology*, 13(34), pp. 3516–3521. doi: 10.5897/ajb2013.13585.
- Drake, R. L., Vogl, W. and Mitchell, A. W. . (2012) *GRAY'S BASIC ANATOMY*.
- Dzotam, J. K., Touani, F. K. and Kuete, V. (2016) 'Antibacterial and antibiotic-modifying activities of three food plants (*Xanthosoma mafaffa* Lam., *Moringa oleifera* (L.) Schott and *Passiflora edulis* Sims) against multidrug-resistant (MDR) Gram-negative bacteria', *BMC Complementary and Alternative Medicine*. *BMC Complementary and Alternative Medicine*, 16(1), pp. 1–8. doi: 10.1186/s12906-016-0990-7.
- Fard, M. et al. (2015) 'Bioactive extract from moringa oleifera inhibits the pro-inflammatory mediators in lipopolysaccharide stimulated macrophages', *Pharmacognosy Magazine*, 11(44), p. 556. doi: 10.4103/0973-1296.172961.
- Gimenis, J. M. et al. (2018) 'Antioxidant and photoprotective potential of moringa oleifera lam (Moringaceae)', *Bioscience Journal*, 34(5), pp. 1365–1378. doi: 10.14393/BJ-v34n5a2018-39845.
- Hussain, S. et al. (2018) 'Management of rhinosinusitis in adults in primary care', *Malaysian Family Physician*, 13(1), pp. 28–33.

- Isnan, W. and M, N. (2017) 'Ragam Manfaat Tanaman Kelor (*Moringa oleifera* Lamk) Bagi Masyarakat', *Info Teknis EBONI*, 14(1), pp. 63–75.
- Jiang, K. F. *et al.* (2017) 'Polydatin ameliorates *Staphylococcus aureus*-induced mastitis in mice via inhibiting TLR2-mediated activation of the p38 MAPK/NF- κ B pathway', *Acta Pharmacologica Sinica*. Nature Publishing Group, 38(2), pp. 211–222. doi: 10.1038/aps.2016.123.
- Kamaneh, S. A. R. *et al.* (2018) 'Sinusitis and the related remedies in Persian medicine', *Indian Journal of Traditional Knowledge*, 17(4), pp. 654–662.
- Kaplan, A. (2014) 'Canadian guidelines for acute bacterial rhinosinusitis', *Canadian Family Physician*, 60(3), pp. 227–234.
- Kırmusaoğlu, S., Gareayaghi, N. and S. Kocazeybek, B. (2019) 'Introductory Chapter: The Action Mechanisms of Antibiotics and Antibiotic Resistance', *Antimicrobials, Antibiotic Resistance, Antibiofilm Strategies and Activity Methods*, pp. 1–9. doi: 10.5772/intechopen.85211.
- Kooltheat, N. *et al.* (2014) 'An ethyl acetate fraction of *Moringa oleifera* Lam. inhibits human macrophage cytokine production induced by cigarette smoke', *Nutrients*, 6(2), pp. 697–710. doi: 10.3390/nu6020697.
- Kumar, V., Abbas, A. K. and Aster, J. C. (2013) *Buku Ajar Patologi Robbins*. Elsevier Inc.
- Lahdji, Aisyah. Novitasari, Andra. A, Arief Tajally. Ratnaningrum, K. (2015) *Buku Ajar Sistem Telinga, Hidung dan Tenggorokan*.
- LaManna, J. *et al.* (2011) 'Oxygen Transport to Tissue XXXII', 701, pp. XXX, 374. doi: 10.1007/978-1-4419-7756-4.
- Liljeroos, M. (2008) *Toll-like receptor 2 (TLR2) and TLR4 signaling in the innate response against bacterial components*.
- Lin, M., Zhang, J. and Chen, X. (2018) 'Bioactive flavonoids in *Moringa oleifera* and their health-promoting properties', *Journal of Functional Foods*. Elsevier, 47(August), pp. 469–479. doi: 10.1016/j.jff.2018.06.011.
- Mainz, J. G., Jaudszus, A. and Pletz, M. W. (2018) 'Development of a clinical decision rule for diagnosing sinus infections—to reduce unnecessary antibiotic prescribing', *Expert Review of Clinical Pharmacology*. Taylor & Francis, 11(10), pp. 923–925. doi: 10.1080/17512433.2018.1524753.
- Mangunkusumo, Endang dan Rifki, N. (2012) 'Telinga Hidung Tenggorok Kepala Leher', p. 120.
- Miah, M. S. *et al.* (2016) 'Microbial causes of complicated acute bacterial rhinosinusitis and implications for empirical antimicrobial therapy', *Journal of Laryngology and Otology*, 130(2), pp. 169–175. doi: 10.1017/S0022215115003369.

- Moore, K. L., Dalley, I. I. A. F. and Agur, A. M. R. (2018) *Clinically Oriented Anatomy EIGHTH EDITION*. Wolters Kluwer Health.
- Munir, N. and Clarke, R. (2013) *Ear, Nose and Throat at a Glance*.
- Mustafa, M. *et al.* (2015) 'Acute and Chronic Rhinosinusitis, Pathophysiology and Treatment', *International Journal of Pharmaceutical Science Invention* ISSN, 4(2), pp. 30–36. Available at: www.ijpsi.org30%7C.
- Qazi, B. S., Tang, K. and Qazi, A. (2011) 'Recent Advances in Underlying Pathologies Provide Insight into Interleukin-8 Expression-Mediated Inflammation and Angiogenesis', *International Journal of Inflammation*, 2011, pp. 1–13. doi: 10.4061/2011/908468.
- Rockwood, J. L., Anderson, B. G. and Casamatta, D. A. (2013) 'INTERNATIONAL JOURNAL OF PHYTOTHEAPRY RESEARCH POTENTIAL USES OF *Moringa oleifera* AND AN EXAMINATION OF ANTIBIOTIC EFFICACY CONFERRED BY *M. oleifera* SEED AND LEAF EXTRACTS USING CRUDE EXTRACTION TECHNIQUES AVAILABLE TO UNDERSERVED INDIGENOUS POPULATIONS', *Www.Earthjournals.Org*, 3(2), pp. 61–71.
- Roh, H. J. *et al.* (2010) 'Induction of interleukin-8 from nasal epithelial cells during bacterial infection: The role of IL-8 for neutrophil recruitment in chronic rhinosinusitis', *Mediators of Inflammation*, 2010. doi: 10.1155/2010/813610.
- Rosenfeld, R. M. *et al.* (2015) 'Clinical practice guideline (update): Adult sinusitis', *Otolaryngology - Head and Neck Surgery (United States)*, 152, pp. S1–S39. doi: 10.1177/0194599815572097.
- Sudrajad, H. *et al.* (2020) 'Ethanol extract of propolis decreases the interleukin-8 (IL-8) expression and blood malondialdehyde (mda) level in otitis media rat model induced by *pseudomonas aeruginosa*', *Bali Medical Journal*, 9(2), pp. 504–510. doi: 10.15562/bmj.v9i2.1799.
- Sulastri, E. *et al.* (2018) 'Total phenolic, total flavonoid, quercetin content and antioxidant activity of standardized extract of *moringa oleifera* leaf from regions with different elevation', *Pharmacognosy Journal*, 10(6), pp. S104–S108. doi: 10.5530/pj.2018.6s.20.
- Sumandjar, T. *et al.* (2019) 'The ethyl acetate fraction of *Moringa oleifera* leaves effects on endothelial stress in rat sepsis model', *Bali Medical Journal*, 8(3), p. 940. doi: 10.15562/bmj.v8i3.1679.
- Vergara-Jimenez, M., Almatrafi, M. M. and Fernandez, M. L. (2017) 'Bioactive components in *Moringa oleifera* leaves protect against chronic disease', *Antioxidants*, 6(4), pp. 1–13. doi: 10.3390/antiox6040091.
- Vieira, G. H. F. *et al.* (2010) 'Antibacterial effect (in vitro) of *moringa oleifera* and *annona muricata* against gram positive and gram negative bacteria', *Revista*

do Instituto de Medicina Tropical de Sao Paulo, 52(3), pp. 129–132. doi: 10.1590/S0036-46652010000300003.

Wylter, B. and Mallon, W. K. (2019) 'Sinusitis Update', *Emergency Medicine Clinics of North America*. Elsevier Inc, 37(1), pp. 41–54. doi: 10.1016/j.emc.2018.09.007.

