

DAFTAR PUSTAKA

- Aboyans, V., Criqui, M.H., Abraham, P.. Measurement and interpretation of the ankle-brachial index: A Scientific Statement From the American Heart Association. *Circulation*, 2012.: 2890-2909.
- Adi PR. Pencegahan dan penatalaksanaan aterosklerosis. Dalam: Setiati S, Buku ajar ilmu penyakit dalam. Jilid 2. Edisi ke-6. Jakarta: Interna Publishing. 2014. hlm. 1427-1437.
- AHA. (2012). *Coronary Artery Disease-The ABCs of CAD*. Retrieved September 5, 2017, from American Heart Association: <http://www.heart.org>
- Akhtar B, Siddique S, Khan RA. Detection of atherosclerosis by ankle brachial index: Evaluation of palpitory method versus ultrasound doppler technique. *J Ayub Med Coll Abbot*. 2009; 21(1): 1-6.
- Allen J, Oates CP, Henderson J, et al. Comparison of lower limb arterial assessments using color-Duplex ultrasound and ankle/brachial pressure index measurements. *Angiology*. 1996;47(3):225–232.
- Allison, M.A., Hiatt, W.R., Hirsch, A.T., Coll, J.R., dan Criqui, M.H. 2008. A High Ankle- Brachial Index Is Associated With Increased Cardiovascular Disease Morbidity and Lower Quality Of Life. *Journal Of the American College Of Cardiology*. Volume 51. Nomer: 12. 2008: 1293.
- Al-Qaisi, M., Nott, DM., King, DH., Kaddoura, S., 2009. Ankle Brachial Pressure Index (ABPI): An Update for Practitioners. *VHRM*. 5: 833-41.
- American College Of Cardiology Foundation (ACCF) dan American Heart Assosiation (AHA). 2011. Management Of Patients With Peripheral Artery Disease (Lower Extremity, Renal, Mesenteric, and Abdominal Aortic). Amerika: American College Of Cardiology Foundation.
- American Heart Association. Management of Patients With Peripheral Artery Disease (Lower Extremity, Renal, Mesenteric, and Abdominal Aortic). adapted from the 2005 ACCF/AHA Guideline and the 2011 ACCF/AHA Focused Update.
- Badan Penelitian dan Pengembangan Kesehatan Kementerian Kesehatan RI. Riset kesehatan dasar.c 2013[cited 11 Juni 2014]. Available from www.depkes.go.id
- Barnas, F. 1994. Mencegah Serangan Jantung dengan Menekan Kolesterol. Jakarta: Gramedia Pustaka Utama
- Bitton, A., & Gaziano, T. (2010). The Framingham Heart Study's Impact on Global

Risk Asessment. Retrieved September 5, 2017, from <http://ncbi.nlm.nih.gov>

Borren N, Angela HEM, and Ottervanger JP. Stop invasive coronary angiography as the gold standard for diagnosis of stable angina. *Interv Cardiol* 2015;7(5):1-4. Brown, D., & Edwards, H. (2004). Medicalsurgical nursing assessment and management of clinical problems, 5th Ed. St. Louis , Mosby Inc.

Brown C.T. 2006. Penyakit Aterosklerotik Koroner. Dalam: Price S.A, Wilson L.M. (Editor). Patofisiologi: Konsep Klinis Proses-Proses Penyakit Volume 1 Edisi 6 (halaman 576-609). EGC, Jakarta, Indonesia.

Bustan MN. Epidemiologi:Penyakit Tidak Menular. Jakarta: Rineka Cipta; 2007

Cesar LA, Ferreira JF, Armaganian D, Gowdak LH, Mansur AP et al. Guidelines For Stable Coronary Artery Disease. *Arq Bras Cardiol*. 2014;103(2 Supl 2):1-56.

Coskun U, Yildiz A, Esen OB, Baskurt M, Cakar MA, Kilickesmez KO, et al. Relationship between carotid intima-media thickness and coronary angiographic findings: a prospective study. *Cardiovasc Ultrasound*. 2009;7:59.

Data Riset Kesehatan Dasar 2013, Badan Litbangkes Kementerian Kesehatan RI dan Data Penduduk Sasaran, Pusdatin Kementerian Kesehatan RI.

Djohan BA. Penyakit Jantung Koroner dan Hipertensi. Ilmu Penyakit Dalam, FK-USU. Medan; , 2004.

Dodiet A.S. 2008. Epidemiologi penyakit tidak menular dan faktor risiko. Diakses 25 juli 2011 dari <http://www.scribd.com/doc/59283707/Prevalensi-PJK>.

Dormandy JA. Epidemiology and natural history of arterial diseases of the lower limbs. *Rev Prat*. 1995;45:32–36.

Farahdika, A., & Azam, M. (2015). Faktor Risiko yang Berhubungan Dengan Penyakit Jantung Koroner Pada Usia Dewasa Madya (41-60 TAHUN) (Studi Kasus di RS Umum Daerah Kota Semarang). *Unnes Journal of Public Health*, 4(2), 117– 123.<https://doi.org/10.15294/ujph.v4i2.5188>

Gray, H. H., Dawkins, K. D., Simpson, I. A., & Morgan, J. M. (2002). Kardiologi, Edisi 4. Jakarta: Erlangga medical series.

Hadaegh F, Khalili D, Ghasemi A, Tohidi M, Sheikholeslami F, Azizi F. 2009. Triglyceride/HDL-cholesterol ratio is an independent predictor for coronary heart disease in a population of Iranian men. *Nutr Metab Cardiovasc Dis.*; 19(6):401-8.

- Hakeem F, Siddique S, Saboor QA. Abnormal ankle brachial index and the presence of significant *Coronary Artery Disease*. J Coll Physicians Surgery. 2010;20(2):79-82.
- Hollinger I, Mitinach A. Cardiac catheterization and other radiographic examination. Pediatric Cardiac Anesthesia. 4. ed Lippincot Willian and Walkins 2005 ; 7: 112-135
- J. A. Carbayo, J. A. División, J. Escribano, J. López-Abril, E. L. de Coca, L. M. Artigao, E. Martínez, C. Sanchis, J. Massó and L. Carrión (Grupo de Enfermedades Vasculares de Albacete (GEVA)), "Using Ankle-Brachial Index to Detect Peripheral Arterial Disease: Prevalence and Associated Risk Factors in a Random Population Sample," Nutrition, Metabolism & Cardiovascular Diseases, Vol. 17, No. 1, 2007, pp. 41-49.<http://dx.doi.org/10.1016/j.numecd.2005.08.009>
- Jonnagaddala, J., Liaw , S.-T., Ray , P., Kumar , M., Chang, N.-W., & Dai, H.-J. (2015). *Coronary Artery Disease* risk assessment from unstructured electronic health records using text mining. Journal of Biomedical Informatics
- Jusi, H. Djang. Sumbatan Arteri Menahun, In: Dasar-Dasar Ilmu Bedah Vaskuler. 5th ed.Jakarta: Balai Penerbit FKUI. 2010. pp. 109-136.
- Kandou GD, . Siagian, I.E.T., Ottay, R.I., Rauw, L., 2014, Gambaran Kebiasaan Makan Makanan Etnis Minahasa Yang Beresiko Penyakit Jantung Koroner di Lingkungan 5 Kelurahan Paal 2 Kota Manado. Jurnal Kedokteran Komunitas dan Tropik Universitas Sam Ratulangi; 2(2).
- Kemenkes, R. (2012). Buku Pintar Posbindu PTM. Penyakit Tidak Menular dan Faktor Risiko.
- King SB, 3rd, Smith SC, Jr., Hirshfeld JW, Jr., Jacobs AK, Morrison DA, Williams DO, et al. 2007 focused update of the ACC/AHA/SCAI 2005 guideline update for percutaneous coronary intervention: a report of the American College of Cardiology/American Heart Association Task Force on Practice guidelines. J Am Coll Cardiol. 2008;117:261-95.
- Kusumawaty, J., Hidayat, N., & Ginanjar, E. (2016). Hubungan Jenis Kelamin dengan Intensitas Hipertensi pada Lansia di Wilayah Kerja Puskesmas Lakbok Kabupaten Ciamis. Mutiara Medika Jurnal Kedokteran dan Kesehatan, 16(2): 46–51. Diakses dari <http://journal.umy.ac.id/index.php/mm/article/view/4450>

Kwon JN, Lee WB. Utility of digital pulse oximetry in the screening of lower

- extremity arterial disease, NCBI PUBMED, 2012. J Korean Surg Soc. 2012; 82(2): 94–100
- Lahoz C, Mostaza JM. [Atherosclerosis as a systemic disease]. Rev Esp Cardiol. 2007;60(2):184-95.
- Li, G., Hu, H., and Shi, W. 2012. Elevated Hematocrit in Non-Alcoholic Fatty Liver Disease: A Potential Cause for The Increased Risk of Cardiovascular Disease. Clin Hemorheol Microcirc; 51: 59-68.
- Libby P, Theroux, P., 2005, Pathophysiology of *Coronary Artery Disease*. American Heart Association Journals;111:3481-3488.
- Lily Marleni., dan Aria Alhabib. (2017). *Risk Factors with Coronary Heart Disease in Polyclinic Of Heart, Siti Khadijah Islamic Hospital Palembang*. <https://ejurnal.poltekkes-tjk.ac.id/index.php/JK/article/view/663>
- Lim, Y., Ling, L., Tambyah, P., & Choo, M. (1996). Myocardial Infraction in Patients age40 years and Below. an angiographic review.
- McDermott MM, Liu K, Guralnik JM, et al. The ankle brachial index independently predicts walking velocity and walking endurance in peripheral arterial disease. J Am Geriatr Soc. 1998;46(11): 1355–1362.
- Montalescot, G., Sechtem, U., Achenbach, S., Andreotti, F., Arden, C., Budaj, A., Bugiardini, R., Crea, F., Cuisset, T., Di Mario, C., Ferreira, J. R., Gersh, B. J., Gitt, A. K., Hulot,
- J. S., Marx, N., Opie, L. H., Pfisterer, M., Prescott, E., Ruschitzka, F., Sabat??, M., Senior, R., Taggart, D. P., Van Der Wall, E. E., Vrints, C. J. M., Zamorano, J. L., Baumgartner, H., Bax, J. J., Bueno, H., Dean, V., Deaton, C., Erol, C., Fagard, R., Ferrari, R., Hasdai, D., Hoes, A. W., Kirchhof, P., Knuuti, J., Kolh, P., Lancellotti, P., Linhart, A., Nihoyannopoulos, P., Piepoli, M. F., Ponikowski, P., Sirnes, P. A., Tamargo, J. L., Tendera, M., Torbicki, A., Wijns, W., Windecker, S., Valgimigli, M., Claeys, M. J., Donner-Banzhoff, N., Frank, H., Funck-Brentano, C., Gaemperli, O., Gonzalez-Juanatey, J. R., Hamilos, M., Husted, S., James, S. K., Kervinen, K., Kristensen, S. D., Maggioni, A. Pietro, Romeo, F., Ryd??n, L., Simoons, M. L., Steg,
- P. G., Timmis, A. and Yildirir, A. (2013) ‘2013 ESC guidelines on the management of stable *Coronary Artery Disease*’, European Heart Journal, 34(38), pp. 2949–3003. doi: 10.1093/eurheartj/eht296.

Napoli C, Lerman LO, Nigris F, Gossel M, Balestrieri ML, Lerman A. Rethinking primary prevention of atherosclerosis-related disease. *Circulation* [internet]. 2006 [disitasi tanggal 04 Januari 2019]; 114:2517-2527. Tersedia dari: <https://www.ahajournals.org/doi/pdf/10.1161/CIRCULATIONAHA.105.570358>

National Heart, Lung and Blood Institute (NHLBI). (2013). Risk Assessment for Estimating Your 10-year Risk of Having a Heart Attack. Retrieved September 11, 2017, from <http://cvdrisk.nhlbi.nih.gov/calculator.asp>

Neeland IJ, P. R. (2012). Coronary Angiographic Scoring System. Retrieved September 11, 2017, from <http://www.medscape.com>

Price SA. Prosedur diagnostic penyakit kardiovaskular. Dalam: Wijaya C editor. Patofisiologi konsep klinis proses-proses penyakit. Edisi 4. Jakarta: Penerbit buku kedokteran EGC; 1994:515-523

Price, Sylvia A. & Wilson, L. M. (2006). Patofisiologi Konsep Klinis Proses-Proses Penyakit (6th ed. Jakarta: EGC.

Rikesdas. 2018. Riset Kesehatan Dasar. Jakarta: Badan Penelitian dan pengembangan Kesehatan Kementerian Kesehatan RI.

Rilantono, L. I. (2013). Penyakit Kardiovaskular (PKV) 5 Rahasia (pertma cet). Jakarta: Badan Penerbit Fakultas Kedokteran Universitas Indonesia

RS. Dr. Achmad Muchtar Bukittinggi. 2009. Medical Record 2007-2008.RSAM Bukittinggi Sadeghi M, Heidari R, Mostanfar B, Tavassoli A, Roghani F, Yazdekhasti S. The Relation

Between Ankle-Brachial Index (ABI) and *Coronary Artery Disease* Severity and Risk Factors: An Angiographic Study. ARYA Atheroscler. 2011;7(2):68-73.

Satoto HH. Patofisiologi penyakit jantung koroner. Jurnal Anestesiologi Indonesia [internet]. 2014 [disitasi tanggal 02 Januari 2019]; 6(3): 209-224. Tersedia dari: <https://ejournal.undip.ac.id/index.php/janesti/article/download/9127/7385>

Soelistijani, DA. 2002. Sehat dengan Menu Berserat. Jakarta:Tribus Agriwidya. Vengojayaprasad, Senathipathi, Alagianambi Shanmugam, Stephen Charles Bronson

Tyagita Widya Sari , Desi Kartika Sari , M.Beni Kurniawan , M.Ibnu Herman Syah2, Novia Yerli , Samirathul Qulb (2018). *The Correlation Between Btress Levels and Hypertension of Outpatient Patients in Sidomulyo*

Health Center Pekanbaru City.

- Waspadji S. Diabetes Melitus, Penyulit Kronik, dan Pencegahannya. Dalam: Sugondo S, Soewondo P, Subekti I, editor (penyunting). Penatalaksanaan diabetes melitus terpadu. Edisi ke-2. Jakarta: FKUI; 2009. hlm. 175-77.
- Weintraub WS, Maulidin PD, Becker E, Kosinski AS, King III, SB. A comparison of the Cost and Quality of Life After Coronary Angioplasty or Coronary Surgery for Multivessel Coronary Artery Disease. 1995. Circulation. 92:2831-2840doi:10.1161/01.CIR.92.10.2831.
- WHO. (2014). World Health Organization. Retrieved September 7, 2017, from Cardiovascular Disease: <http://www.who.int>
- Williams, L & Wilkins (2011). Nursing: Memahami Berbagai Macam Penyakit. Alih Bahasa Paramita. Jakarta: PT. Indeks.
- Wong ND. Epidemiological studies of CHD and the evolution of preventive cardiology. Nat Rev Cardiol. 2014;11:276-89.
- Wood, S. (2011, September 11). What's "normal"? Little Consensus on CAD extent, Severity Among Ontario Angiographers. Retrieved from <http://theheart.org/article/1299941.do>
- Yao ST, Hobbs JT, Irvine WT. Ankle systolic pressure measurements in arterial disease affecting the lower extremities. Br J Surg. 1969;56(9):676–679.

