

## DAFTAR PUSTAKA

- AFRC, R. F. (1989). Probiotics in man and animals. *Journal of Applied Bacteriology*, 66(5), 365–378. <https://doi.org/10.1111/j.1365-2672.1989.tb05105.x>
- Aho, K., Harmsen, P., Hatano, S., Marquardsen, J., Smirnov, V. E., & Strasser, T. (1980). Cerebrovascular disease in the community: results of a WHO collaborative study. *Bulletin of the World Health Organization*, 58(1), 113–130.
- Akhoundzadeh, K., Vakili, A., Shadnoush, M., & Sadeghzadeh, J. (2018). Effects of the oral ingestion of probiotics on brain damage in a transient model of focal cerebral ischemia in mice. *Iranian Journal of Medical Sciences*, 43(1), 32–40.
- Allen, C. L., & Bayraktutan, U. (2008). Risk factors for ischaemic stroke. *International Journal of Stroke*, 3(2), 105–116. <https://doi.org/10.1111/j.1747-4949.2008.00187.x>
- Alrabghi, L., Alnemari, R., Aloteebi, R., Alshammari, H., Ayyad, M., Al Ibrahim, M., Alotayfi, M., Bugshan, T., Alfaifi, A., & Aljuwayd, H. (2018). Stroke types and management. *International Journal Of Community Medicine And Public Health*, 5(9), 3715. <https://doi.org/10.18203/2394-6040.ijcmph20183439>
- Anandharaj, M., Sivasankari, B., & Rani, R. P. (2020). Corrigendum to “Effects of Probiotics, Prebiotics, and Synbiotics on Hypercholesterolemia: A Review.” *Chinese Journal of Biology*, 2020, 1–8. <https://doi.org/10.1155/2020/8236703>
- Bath, P. M. W. (2000). Toolbox acute stroke. *Wjm*, 173(September), 209–2.
- Beerens, H. (1990). An elective and selective isolation medium for Bifidobacterium spp. *Letters in Applied Microbiology*, 11(3), 155–157. <https://doi.org/10.1111/j.1472-765X.1990.tb00148.x>
- Bertolini, G. (2011). Canine ischaemic stroke: Current status and future directions. *Veterinary Journal*, 188(1), 9–10. <https://doi.org/10.1016/j.tvjl.2010.08.002>
- Bone, R. C. (1993). Gram-negative sepsis: A dilemma of modern medicine. *Clinical Microbiology Reviews*, 6(1), 57–68. <https://doi.org/10.1128/CMR.6.1.57>
- Brooks, G. F., Butel, J. S., & Morse, S. A. (2007). Batang gram negatif enterik. *Jawetz, Melnick Dan Adelbergs, Mikrobiologi Kedokteran*, 23, 251–257.
- Camara-Lemarroy, C. R., Ibarra-Yruegas, B. E., & Gongora-Rivera, F. (2014).

Gastrointestinal complications after ischemic stroke. *Journal of the Neurological Sciences*, 346(1–2), 20–25.  
<https://doi.org/10.1016/j.jns.2014.08.027>

Carabotti, M., Scirocco, A., Maselli, M. A., & Severi, C. (2015). The gut-brain axis: Interactions between enteric microbiota, central and enteric nervous systems. *Annals of Gastroenterology*, 28(2), 203–209.

Chandra, A., Li, W., Stone, C., Geng, X., & Ding, Y. (2017). The cerebral circulation and cerebrovascular disease I: Anatomy. *Brain Circulation*, 3(2), 45. *Brain Circulation*, June, 35–40. <https://doi.org/10.4103/bc.bc>

De Angelis, M., & Gobbetti, M. (2016). Lactobacillus SPP.: General Characteristics ☆. *Reference Module in Food Science*, September. <https://doi.org/10.1016/b978-0-08-100596-5.00851-9>

Devriese, L. U. C., Baele, M., & Butaye, P. (2006). The Genus Enterococcus : Taxonomy. *The Prokaryotes*, 163–174.

Dogan, H. B., Cakir, I., Baspinar, E., & Halkman, A. K. (2002). Comparison of LST + MUG broth technique and conventional method for the enumeration of *Escherichia coli* in foods. 274–278.

Ferro, J. M. (2003). Cardioembolic stroke: An update. *Lancet Neurology*, 2(3), 177–188. [https://doi.org/10.1016/S1474-4422\(03\)00324-7](https://doi.org/10.1016/S1474-4422(03)00324-7)

Formulation, T. (2009). *Harlequin™ membrane Lactose Glucuronide Agar (mLGA)*.

Freitas, A. C., & Hill, J. E. (2018). Bifidobacteria isolated from vaginal and gut microbiomes are indistinguishable by comparative genomics. *PLoS ONE*, 13(4), 1–16. <https://doi.org/10.1371/journal.pone.0196290>

Garrity, G. M., Bell, J. A., Lilburn, T. G., & Lansing, E. (2004). *Taxonomic Outline of the Prokaryotes*. *ASM Annual® of Systematic Bacteriology*, May. <https://doi.org/10.1007/bergeysoutline200405>

Gillespie, S. H., & Hawkey, P. M. (2006). Principles and Practice of Clinical Bacteriology: Second Edition. In *Principles and Practice of Clinical Bacteriology: Second Edition*. <https://doi.org/10.1002/9780470017968>

Guarner, F., Khan, A., & Garisch, J. (2011). *Probiotics and Prebiotics: World Gastroenterology Organisation Global Guidelines*. October. [http://www.worldgastroenterology.org/assets/export/userfiles/Probiotics\\_FIN\\_AL\\_20110116.pdf](http://www.worldgastroenterology.org/assets/export/userfiles/Probiotics_FIN_AL_20110116.pdf)

- Hankey, G. J. (2006). Potential new risk factors for ischemic stroke: What is their potential? *Stroke*, 37(8), 2181–2188. <https://doi.org/10.1161/01.STR.0000229883.72010.e4>
- Hankey, G. J., & Blacker, D. J. (2015). Is it a stroke? *BMJ (Online)*, 350(January), 1–6. <https://doi.org/10.1136/bmj.h56>
- Hemaiswarya, S., Raja, R., Ravikumar, R., & Carvalho, I. S. (2013). Mechanism of action of probiotics. *Brazilian Archives of Biology and Technology*, 56(1), 113–119. <https://doi.org/10.1590/S1516-89132013000100015>
- Holzapfel, W. H., Haberer, P., Geisen, R., Björkroth, J., & Schillinger, U. (2001). Taxonomy and important features of probiotic microorganisms in food and nutrition. *American Journal of Clinical Nutrition*, 73(2 SUPPL.). <https://doi.org/10.1093/ajcn/73.2.365s>
- Hossmann, K. A. (2006). Pathophysiology and therapy of experimental stroke. *Cellular and Molecular Neurobiology*, 26(7–8), 1057–1083. <https://doi.org/10.1007/s10571-006-9008-1>
- Iadecola, C., & Anrather, J. (2011). The immunology of stroke: From mechanisms to translation. *Nature Medicine*, 17(7), 796–808. <https://doi.org/10.1038/nm.2399>
- Jaffer, H., Morris, V. B., Stewart, D., & Labhassetwar, V. (2011). Advances in stroke therapy. *Drug Delivery and Translational Research*, 1(6), 409–419. <https://doi.org/10.1007/s13346-011-0046-y>
- Johnson, W., Onuma, O., Owolabi, M., & Sachdev, S. (2016). Stroke: A global response is needed. *Bulletin of the World Health Organization*, 94(9), 634A–635A. <https://doi.org/10.2471/BLT.16.181636>
- Kisialiou, A., Pelone, G., Carrizzo, A., Grillea, G., Trimarco, V., Marino, M., Bartolo, M., De Nunzio, A. M., Grella, R., Landolfi, A., Puca, A., Colonnese, C., & Vecchione, C. (2012). Blood biomarkers role in acute ischemic stroke patients: Higher is worse or better? *Immunity and Ageing*, 9, 1–10. <https://doi.org/10.1186/1742-4933-9-22>
- Laterza, L., Rizzatti, G., Gaetani, E., Chiusolo, P., & Gasbarrini, A. (2016). The gut microbiota and immune system relationship in human graft-versus-host disease. *Mediterranean Journal of Hematology and Infectious Diseases*, 8(1). <https://doi.org/10.4084/MJHID.2016.025>
- Leininger, D. J., & Roberson, J. R. (2001). Use of eosin methylene blue agar to differentiate *Escherichia coli* from other gram-negative mastitis pathogens. 275, 273–275.

- Li, N., Weng, X., Sun, C., Wu, X., Lu, M., Si, Y., Ye, X., Wang, T., Yu, X., Zhao, X., Wei, N., & Wang, X. (2019). Change of intestinal microbiota in cerebral ischemic stroke patients. *BMC Microbiology*, *19*(1), 1–8. <https://doi.org/10.1186/s12866-019-1552-1>
- Marco, M. L., Pavan, S., & Kleerebezem, M. (2006). Towards understanding molecular modes of probiotic action. *Current Opinion in Biotechnology*, *17*(2), 204–210. <https://doi.org/10.1016/j.copbio.2006.02.005>
- Markowiak, P., & Ślizewska, K. (2017). Effects of probiotics, prebiotics, and synbiotics on human health. *Nutrients*, *9*(9). <https://doi.org/10.3390/nu9091021>
- Morrison, A. C., Bare, L. A., Luke, M. M., Pankow, J. S., Mosley, T. H., Devlin, J. J., Willerson, J. T., & Boerwinkle, E. (2008). Single nucleotide polymorphisms associated with coronary heart disease predict incident ischemic stroke in the atherosclerosis risk in communities study. *Cerebrovascular Diseases*, *26*(4), 420–424. <https://doi.org/10.1159/000155637>
- Parr, E., Ferdinand, P., & Roffe, C. (2017). Management of acute stroke in the older person. *Geriatrics (Switzerland)*, *2*(3), 1–16. <https://doi.org/10.3390/geriatrics2030027>
- Rinninella, E., Raoul, P., Cintoni, M., Franceschi, F., Abele, G., Miggianno, D., Gasbarrini, A., & Mele, M. C. (2019). *What is the Healthy Gut Microbiota Composition ? A Changing Ecosystem across Age , Environment , Diet , and Diseases*. <https://doi.org/10.3390/microorganisms7010014>
- Rymer, M. M. (2011). Hemorrhagic stroke: intracerebral hemorrhage. *Missouri Medicine*, *108*(1), 50–54.
- Sacco, R. L., Kasner, S. E., Broderick, J. P., Caplan, L. R., Connors, J. J., Culebras, A., Elkind, M. S. V., George, M. G., Hamdan, A. D., Higashida, R. T., Hoh, B. L., Janis, L. S., Kase, C. S., Kleindorfer, D. O., Lee, J. M., Moseley, M. E., Peterson, E. D., Turan, T. N., Valderrama, A. L., & Vinters, H. V. (2013). An updated definition of stroke for the 21st century: A statement for healthcare professionals from the American heart association/American stroke association. *Stroke*, *44*(7), 2064–2089. <https://doi.org/10.1161/STR.0b013e318296aeca>
- Seshadri, S., Beiser, A., Kelly-Hayes, M., Kase, C. S., Au, R., Kannel, W. B., & Wolf, P. A. (2006). The lifetime risk of stroke: Estimates from the framingham study. *Stroke*, *37*(2), 345–350. <https://doi.org/10.1161/01.STR.0000199613.38911.b2>



- Shi, L. H., Balakrishnan, K., Thiagarajah, K., Mohd Ismail, N. I., & Yin, O. S. (2016). Beneficial properties of probiotics. *Tropical Life Sciences Research*, 27(2), 73–90. <https://doi.org/10.21315/tlsr2016.27.2.6>
- Simon, O. (2005). Micro-organisms as feed additives-probiotics. *Advances in Pork Production*, 16(January 2006), 161–167. <http://www.banffpork.ca/proc/2005pdf/BO07-SimonO.pdf>
- STEMCELL Technologies. (2009). *Human Colony-Forming Cell (CFC) Assays Using MethoCult: technical manual*. 44.
- Stroke, R. F. O. R., Hypertensive, I. N., With, P., & Mellitus, D. (2007). *Cerebrovascular Disease / Stroke IN HYPERTENSIVE PATIENTS WITH PRIMARY CARE : THE EXAMPLE OF SECONDARY*. 9(5), 27–31.
- Supardi, & Sukamto. (1999). *Koleksi Buku 1999 Mikrobiologi dalam pengolahan dan keamanan pangan / disusun oleh H. Imam Supardi dan Sukamto*. 1999.
- Takahashi, N., Xiao, J. Z., Miyaji, K., Yaeshiima, T., Hiramatsu, A., Iwatsuki, K., Kokubo, S., & Hosono, A. (2004). Selection of acid tolerant Bifidobacteria and evidence for a low-pH-inducible acid tolerance response in Bifidobacterium longum. *Journal of Dairy Research*, 71(3), 340–345. <https://doi.org/10.1017/S0022029904000251>
- Tapuwa, D., Musuka, M., Wilton, S., & Traboulsi, M. (2015). Diagnosis and Management of Acute Ischemic Stroke: Speed is Critical. *Cmaj*, 187(12), 887–893.
- Tenaillon, O., Skurnik, D., Picard, B., & Denamur, E. (2010). The population genetics of commensal Escherichia coli. *Nature Reviews Microbiology*, 8(3), 207–217. <https://doi.org/10.1038/nrmicro2298>
- Ullman, T., & Reding, M. (1996). Gastrointestinal dysfunction in stroke. *Seminars in Neurology*, 16(3), 269–275. <https://doi.org/10.1055/s-2008-1040984>
- vandepitte & J. verhaegen. (2011). *Proswir laboratorwm dasar*.
- Warlow, C. P. (2012). A prospective study of acute cerebrovascular disease in the community: the Oxfordshire Community Stroke Project, 1981–86. *Journal of Neurology, Neurosurgery & Psychiatry*, 83(6), 579–579. <https://doi.org/10.1136/jnnp-2011-301381>
- Welsh, P., Barber, M., Langhorne, P., Rumley, A., Lowe, G. D. O., & Stott, D. J. (2009). Associations of inflammatory and haemostatic biomarkers with poor outcome in acute ischaemic stroke. *Cerebrovascular Diseases*, 27(3), 247–253. <https://doi.org/10.1159/000196823>

- Winek, K., Dirnagl, U., & Meisel, A. (2016). The Gut Microbiome as Therapeutic Target in Central Nervous System Diseases: Implications for Stroke. *Neurotherapeutics*, 13(4), 762–774. <https://doi.org/10.1007/s13311-016-0475-x>
- Winek, K., Dirnagl, U., & Meisel, A. (2017). Role of the Gut Microbiota in Ischemic Stroke. *Neurology International Open*, 01(04), E287–E293. <https://doi.org/10.1055/s-0043-107843>
- Xing, C., Arai, K., Lo, E. H., & Hommel, M. (2012). Pathophysiologic cascades in ischemic stroke. *International Journal of Stroke*, 7(5), 378–385. <https://doi.org/10.1111/j.1747-4949.2012.00839.x>
- Yew, K. S., & Cheng, E. (2009). Acute stroke diagnosis. *American Family Physician*, 80(1), 33–40.
- Zhao, L., Xiong, Q., Stary, C. M., Mahgoub, O. K., Ye, Y., Gu, L., Xiong, X., & Zhu, S. (2018). Bidirectional gut-brain-microbiota axis as a potential link between inflammatory bowel disease and ischemic stroke. *Journal of Neuroinflammation*, 15(1), 1–11. <https://doi.org/10.1186/s12974-018-1382-3>

