

DAFTAR PUSTAKA

- Abdurraochman, A., Perdana, S. & Andhika, S. (2008). *Muratal Al Qur'an: Alternatif Terapi Suara Baru*. Universitas Lampung: di seminarkan dalam Seminar Nasional Sains dan Teknologi-II 2008. Diakses pada tanggal 14 April 2014.
- Ahlers, S., Gulik, L., Veen, A., Dongen, H., Bruins, P., Belitser, S., et al. (2008). Comparison of different pain scoring systems in critically ill patients in a general ICU. *Critical Care*, 12, 1-8.
- Biley, F. C. (2000). The effects on ptient well being of music listening as a nursing intervention: a review of the literature. *Journa of clinical Nurse*, 9, 668-673.
- Black, J. M. & Hawks, J. H (2009). *Medical Surgical Nursing Clinical Management For Positive Outcomes* (8 th ed). ST. Louis : Elsiver
- Cade, C. H. (2008). Clinical tools for the assessment of pain in sedated critically ill adults. *Nursing in Critical Care*, 13, 288-297.
- Chanif. (2012). *The effect of foot massage on acut post operative Pain in Indonesian Patients After Abdominal Surgery*.Review. Tidak dipublikasikan.
- Djohan. (2006). *Terapi Musik: Teori dan Aplikasi*. Jogjakarta: Galangpress
- Dochterman, J.M., Bulecheck, G.N. (2004). *Nursing Interventions Classification (NIC) 4th Edition*. Missouri: Mosby..
- Elliot, D. dkk. (2007). *CriticalCareNursing*. ElsevierAustralia: Mosby.
- Ernawati. (2007). *Faktor-faktor yang berhubungan dengan kejadian infeksi nosokomial pneumoni pada pasien yang terpasang ventilator di ruang ICU Rumah Dr. Karyadi Semarang*. Tidak dipublikasikan.
- Gelinas, C., & Arbour, C. (2009). Behavioral and physiological indicators during a nociceptive procedure in conscious and unconscious mechanically ventilated adults: similar or different. *Journal Critical Care*.
- Gelinas, C. (2007). Management of pain in cardiac surgery ICU patients: have we improved over team? *Intensive Critical Care Nurse*, 23, 298-310.

- Herr, K., &Kwekkeboom, K, L. (2001). Assessment of pain in the critical ill. *Critical Care Nurse Clinic North America, 13*, 181-188.
- Herr, K. (2006). Pain assessment in the nonverbal patients: position statement with clinical practice recommendations. *Pain Management Nurse,7*,44-51.
- Jamie, Marie B. (2006). *The effects of music therapy on comfort in the mechanically ventilated patient in Intensive Care Unit*. Diunduh pada tanggal 10 November 2013.
<http://etd.lib.montana.edu/etd/2006/besel/BeselJ0506.pdf>.
- John J.S.,Eugene B. Z., Jeanne S. Z., (2012) Metode penelitian dalam psikologi, 274-279) penerjemah Ellys Tjo, M.Psi.2012 jakarta salemba humanika.
- Liu, L, L., & Gropper, M, A. (2003). Postoperative analgesia and sedation in the adult intensive care unit: a guide to drug selection. *Drugs, 63*, 755-760.
- Lehne, R, A. (2007). *Pharmacology for nursing care (6 th.ed.)*. Philadelphia, PA: Saunders Company.
- Logan, E, D., &Rose, B, J.(2004). *Gender differences in post-operative pain and patient controlled analgesia use among adolescent surgical patients*. Diunduh pada tanggal 10 April 2014 jam 21.00 WIB, dari <http://www.sciencedirect.com/science/article/pii/S0304395904001186>
- Mann, A. R. (2006). Manage the power of pain. *Men in Nursing Journal, 21*-28.
- Mardiyono, Songwathana,P., Wongchan. (2010) Spirituality Intervention and Outcomes: Corner stone of Holistic Nursing Practice. Diunduh pada tanggal 02 maret 2014
<http://www.ejournal.undip.ac.id/index.php/medianers/article/download/751/pdf>.
- Monsdragon. (2004). *Pregnancy Information (Effleuage and massage)*. Diunduh pada tanggal 29 Desember 2013
<http://www.monsdragon.org/pregnancy/effleurage.html>.
- Morris, A, B., Puntillo, K, A., & Thompson, C, L. (2004). Pain behviors observed during six common procedures: Result from thunder project II. *Crit Care Med, 32*(2), 421-427.

- Morton,P.G., and Fontaine, D.K. (2009). *Critical Care Nursing: A holistic Approach*Philadelphia, PA: Lipincott,Williams&wilkins.
- Nursalam. (2008). *Konsep dan penerapan metodologi penelitian ilmu keperawatan*. Jakarta: Salemba Medika
- Nilsson, U. (2009). *CarringMusic : Music Intervention For Improved Health*. Di unduh pada tanggal 02-maret-2014 jam 20:51:00 WIB, www.Orebroll.Se/uso/page_2436.aspx
- Oken, B. S. (2004). *Complementary Therapies in Nueorolgy: An Evidence-Based Approach*. USA: The Parthenon Publishing Group.
- Pasero, C. L., &McCaffery, M. (2002). Avoiding opioid-induced respiratory depression. *American Journal Nurse*, 94, 24-30.
- Pellino, T, A., Gordon, D, B., &Engelke, Z, K. (2005). Use of nonpharmacologic interventions for pain and anxiety after total hip and total knee arthroplasty. *OrthopNurs*, 24, 182-190.
- Petterson, S. J & Bredow, T. S. (2004). *Midle Range Theories, Aplication to Nursing Reserach*. Philadelphia : Lippincott Williams & Wilkin.
- Potter, P.A & Perry, A.G. (2005). *Fundamental KeperawatanKonsep, Proses danPraktik*. Jakarta: EGC.
- Polit, D, F, & Beck C. T. (2008) Nursing research, generating and assecing evidence for Nursing practice. (8th ed) Philadelphia; Lippincott Williams & Wilkins. Di unduh pada 18 November 2013
<http://lontar.ui.ac.id/file?file=digital/20281620.T%20Indra%20Tri%20Astuti.pdf>
- Pramisiwi, A., Kumalasari,F.I.,Ramadhan,H.N.,Sari,M., S.Kep., Mahardika, R.A. M., Setianingsih, Suhartini, Supriyanti.D. (2011). *Evedence Based Practice intervensi spiritual keperawatan melalui murrotal Surah Ar-Rahman di ruang ICU dan IGD RumahSakit Islam Sultan Agung Semarang*. hal 7-8. Tidak dipublikasikan.
- Puntillo, K, A. (2001). Patient's perceptions and responses to procedural pain: result from thunder project II. *American Journal Crical Care*, 10, 238-249.1502-1533.

- Qadhi, A. (2009). *Pengaruh Al-Qur'an terhadap fisiologi dan psikologi manusia*. Diunduh pada tanggal 15Juli 2013
<http://astitheminority.abatasa.co.id/post/detail/6971/pengaruh.al%20qur%E2%80%99an-terhadap-fisiologi-dan-psikologi-manusia-.html>.
- Rotondi, A, J. (2002). Patients recollections of stressful experiences while receiving prolonged mechanical ventilation in an intensive care unit. *Critical Care Medical, 30*, 746-752..
- Schou, K.(2008) .Music therapy for postoperative cardiac patients, a randomized controlled trial evaluating guided relaxation with music and music listening on anxiety, pain, and mood. Dissertation Thesis. Department of Communication: Aalborg University. Di unduh pada 15Juli 2013
http://www.mt-phd.aau.dk/digitalAssets/6/6484_karin_schou_thesis.pdf
- Shannon, K., & Bucknall, T. (2003). Pain assessment in critical care: what have we learnt from research. *Intensive and Critical Care Nursing, 19*, 154-162.
- Sheen, J. (2009). Sedation and analgesia in the intensive care unit: Drug review. *Medical Diary, 14*, 31-34.
- Siedlecki, S.,L., & Good, M. (2006). *Effect of Music on Power, Pain, Depression and Dibality*. Journal of Advanced Nursing, 54 (5), 533-562.
- Smeltzer, B.C & Barre, B.G. (2004) *Buku ajar medikal bedah Bruner & sudart*. Edisi 8, Vol 1, Alih Bahasa : Kuncoro Monica Ester. Jakarta: EGC.
- Sokeh. (2013). *Pengaruh perangsangan auditori murrotal (ayat-ayat suci al-qur'an) terhadap nyeri pada pasien yang terpasang ventilator mekanik di ruang icu Rumah sakit islam sultan agung Semarang*. Di unduh 15 Juli 2013
<http://digilib.unimus.ac.id/files/disk1/142/jptunimus.gdl.sokehnimg2.7054-4-babv.pdf>
- Sugiyono.(2013). *Statistika Umum untuk Penelitian*. Bandung: Alfabeta.
- Tamsuri, A. (2007). *Konsep dan penatalaksanaan nyeri*. Jakarta : EGC.
- Tjay, T. H dan Kirana, R(2007). *Obat-obat Penting Khasiat, Penggunaan dan Efek-efek Sampingnya* Edisi Keenam. Jakarta: Elex MediaKomputindo.

Ulfahsyam. (2009). *Ventilatormekanik*. Diunduh pada tanggal 11 November 2013
[http://ilmukeperawatan.net/index.php/artikel/6-icu/13-ventilator- mekanik.pdf](http://ilmukeperawatan.net/index.php/artikel/6-icu/13-ventilator-mekanik.pdf).

Urden, L. D., Stacy, K. M. (2008). *Priorities in: Critical care nursing*, (5th ed).St. Louis: Mosby.

Washington, L, L., Gibson, S, J., & Helme, R, D. (2000). Age-related differences in endogenous analgesic treatment to repeated coldwater immersion in human volunteers. *Pain*, 89, 89-96.