

DAFTAR PUSTAKA

- A. Elbadri, S. *et al.* (2019) ‘The effect of Lactobacillus acidophilus as a probiotic against Pseudomonas aeruginosa growth and biofilm formation’, *Novel Research in Microbiology Journal*, 3(4), pp. 428–439. doi: 10.21608/nrmj.2019.44951.
- AFRC, R. F. (1989) ‘Probiotics in man and animals’, *Journal of Applied Bacteriology*, 66(5), pp. 365–378. doi: 10.1111/j.1365-2672.1989.tb05105.x.
- Aho, K. *et al.* (1980) ‘Cerebrovascular disease in the community: results of a WHO collaborative study’, *Bulletin of the World Health Organization*, 58(1), pp. 113–130.
- Alakomi, H. *et al.* (2005) ‘Lactic Acid Permeabilizes Gram-Negative Bacteria by Disrupting the Outer Membrane Lactic Acid Permeabilizes Gram-Negative Bacteria by Disrupting the Outer Membrane’, *Applied and environmental microbiology*, 66(5), pp. 2000–2005. doi: 10.1128/AEM.66.5.2001-2005.2000.Updated.
- Alebiosu, K. M., Adetoye, A. and Ayeni, F. (2017) ‘Antimicrobial activities of lactic acid bacteria against Pseudomonas aeruginosa, Providencia vermicola, Alcaligenes faecalis and methicillin resistant S. aureus.’, *West African Journal of Pharmacy*, 28(2), pp. 132–142.
- Alrabghi, L. *et al.* (2018) ‘Stroke types and management’, *International Journal Of Community Medicine And Public Health*, 5(9), p. 3715. doi: 10.18203/2394-6040.ijcmph20183439.
- Alverdy, J. *et al.* (2000) ‘Gut-derived sepsis occurs when the right pathogen with the right virulence genes meets the right host: Evidence for in vivo virulence expression in Pseudomonas aeruginosa’, *Annals of Surgery*, 232(4), pp. 480–489. doi: 10.1097/00000658-200010000-00003.
- Anandharaj, M., Sivasankari, B. and Rani, R. P. (2020) ‘Corrigendum to “Effects of Probiotics, Prebiotics, and Synbiotics on Hypercholesterolemia: A Review”, *Chinese Journal of Biology*, 2020, pp. 1–8. doi: 10.1155/2020/8236703.
- De Angelis, M. and Gobbetti, M. (2016) ‘Lactobacillus spp.: General Characteristics ☆’, *Reference Module in Food Science*, (September). doi: 10.1016/b978-0-08-100596-5.00851-9.
- Arumugam, M. *et al.* (2011) ‘Enterotypes of the human gut microbiome’, *Nature*, 473(7346), pp. 174–180. doi: 10.1038/nature09944.
- Awasti, N. *et al.* (2016) ‘Probiotic and functional characterization of bifidobacteria of Indian human origin’, *Journal of Applied Microbiology*, 120(4), pp. 1021–1032.

doi: 10.1111/jam.13086.

- Bath, P. M. W. (2000) ‘Toolbox acute stroke’, *Wjm*, 173(September), pp. 209–2.
- Bertolini, G. (2011) ‘Canine ischaemic stroke: Current status and future directions’, *Veterinary Journal*, 188(1), pp. 9–10. doi: 10.1016/j.tvjl.2010.08.002.
- Brooks, G. F. ., Butel, J. and Morse, S. A. (2004) ‘Jawetz, Melnick, & Adelberg Mikrobiologi Kedokteran’, 23, pp. 251–257.
- Carabotti, M. *et al.* (2015) ‘The gut-brain axis: Interactions between enteric microbiota, central and enteric nervous systems’, *Annals of Gastroenterology*, 28(2), pp. 203–209.
- Clark, L. L. *et al.* (2006) ‘Pseudomonas otitidis sp. nov., isolated from patients with otic infections’, *International Journal of Systematic and Evolutionary Microbiology*, 56(4), pp. 709–714. doi: 10.1099/ijss.0.63753-0.
- Crapser, J. *et al.* (2016) ‘Ischemic stroke induces gut permeability and enhances bacterial translocation leading to sepsis in aged mice’, *Aging*, 8(5), pp. 1049–1063. doi: 10.1863/aging.100952.
- Davidson, P. M., Sofos, J. N. and Branen, A. L. (2005) *Antimicrobials in food, third edition, Antimicrobials in Food, Third Edition*.
- Devriese, L. U. C., Baele, M. and Butaye, P. (2006) ‘The Genus Enterococcus : Taxonomy’, *The Prokaryotes*, pp. 163–174.
- Franzetti, L. and Scarpeluni, M. (2007) ‘Characterisation of Pseudomonas spp. isolated from foods’, *Annals of Microbiology*, 57(1), pp. 39–47. doi: 10.1007/BF03175048.
- Freitas, A. C. and Hill, J. E. (2018) ‘Bifidobacteria isolated from vaginal and gut microbiomes are indistinguishable by comparative genomics’, *PLoS ONE*, 13(4), pp. 1–16. doi: 10.1371/journal.pone.0196290.
- Guarner, F., Khan, A. and Garisch, J. (2011) ‘Probiotics and Prebiotics: World Gastroenterology Organisation Global Guidelines’, (October). Available at: http://www.worldgastroenterology.org/assets/export/userfiles/Probiotics_FINAL_20110116.pdf.
- Guo, Y. *et al.* (2013) ‘Pathophysiology and biomarkers in acute ischemic stroke - A review’, *Tropical Journal of Pharmaceutical Research*, 12(6), pp. 1097–1105. doi: 10.4314/tjpr.v12i6.35.
- Haak, B. W. *et al.* (2020) ‘Disruptions of Anaerobic Gut Bacteria Are Associated with Stroke and Post-stroke Infection: a Prospective Case–Control Study’, *Translational Stroke Research*. Translational Stroke Research. doi:

10.1007/s12975-020-00863-4.

Hankey, G. J. (2006) ‘Potential new risk factors for ischemic stroke: What is their potential?’, *Stroke*, 37(8), pp. 2181–2188. doi: 10.1161/01.STR.0000229883.72010.e4.

Hazan, R. et al. (2016) ‘Auto Poisoning of the Respiratory Chain by a Quorum-Sensing-Regulated Molecule Favors Biofilm Formation and Antibiotic Tolerance’, *Current Biology*. Elsevier Ltd, 26(2), pp. 195–206. doi: 10.1016/j.cub.2015.11.056.

Health protection agency (2015) ‘Identification of Pseudomonas species and other Non-Glucose Fermenters’, *UK Standards for Microbiology Investigations*, (3), pp. 1–41. doi: ID 7.

Hemaiswarya, S. et al. (2013) ‘Mechanism of action of probiotics’, *Brazilian Archives of Biology and Technology*, 56(1), pp. 113–119. doi: 10.1590/S1516-89132013000100015.

Høiby, N. et al. (2010) ‘Antibiotic resistance of bacterial biofilms’, *International Journal of Antimicrobial Agents*, 35(4), pp. 322–332. doi: 10.1016/j.ijantimicag.2009.12.011.

Holzapfel, W. H. et al. (2001) ‘Taxonomy and important features of probiotic microorganisms in food and nutrition’, *American Journal of Clinical Nutrition*, 73(2 SUPPL.). doi: 10.1093/ajcn/73.2.365s.

Hossain, Z. (2014) ‘Bacteria: Pseudomonas’, *Encyclopedia of Food Safety*, 1, pp. 490–500. doi: 10.1016/B978-0-12-378612-8.00109-8.

Hossmann, K. A. (2006) ‘Pathophysiology and therapy of experimental stroke’, *Cellular and Molecular Neurobiology*, 26(7–8), pp. 1057–1083. doi: 10.1007/s10571-006-9008-1.

Indriati, S. et al. (2019) ‘Aplikasi media selektif mikroba sebagai indikator kemasan cerdas pada bahan pangan’, *Jurnal Ilmiah Inovasi*, 19(2), pp. 76–82.

Jahangiri, S. et al. (2017) ‘The Effects of Synbiotic Supplementation on Constipation and Reducing Flatulence in Stroke Patients Admitted to the ICU’, *Journal of Probiotics & Health*, 05(01), pp. 5–7. doi: 10.4172/2329-8901.1000167.

Jara, S. et al. (2011) ‘The inhibitory activity of Lactobacillus spp. isolated from breast milk on gastrointestinal pathogenic bacteria of nosocomial origin’, *Anaerobe*. Elsevier Ltd, 17(6), pp. 474–477. doi: 10.1016/j.anaerobe.2011.07.008.

Jefferies, J. M. C. et al. (2012) ‘Pseudomonas aeruginosa outbreaks in the neonatal intensive care unit - a systematic review of risk factors and environmental sources’, *Journal of Medical Microbiology*, 61(8), pp. 1052–1061. doi: 10.1099/jmm.0.044818-0.

- Johnson, D. I. and Johnson, D. I. (2018) ‘Pseudomonas spp.’, *Bacterial Pathogens and Their Virulence Factors*, pp. 325–338. doi: 10.1007/978-3-319-67651-7_25.
- Korcova, J., Koprnova, J. and Krcmery, V. (2005) ‘Bacteraemia due to Pseudomonas putida and other Pseudomonas non-aeruginosa in children [1]’, *Journal of Infection*, 51(1), p. 81. doi: 10.1016/j.jinf.2004.08.008.
- Kutty, R. and Mundhe, V. (2018) ‘Burden of Dengue Related Neurosurgical Emergency’, *Asian Journal of Neurosurgery*, 13(2), p. 29682044. doi: 10.4103/ajns.AJNS.
- LaBauve, A. E. and Wargo, M. J. (2012) ‘Growth and laboratory maintenance of Pseudomonas aeruginosa’, *Current Protocols in Microbiology*, (SUPPL.25), pp. 1–11. doi: 10.1002/9780471729259.mc06e01s25.
- Li, N. et al. (2019) ‘Change of intestinal microbiota in cerebral ischemic stroke patients’, *BMC Microbiology*, 19(1), pp. 1–8. doi: 10.1186/s12866-019-1552-1.
- Listyawati, A. F. (2018) ‘Pola Pertumbuhan Pseudomonas sp. dengan Menggunakan Variasi Konsentrasi D-glukosa dalam Media Pertumbuhan terhadap Waktu Inkubasi’, *Jurnal Ilmiah Kedokteran Wijaya Kusuma*, 5(2), p. 29. doi: 10.30742/jikw.v5i2.339.
- Mahulae, J. X. and Ilyas, J. (2017) ‘Determinan Variasi Klaim Penyakit Stroke Peserta Jaminan Kesehatan Nasional Rumah Sakit X Sumatera Utara’, *Jurnal Ekonomi Kesehatan Indonesia*, 2(2). doi: 10.7454/eki.v2i2.2147.
- Mancuso, C. and Santangelo, R. (2018) ‘Alzheimer’s disease and gut microbiota modifications: The long way between preclinical studies and clinical evidence’, *Pharmacological Research*. Elsevier Ltd, 129, pp. 329–336. doi: 10.1016/j.phrs.2017.12.009.
- Markowiak, P. and Ślizewska, K. (2017) ‘Effects of probiotics, prebiotics, and synbiotics on human health’, *Nutrients*, 9(9). doi: 10.3390/nu9091021.
- Oelschlaeger, T. A. (2010) ‘Mechanisms of probiotic actions - A review’, *International Journal of Medical Microbiology*. Elsevier, 300(1), pp. 57–62. doi: 10.1016/j.ijmm.2009.08.005.
- Ohara, T. and Itoh, K. (2003) ‘Significance of Pseudomonas aeruginosa colonization of the gastrointestinal tract’, *Internal Medicine*, 42(11), pp. 1072–1076. doi: 10.2169/internalmedicine.42.1072.
- Parte, A. C. (2014) ‘LPSN - List of prokaryotic names with standing in nomenclature’, *Nucleic Acids Research*, 42(D1), pp. 613–616. doi: 10.1093/nar/gkt1111.
- Rinninella, E. et al. (2019) ‘What is the healthy gut microbiota composition? A

changing ecosystem across age, environment, diet, and diseases', *Microorganisms*, 7(1). doi: 10.3390/microorganisms7010014.

Röthlin, M. (2017) 'Intraoperative Cholangiographie und Sonographie bei der laparoskopischen Cholezystektomie.', *Therapeutische Umschau*, 50(8), pp. 553–558. doi: 10.4103/bbjrj.bbjrj.

Sacco, R. L. et al. (2013) 'An updated definition of stroke for the 21st century: A statement for healthcare professionals from the American heart association/American stroke association', *Stroke*, 44(7), pp. 2064–2089. doi: 10.1161/STR.0b013e318296aeca.

Shi, L. H. et al. (2016) 'Beneficial properties of probiotics', *Tropical Life Sciences Research*, 27(2), pp. 73–90. doi: 10.21315/tlsr2016.27.2.6.

Siegrist, J. (2010) 'Pseudomonas a Communicative Bacteria', *Microbiology Focus*, 2(4), pp. 2–4.

Siuzdak, G. (1996) 'Specific Applications', *Mass Spectrometry for Biotechnology*, pp. 119–139. doi: 10.1016/b978-012647471-8/50009-0.

Stanley, D. et al. (2016) 'Translocation and dissemination of commensal bacteria in post-stroke infection', *Nature Medicine*. Nature Publishing Group, 22(11), pp. 1277–1284. doi: 10.1038/nm.4194.

STEMCELL Technologies (2009) 'Human Colony-Forming Cell (CFC) Assays Using MethoCult: technical manual', p. 44.

Takahashi, N. et al. (2004) 'Selection of acid tolerant Bifidobacteria and evidence for a low-pH-inducible acid tolerance response in *Bifidobacterium longum*', *Journal of Dairy Research*, 71(3), pp. 340–345. doi: 10.1017/S0022029904000251.

Tapuwa, D. et al. (2015) 'Diagnosis and Management of Acute Ischemic Stroke: Speed is Critical', *Cmaj*, 187(12), pp. 887–93.

Weinstein, M. P. et al. (2018) *Clinical Microbiology Procedures Handbook*. Available at: <http://www.facm.ucl.ac.be/intranet/CLSI/CLSI-2018-M100-S28-unlocked.pdf>.

Wen, S. W. and Wong, C. H. Y. (2017) 'An unexplored brain-gut microbiota axis in stroke', *Gut Microbes*, 8(6), pp. 601–606. doi: 10.1080/19490976.2017.1344809.

Wisplinghoff, H. (2017) *Pseudomonas spp., Acinetobacter spp. and Miscellaneous Gram-Negative Bacilli*. Fourth Edi, *Infectious Diseases*. Fourth Edi. Elsevier Ltd. doi: 10.1016/b978-0-7020-6285-8.00181-7.

Zhang, Y. et al. (2017) 'Effects of bifidobacterium-containing enteral nutrition