

## DAFTAR PUSTAKA

- Abdelmoaty, M. A. et al. , 2010, ‘Confirmatory studies on the antioxidant and antidiabetic effect of kuersetin in rats’, Indian Journal of Clinical Biochemistry, 25(2), pp. 188–192. Doi: 10.1007/s12291-010-0034-x.
- Agar, N. and Young, A. R. , 2016, ‘Melanogenesis: A photoprotective response to DNA damage?’, Mutation Research – Fundamental and Molecular Mechanisms of Mutagenesis. Doi: 10.1016/j.mrfmmm.2004.11.016.
- Ahmad, A. et al. , 2013, ‘A review on therapeutic potential of Nigella sativa: A miracle herb’, Asian Pacific Journal of Tropical Biomedicine. Doi: 10.1016/S2221-1691(13)60075-1.
- Al-Quorain, A. , 2015, ‘Nigella Sativa’, Saudi Journal of Medicine and Medical Sciences. Doi: 10.4103/1658-631x.149647.
- Aljabre, S. H. M., Alakloby, O. M. and Randhawa, M. A. , 2015, ‘Dermatological effects of Nigella sativa’, Journal of Dermatology & Dermatologic Surgery, 19(2), pp. 92–98. Doi: 10.1016/j.jdds.2015.04.002.
- Del Bino, S. et al. 7 ‘Relationship between skin response to ultraviolet exposure and skin color type’, Pigment Cell Research. Doi: 10.1111/j.1600-0749.2006.00338.x.
- Blouin, A. M. et al. , 2016, ‘Human hypocretin and melanin-concentrating hormone levels are linked to emotion and social interaction’, Nature Communications. Doi: 10.1038/ncomms2461.
- Bolognia, J. , 2016, ‘Infections, Hyper- and Hypopigmentation, Regional Dermatology, and Distinctive Lesions in Black Skin’, in Goldman’s Cecil Medicine: Twenty Fourth Edition. Doi: 10.1016/B978-1-4377-1604-7.00449-8.
- Choi, M. H. and Shin, H. J. , 2016, ‘Anti-melanogenesis effect of kuersetin’, Cosmetics, 3(2), pp. 1–16. Doi: 10.3390/cosmetics3020018.
- Cichorek, M. et al. , 2016, ‘Skin melanocytes: Biology and development’, Postepy Dermatologii I Alergologii. Doi: 10.5114/pdia.2013.33376.
- D’Orazio, J. et al. , 2013, ‘UV radiation and the skin’, International Journal of

- Molecular Sciences. Doi: 10.3390/ijms140612222.
- Diepgen, T. L. and Mahler, V. , 2017, ‘Photoprotective properties of skin melanin’, in British Journal of Dermatology, Supplement. Br J Dermatol, pp. 7–10. Doi: 10.1046/j.1365-2133.146.s61.3.x.
- Dumaria, C. H., Wiraguna, A. A. and Pangkahila, W. , 2018, ‘Krim Ekstrak Buah Merah (Pandanus conoideus ) 10% Sama Efektifnya dengan Krim Hidrokuinon 4% dalam Mencegah Peningkatan Jumlah Melanin Kulit Marmut (Cavia porcellus) yang Dipapar Sinar Ultraviolet B’, Jurnal Biomedik (Jbm), 10(2), pp. 85–91. Doi: 10.35790/jbm.10.2.2018.20085.
- El-Obeid, A. and El-Tahir, K. , 2015, ‘Anti-inflammatory effects of Nigella sativa L. Melanin’, World Journal of Pharmaceutical Research, 5(2).
- Entok, E. et al. , 2014, ‘Anti-inflammattuar and anti-oxidative effects of Nigella sativa L.: 18FDG-PET imaging of inflammation’, Molecular Biology Reports. Doi: 10.1007/s11033-014-3137-2.
- Gharby, S. et al. , 2015, ‘Chemical investigation of Nigella sativa L. seed oil produced in Morocco’, Journal of the Saudi Society of Agricultural Sciences. Doi: 10.1016/j.jssas.2013.12.001.
- Gillbro, J. M. and Olsson, M. J. , 2016, ‘The melanogenesis and mechanisms of skin-lightening agents – Existing and new approaches’, International Journal of Cosmetic Science. Doi: 10.1111/j.1468-2494.2010.00616.x.
- Green, A. C. and Whiteman, D. C. , 2017, ‘Ultraviolet radiation’, in Schottenfeld and Fraumeni Cancer Epidemiology and Prevention, Fourth Edition. Doi: 10.1093/oso/9780190238667.003.0014.
- Hastiningsih, I. , 2015, ‘KRIM EKSTRAK ETANOL KULIT BATANG POHON NANGKA (Arthocarpus Heterophilus) SAMA EFEKTIFNYA DENGAN KRIM HIDROKUINON DALAM MENCEGAH PENINGKATAN JUMLAH MELANIN PADA KULIT MARMUT (Cavia Porcelus) YANG DIPAPAR SINAR UVB’, Program Pasca Sarjana universitas Udayana, 1(1), p. 117.
- Hseu, Y. C. et al. , 2020, ‘The skin-whitening effects of ectoine via the suppression of  $\alpha$ -MSH-stimulated melanogenesis and the activation of

- antioxidant Nrf2 pathways in UVA-irradiated keratinocytes’, Antioxidants. Doi: 10.3390/antiox9010063.
- Ichihashi, M. et al. , 2018, ‘UV-induced skin damage’, Toxicology. Doi: 10.1016/S0300-483X(03)00150-1.
- Isfardiyana, S. and Safitri, S. , 2017, ‘Pentingnya melindungi kulit dari sinar ultraviolet dan cara melindungi kulit dengan sunblock buatan sendiri’, Jurnal Inovasi dan Kewirausahaan.
- Jablonski, N. G. and Chaplin, G. , 2016, ‘Human skin pigmentation as an adaptation to UV radiation’, Proceedings of the National Academy of Sciences of the United States of America. Doi: 10.1073/pnas.0914628107.
- Jenkins, G. I. , 2017, ‘Signal Transduction in Responses to UV-B Radiation’, Annual Review of Plant Biology. Doi: 10.1146/annurev.arplant.59.032607.092953.
- Kao, Y. Y. et al. , 2013, ‘Evaluation of the antioxidant and melanogenesis inhibitory properties of Pracparatum Mungo (Lu-Do Huang)’, Journal of Traditional and Complementary Medicine. Doi: 10.4103/2225-4110.113443.
- Khatami, H. et al. , 2019, ‘Sensor Elektrokimia, Solusi Efektif Deteksi Merkuri dalam Kosmetik’, Farmasetika.com (Online). Doi: 10.24198/farmasetika.v3i3.21628.
- Kondo, T. and Hearing, V. J. , 2017, ‘Update on the regulation of mammalian melanocyte function and skin pigmentation’, Expert Review of Dermatology. Doi: 10.1586/edm.10.70.
- Korać, R. R. and Khambholja, K. M. , 2016, ‘Potential of herbs in skin protection from ultraviolet radiation’, Pharmacognosy Reviews. Doi: 10.4103/0973-7847.91114.
- Liu-Smith, F. and Meyskens, F. , 2017, ‘Molecular mechanisms of flavonoids in melanin synthesis and the potential for the prevention and treatment of melanoma’, Physiology & behavior, 176(10), pp. 139–148. Doi: 10.1002/mnfr.201500822.Molecular.

- Lulu, S., Wahyuni, A. and Fenolik, S., 2016, 'PERBANDINGAN KADAR FENOLIK PADA BIJI JINTAN HITAM (*Nigella sativa L.*) DENGAN PELARUT ETANOL dan METANOL', Lulu, S., Wahyuni, A. and Fenolik, S., 2016.
- Mamoto, N., Kalangi, S. and Karundeng, R. , 2016, 'PERAN MELANOKORTIN PADA MELANOSIT', JURNAL BIOMEDIK (JBM). Doi: 10.35790/jbm.1.1.2009.805.
- Meer, S. et al. , 2017, 'Efficacy of *Phoenix dactylifera L.* (Date Palm) creams on healthy skin', Cosmetics, 4(2), pp. 1–8. Doi: 10.3390/cosmetics4020013.
- Narayanan, D. L., Saladi, R. N. and Fox, J. L. , 2016, 'Ultraviolet radiation and skin cancer', International Journal of Dermatology. Doi: 10.1111/j.1365-4632.2010.04474.x.
- Oakley, A. A., Zealand, N. and February, U. , 2021, 'Topical formulations', (February 2016).
- Otreba, M. et al. , 2015, 'Melanogenesis and antioxidant defense system in normal human melanocytes cultured in the presence of chlorpromazine', Toxicology in Vitro. Doi: 10.1016/j.tiv.2014.10.016.
- Paarakh, P. M. , 2010, 'Nigella sativa Linn.- A comprehensive review', Indian Journal of Natural Products and Resources.
- Petersen, B. et al. , 2018, 'Suppression of TGF $\beta$  and Angiogenesis by Type VII Collagen in Cutaneous SCC', Journal of the American Academy of Dermatology. Doi: 10.1158/1940-6207.CAPR-15-0232.
- Pillaiyar, T., Manickam, M. and Namashivayam, V. , 2017, 'Skin whitening agents: Medicinal chemistry perspective of tyrosinase inhibitors', Journal of Enzyme Inhibition and Medicinal Chemistry. Doi: 10.1080/14756366.2016.1256882.
- Prasiddha, I. J. et al. , 2016, 'The Potency of Bioactive Compounds from Corn Silk (*Zea mays L.*) for the Use as a Natural Sunscreen : A Review', Jurnal Pangan dan Agroindustri.
- Pratama, G., Wangko, S. and Jacobs, J. N. , 2016, 'PERAN RESEPTOR MELANOKORTIN 1 PADA MELANOGENESIS', JURNAL

- BIOMEDIK (JBM). Doi: 10.35790/jbm.2.2.2010.845.
- Riski, R., Aisyah A.N., A. A. dan N. , 2017, 'FORMULASI KRIM PEMUTIH DARI FITOSOM EKSTRAK DAUN MURBEI ( Morus alba L.) Radhia Riski 1 , A.Nur Aisyah 2 , Akbar Awaluddin 1 , Nurindasari 1', Jf Fik Uinam, 5(4), pp. 233–238.
- Sherwood, L. , 2014, Introduction to Human Physiology: From Cell to System. 8<sup>th</sup> edn. Edited by Suzannah Alexander. Jakarta: EGC.
- Sitanggang, T. C. , 2019, 'Krim Astaxanthin Mencegah Peningkatan Melanin Kulit Marmut ( Cavia porcellus ) yang Dipapar Sinar Ultraviolet B Astaxanthin Cream Prevents Increased Melanin in Guinea Pig Skin Exposed by Ultraviolet Light B', 3(September), pp. 71–77.
- Soejanto, A. S. , 2017, 'Pemberian Krim Ekstrak Metanolik Buah Delima Merah ( Punica granatum ) Menghambat Penurunan Jumlah Kolagen Dermis Kulit Mencit ( Mus gusculus ) Yang Dipapar Sinar Ultraviolet B', Indoensian Journal of Anti Aging Medicine, 1(1).
- Sturm, R. A., Teasdale, R. D. and Box, N. F. , 2016, 'Human pigmentation genes: Identification, structure and consequences of polymorphic variation', Gene. Doi: 10.1016/S0378-1119(01)00694-1.
- Subaidah, W. A. , 2020, 'Uji Kestabilan Fisik Krim Tabir Surya Ekstrak Etanol Biji Jintan Hitam ( Nigella sativa L .)', JOURNAL OF PHARMACY SCIENCE AND PRACTICE, 7(62), pp. 86–92.
- Subratti, A., Lalgee, L. J. and Jalsa, N. K. , 2019, 'Efficient extraction of black cumin (Nigella sativa L.) seed oil containing thymol, using liquefied dimethyl ether (DME)', Journal of Food Processing and Preservation, 43(4), pp. 1–7. Doi: 10.1111/jfpp.13913.
- Suh, K. S. et al. , 2017, 'A long-term evaluation of erythema and pigmentation induced by ultraviolet radiations of different wavelengths', Skin Research and Technology. Doi: 10.1111/j.1600-0846.2007.00238.x.
- Toma, C. et al. , 2015, 'Comparative Studies on Polyphenolic Composition, Antioxidant and Diuretic Effects of', pp. 9560–9574. Doi: 10.3390/molecules20069560.

- Tranggono, R. and Latifah, F. , 2017, ‘Buku Pegangan Ilmu Pengetahuan Kosmetik’, in Buku Pegangan Ilmu Pengetahuan Kosmetik.
- USDA , 2015, Nigella sativa Classification, USDA PLANTS.
- Videira, I. F. dos S., Moura, D. F. L. and Magina, S. , 2016, ‘Mechanisms regulating melanogenesis\*’, Anais Brasileiros de Dermatologia. Doi: 10.1590/s0365-05962013000100009.
- Wacker, M. and Holick, M. F. , 2013, ‘Sunlight and Vitamin D: A global perspective for health’, Dermato-Endocrinology. Doi: 10.4161/derm.24494.
- Watt, A. A. R., Bothma, J. P. and Meredith, P. , 2016, ‘The supramolecular structure of melanin’, Soft Matter. Doi: 10.1039/b902507c.
- Winarni, R. W., 2015, ‘Representasi Kecantikan Perempuan dalam Iklan’, Deiksis. Doi: 10.30998/DEIKSIS.V2I02.399.
- Wölfle, U. et al., 2016, ‘UVB-induced DNA damage, generation of reactive oxygen species, and inflammation are effectively attenuated by the flavonoid luteolin in vitro and in vivo’, Free Radical Biology and Medicine. Doi: 10.1016/j.freeradbiomed.2011.01.027.
- Zonios, G., Bykowski, J. and Kollias, N. 2016, ‘Skin melanin, hemoglobin, and light scattering properties can be quantitatively assessed in vivo using diffuse reflectance spectroscopy’, Journal of Investigative Dermatology. Doi: 10.1046/j.0022-202x.2001.01577.x.