

## DAFTAR PUSTAKA

- Basile D.P., Anderson M.D., Sutton T.A., 2012, Pathophysiology of acute kidney injury, *Compr Physiol.* 2(2): 1303–1353.
- Bellomo R., Kellum J. A., Ronco C., 2012, Acute kidney injury, *The Lancet*, 380(9843):756–766.
- Berk V.D., Jansen B.J.H., Kim G.C., Roelofs H., Figdor C.G., Adema G.J., 2010, Mesenchymal stem cells respond to TNF but do not produce TNF, *Journal of Leukocyte Biology*, 283-289.
- Ciriano M.E., Porta J.P., de Vera Floristán C.V., García S.O., Lipe R.Á., de Vera Floristán J.V., 2018, Morbimortalidad del fracaso renal agudo en la Unidad de Cuidados Críticos de un hospital comarcal, *Revista Espa-ola de Anestesiología y Reanimación*.
- Demirjian S.G., Paganini E.P., 2011, Renal replacement therapy for acute renal injury : We need better therapy, *Contrib Nephrol* 174:242–51.
- Denic A., Lieske J.C., Chakkerla H.A., Poggio E.D., Alexander M.P., Singh P., Kremers W.K., Lerman L.O., Rule A.D., 2017, The substantial loss of nephrons in healthy human kidneys with aging, *J Am Soc Nephrol.* 28(1): 313–320.
- Devos J.M., Gaber A.O., Teeter L.D., Graviss E.A., Patel S.J., Land G.A., Moore L.W., Knight R.J., 2014, Intermediate-term graft loss after renal transplantation is associated with both donor-specific antibody and acute rejection, *Transplantation* 97(5):534-40.
- Ding D., Shyu W., Lin S., 2011, Mesenchymal Stem Cells. *Cell Transpl* 20:5–14.
- Dominici M., Le Blanc K., Mueller I., Slaper-Cortenbach I., Marini F., Krause D., Deans R., Keating A., Prockop Dj., Horwitz E., 2006, Minimal Criteria For Defining Multipotent Stromal Cells, *Cytotherapy* 8(4): 315 317.
- Gilany K., Vafakhah M., 2010. Hypoxia: a Review, *Journal of Paramedical Sciences* 1(2).
- Gimble J.M., Katz J.A., Bunnell A.B., 2007, Adipose-Derived Stem Cells For Regenerative Medicine, *Circ Res* 100:1249-60.
- Goldman L., Schafer A.I., 2016, *Goldmen-Cecil Medicine.* 25<sup>th</sup> Edition. Philadelphia: Saunders, Elsevier.

- Haque N., Rahman M.T., KAsim N.H.A., Alabsi A.M., 2013, Hypoxic culture conditions as a solution for mesenchymal stem cell based regenerative therapy, *Scientific World Journal*. 2013.
- Hawkins K.E., Sharp T.V., McKay T.R., 2013, The role of hypoxia in stem cell potency and differentiation, *Regen. Med.* 8(6), 771–782.
- Higgins C., 2016, Urea and the clinical value of measuring blood urea concentration, <https://acutecaretesting.org>, Diakses pada tanggal 20 Mei 2019.
- Hocking A.M., 2015, The Role Of Chemokines In Mesenchymal Stem Cell Homing To Wounds, *Adv Wound Care (New Rochelle)* 4(11): 623–630.
- Jang M.J., You D., Park J.Y., Kim K., Aum J., Lee C., Song G., Shin H.C., Suh N., Kim Y.M., Kim C., 2018, Hypoxic preconditioned mesenchymal stromal cell therapy in a rat model of renal ischemia-reperfusion injury: development of optimal protocol to potentiate therapeutic efficacy, *International Journal of Stem Cells* 11, (2); 157-167.
- Jujo K., Minami Y., Haruki S., Matsue Y., Shimazaki K., Kadowaki H., Ishida I., Kambayashi K., Arashi H., Sekiguchi H., Hagiwara N., 2017, Persistent high blood urea nitrogen level is associated with increased risk of cardiovascular events in patients with acute heart failure, *ESC Heart Fail* 4(4):545-553.
- Kasper D.L., Hauser S.L., Jameson J.L., Fauci A.S., Longo D.L., Loscalzo J., 2015, *Harrison's Principles of Internal Medicine*. 19<sup>th</sup> Edition. New York: McGraw-Hill.
- Khwaja A., 2012, KDIGO clinical practice guidelines for acute kidney injury, *Nephron Clin Pract.* 120(4):c179-84.
- Kumar V., Abbas A.K., Aster J.C., 2015, *Buku Ajar Patologi Robbins Edisi 9*, Elsevier Saunders, Singapura.
- Kwon H.M., Hur S.M., Park K.Y., Kim C.K., Kim Y.M., 2014, Multiple paracrine factors secreted by mesenchymal stem cells contribute to angiogenesis, *Vascul Pharmacol* S1537-1891.
- La Manna G., Bianchi F., Cappuccilli M., Cenacchi G., Tarantino L., Pasquinelli G., Valente S., Bella E.D., Cantoni S., Claudia C., Neri F., Tsivian M., Nardo B., Ventura C., Stefoni S., 2011, Mesenchymal stem cells in renal function recovery after acute kidney injury: use of a differentiating agent in a rat model, *Cell Transplantation* 20;1193–1208.

- Lau M.T., Leung P.C., 2012, The PI3K/Akt/mTOR signaling pathway mediates insulin-like growth factor 1-induced E-cadherin down-regulation and cell proliferation in ovarian cancer cells, *Cancer Lett* 326:191-198.
- Lee K.D., 2008, Application Of Mesenchymal Stem Cell: An Updated Review, *Chang Gung Med J* 31:228-36.
- Madrigal M., Rao K.S., Riordan N.H., 2014, A review of therapeutic effects of mesenchymal stem cell secretions and induction of secretory modification by different culture methods. *Journal of Translational Medicine* 2014, 12:260.
- Maltman D.J., Hardy S.A., Pryborski S.A., 2011, Role Of Mesenchymal Stem Cells In Neurogenesis And Nervous System Repair, *Neurochemistry International* 59:347-356.
- Marr R.A., Pet., Thomas R.M., Peterson D.A., 2010, Insights into Neurogenesis and Aging: Potential Therapy for Degenerative Disease? *Future Neurology, USA*, 527-541.
- Mehta R.L., Cerdá J., Burdmann E.A., Tonelli M., García-García G., Jha V., Susantitaphong P., Rocco M., Vanholder R., Sever M.S., Cruz D., Jaber B., Lameire N.H., Lombardi R., Lewington A., Feehally J., Finkelstein F., Levin N., Pannu N., Thomas B., Aronoff-Spencer E., Remuzzi G., 2015, International Society of Nephrology's by 25 initiative for acute kidney injury (zero preventable deaths by 2025): a human rights case for nephrology, *Lancet* 385(9987):2616-43.
- Mesarsova L., Ochodnický P., Leemans J.C., Florquin S., Kreněk P., 2017, High glucose induces HGF-independent activation of Met receptor in human renal tubular epithelium, *Journal of Receptors and Signal Transduction* 37(6):1-8.
- Murray R.K., 2012, Biokimia Harper Edisi 29. Penerbit Buku Kedokteran EGC: Jakarta.
- Muscari C., Giordano E., Bonafè F., Govoni M., Pasini A., Guarnieri C., 2013, Priming adult stem cells by hypoxic pretreatments for applications in regenerative medicine, *J Biomed Sci.* 20(1): 63.
- Nagaishi K., Mizue Y., Chikenji T., Otani M., Nakano M., Konari N., Fujimiya M., 2016, Mesenchymal stem cell therapy ameliorates diabetic nephropathy via the paracrine effect of renal trophic factors including exosomes, *Sci Rep.* 6:34842.
- Nazar C.M.J., 2014, Mechanism of hypertension in diabetic nephropathy, *J Nephropharmacol* 3(2): 49–55.

- Paterson Y.Z., Rash N., Garvican E.R., Paillot R., Guest D.J., 2014, Equine mesenchymal stromal cells and embryo-derived stem cells are immune privileged *in vitro*, *Stem cell research and therapy* 5(4): 90.
- Putra A., 2019, *Basic Molecular Stem Cell*, Semarang, Unissula Press.
- Putra A., Pertiwi D., Milla M.N., Indrayani U.D., Jannah D., Sahariyani M., Trisnadi S., Wibowo J.W., 2019, Hypoxia-preconditioned mscs have superior effect in ameliorating renal function on acute renal failure animal model, *Open Access Maced J Med Sci.* 7(3):305-310.
- Putra A., Ridwan F.B., Putridewi A.I., Kustiyah A.R., Wirastuti K., Sadyah N.A., Rosdiana I., Munir D., 2018, The role of TNF- $\alpha$  induced MSCs on suppressive inflammation by increasing TGF- $\beta$  and IL10, *Open Access Maced J Med Sci.* 6(10):1779.
- Rivandi J., Yonata A., 2015, Hubungan Diabetes Melitus Dengan Kejadian Gagal Ginjal Kronik. *Majority*, 4(9), 27–34.
- Rivandi, J., & Yonata, A. (2015). Hubungan Diabetes Melitus Dengan Kejadian Gagal Ginjal Kronik. *Majority*, 4(9), 27–34.
- Sart S., Ma T., Li Y., 2014, Preconditioning stem cells for in vivo delivery, *Biores Open Access.* 3(4):137-49.
- Setiati S., Alwi I., Sudoyo A.W., Stiyohadi B., Syam A.F., 2014, *Buku Ajar Ilmu Penyakit Dalam Jilid II (ed) VI*, InternaPublishing, Jakarta.
- Singbartl K., Joannidis M., 2015, Short-term effects of acute kidney injury, *Crit Care Clin.* 31(4):751-62.
- Susantitaphong P., Cruz D.N., Cerda J., 2013, World incidence of AKI: a meta-analysis, *Clin J Am Soc Nephrol* 8:1482–1493.
- Trivanović D., Kocić J., Mojsilović S., Krstić A., Ilić V., Djordjević I.O., Santibanez J.F., Jovčić G., 2013, Mesenchymal Stem Cells Isolated From Peripheral Blood And Umbilical Cord Wharton's Jelly Mesenchymal Stem Cells Isolated From Peripheral Blood And Umbilical Cordwharton's Jelly, *Srp Arh Celok Lek* 141(3- 4):178-86.
- Villanueva S., Carreño J.E., Salazar L., Vergara C., Strodthoff R., Fajre F., Céspedes C., Sáez P.J., Irrázabal C., Bartolucci J., Figueroa F., Vio C.P., 2013, Human mesenchymal stem cells derived from adipose tissue reduce functional and tissue damage in a rat model of chronic renal failure, *Clin Sci (Lond).* 125(4):199-210.
- Vogelzang J.L., van Stralen K.J., Noordzij M., Diez J.A., Carrero J.J., Couchoud C., Dekker F.W., Finne P., Fouque D., Heaf J.G., Hoitsma A., Leivestad

- T., de Meester J., Metcalfe W., Palsson R., Postorino M., Ravani P., Vanholder R., Wallner M., Wanner C., Groothoff J.W., Jager K.J., 2015, Mortality from infections and malignancies in patients treated with renal replacement therapy: data from the ERA-EDTA registry, *Nephrol Dial Transplant*. 30(6):1028-37.
- Xin W., Yang X., Han Z., Qu F., Shao L., Shi Y., 2003, Mesenchymal stem cells: a new trend for cell therapy. *Acta Pharmacologica Sinica*, May: 34: 747–754.
- Yang L., 2016, Acute kidney injury in asia, *Kidney Dis* 2:95–102
- Zeidán-Chuliáa F., Nodab M., 2009, “Opening” The Mesenchymal Stem Cell Tool Box, *Eur J Dent* 3(3): 240–249.
- Zhang W., Liu L., Huo Y., Yang Y., Wang Y., 2014, Hypoxia-pretreated human mscs attenuate acute kidney injury through enhanced angiogenic and antioxidative capacities, *BioMed Research International*;1-10.

