

## TABLE OF CONTENTS

FEASIBILITY STUDY ANALYSIS OF THE POTENTIAL OF REDUCING CARBON EMISSIONS (CO <sub>2</sub> ) IN WASTE POWER PLANTS WITH MAMDANI FUZZY LOGIC AND LIFE CYCLE ANALYSIS.....	i
<b>THESIS</b> .....	<b>Error! Bookmark not defined.</b>
<b>STATEMENT OF AUTHENTICITY THESES</b> .....	iii
<b>FOREWORD</b> .....	iv
<b>TABLE OF CONTENTS</b> .....	v
<b>LIST OF PICTURE</b> .....	viii
<b>LIST OF TABLE</b> .....	xii
<b>ABSTRACT</b> .....	xiii
<b>CHAPTER 1</b> .....	1
<b>INTRODUCTION</b> .....	1
1.1 Background.....	1
1.2 Problem Formulation .....	4
1.3 Purpose of the study.....	4
1.4 Writing system.....	4
<b>CHAPTER 2</b> .....	5
<b>LITERATUR REVIEW AND BASIC THEORY</b> .....	5
2.1. Literature Review.....	5
2.2. Basic Theory.....	10
2.3. LFG Turbine and Reactor Incenerator .....	14
2.4. Incinerator.....	17
2.5. Life Cycle Analysis.....	18
<b>RESEARCH METHODOLOGY</b> .....	19
3.1 Research System Model .....	19
3.2 Research Methodology.....	21
3.3 Fuzzy Mamdani Proposed Model .....	22
3.3.1 Fuzzy Mamdani Analysis with 2 Parameters, number of people and number of waste system model.....	23
A. Waste Membership Function (Input 1) design model .....	24

B.	Number of People Membership Function (Input 2) design model: .....	25
3.3.2	Fuzzy Mamdani Analysis with 3 Parameters, number of people, number of waste and waste components system model .....	28
1.	Number of waste is lowest .....	29
3.	Number of waste is highest .....	30
B.	Membership function of number of people .....	30
1.	Number of people is lowest .....	30
2.	Number of people is normal .....	31
3.	Number of people is highest .....	31
C.	Membership function of waste materials .....	32
1.	Organics waste components .....	32
a.	Lowest .....	32
b.	Normal .....	32
c.	Highest .....	33
2.	Paper waste Components .....	33
a.	Lowest .....	33
b.	Normal .....	34
c.	Highest .....	34
2.	Plastic Waste Components .....	35
a.	Lowest .....	35
b.	Normal .....	35
c.	Highest .....	36
D.	Rules of the proposed models .....	36
E.	Defuzzification .....	37
3.4	Flowchart of the Research .....	38
<b>CHAPTER 4</b>	.....	<b>40</b>
<b>RESULTS AND ANALYSIS</b>	.....	<b>40</b>
4.1	Waste production per year Analysis .....	40
4.2	Waste production with LCA model per year .....	41
a.	Paper Materials .....	41
b.	Plastic Materials .....	42
c.	Metal Materials .....	43
4.2	Calculate CO2 emission: .....	43
	WPP Power Analysis in 2018 : .....	45
	WPP Power Analysis in 2019: .....	46

WPP Waste paper analysis in 2018.....	47
Waste paper analysis in 2019.....	48
Waste plastic analysis in 2018 .....	49
Waste plastic analysis in 2019 .....	50
Total WPP for all wasted for a year using conventional method.....	52
Total Waste production based on Materials (basid LCA Methods).....	52
a. Paper Materials .....	52
b. Plastic Materials.....	53
4.3 Fuzzy Mamdani Analysis .....	55
a. For the number of waste describes as follows .....	58
b. For the number of people describes as follows .....	58
c. For the organic waste component describes as follows .....	59
d. For the paper waste components describes as follows.....	59
e. For the plastic waste components describes as follows .....	60
f. For the CO2 production is 1200 tons per months.....	60
g. For the CO2 production is 170 MW per months .....	61
1. CO2 production .....	62
2. WPP of MW production.....	66
A. CO2 production output .....	68
B. MW of WPP production .....	70
C. MW production with all membership function .....	72
<b>CHAPTER 5</b> .....	79
<b>CONCLUSION</b> .....	79
5.1 Conclusion.....	79
5.2 Suggestion .....	79
<b>REFERENCES</b> .....	80

## LIST OF PICTURE

<b>Figure 1.1.</b> Projections of landfill by region (millions of tons / year) .....	1
<b>Figure 1. 2.</b> The level of waste collection, based on the level of income (percent).....	2
<b>Figure 1. 3.</b> Composition of World Waste by type of waste .....	3
<b>Figure 2. 1.</b> Global maintenance and waste disposal (percent) .....	5
<b>Figure 2. 2.</b> The amount of Libyan waste production and the potential for Electric Energy Conversion until 2030.....	6
<b>Figure 2. 3.</b> Waste-to-Energy Conversion Process .....	10
<b>Figure 2.4.</b> Wasted power plants of LFG system and Electricity energy distribution .....	14
<b>Figure 2.5.</b> Life cycle assessment framework.....	18
<b>Figure 3.1.</b> Wasted-to-Energy process in Wasted Power Plants (WPP) .....	19
<b>Figure 3.2.</b> LCA Model Framework for waste power plant Carbon Emission Audit .....	20
<b>Figure 3.3.</b> Waste Separation Model for Waste Power Plant (WPP).....	21
<b>Figure 3.4.</b> Direct and indirect effects of the WPP Carbon Audit system .....	22
<b>Figure 3.5.</b> Propose Research Methodology model conventional and life cycle analysis ....	23
<b>Figure 3.6.</b> Propose Research Methodology model Fuzzy and Conventional Measurement Analysis .....	24
<b>Figure 3.7.</b> Schematic diagram of Fuzzy Mamdani model for CO2 Reduction and WPP production analysis .....	23
<b>Figure 3.8.</b> Schematic diagram of 1 <sup>st</sup> membership function waste from [3.8e+05 5e+05 6.006e+05] .....	24
<b>Figure 3.9.</b> Schematic diagram of 2 <sup>nd</sup> membership function waste from [5.5e+05 6.5e+05 7.502e+05] .....	25
<b>Figure 3.10.</b> Schematic diagram of 3 <sup>rd</sup> membership function waste from [6.994e+05 8e+05 9.2e+05] .....	25
<b>Figure 3.11.</b> Schematic diagram of 1 <sup>st</sup> membership function of number of people from [88 100 109.9] .....	26
<b>Figure 3.12.</b> Schematic diagram of 2 <sup>nd</sup> membership function of number of people from [105 115 125] .....	26
<b>Figure 3.13.</b> Schematic diagram of 3 <sup>rd</sup> membership function of number of people from [119.9 130 142] .....	27
<b>Figure 3.14.</b> Rules of the proposed models for conventional model .....	28

<b>Figure 3.15.</b> Membership function of the proposed rules .....	28
<b>Figure 3.16.</b> Schematic diagram of Fuzzy Mamdani model for CO2 Reduction with 3 parameters .....	28
<b>Figure 3.17.</b> Schematic diagram of 1 <sup>st</sup> membership function of number of waste from [3.799e+05 5e+05 6.201e+05] .....	29
<b>Figure 3.18.</b> Schematic diagram of 2 <sup>nd</sup> membership function of number of waste from [5.3e+05 6.5e+05 7.7e+05] .....	30
<b>Figure 3.19.</b> Schematic diagram of 3 <sup>rd</sup> membership function of number of waste from [6.8e+05 8e+05 9.2e+05] .....	30
<b>Figure 3.20.</b> Schematic diagram of 1 <sup>st</sup> membership function of number of people from [88 100 110] .....	31
<b>Figure 3.21.</b> Schematic diagram of 2 <sup>nd</sup> membership function of number of people from [105 115 125] .....	31
<b>Figure 3.22.</b> Schematic diagram of 3 <sup>rd</sup> membership function of number of people f rom [120, 130, 142].....	32
<b>Figure 3.23.</b> Lowest schematic diagram of 1 <sup>st</sup> membership function of waste organic components from [38, 50, 60] .....	32
<b>Figure 3.24.</b> Schematic diagram of 2 <sup>nd</sup> membership function of waste organic components from [55, 65, 75] .....	33
<b>Figure 3.25.</b> Schematic diagram of 3 <sup>rd</sup> membership function of waste organic components from [70, 80, 92] .....	33
<b>Figure 3.26.</b> Schematic diagram of 1 <sup>st</sup> membership function of waste paper components from [38, 50, 60] .....	34
<b>Figure 3.27.</b> Schematic diagram of 2 <sup>nd</sup> membership function of waste paper components from [55, 65, 75] .....	34
<b>Figure 3.28.</b> Schematic diagram of 3 <sup>rd</sup> membership function of waste paper components from [70, 80, 92] .....	35
<b>Figure 3.29.</b> Schematic diagram of 1 <sup>st</sup> membership function of waste plastic components from [38, 50, 60].....	35
<b>Figure 3.30.</b> Schematic diagram of 2 <sup>nd</sup> membership function of waste plastic components from [55, 65, 75].....	36
<b>Figure 3.31.</b> Schematic diagram of 3 <sup>rd</sup> membership function of waste plastic components from [70, 80, 92] .....	36
<b>Figure 3.32.</b> Schematic diagram of the proposed rules .....	37

<b>Figure 3.33.</b> Flowchart diagram of the proposed research model.....	38
<b>Figure 4.1</b> A comparative of the Power production in waste power plant years of 2018 and 2019 .....	51
<b>Figure 4.2</b> A comparative of the power production in waste power plant years of 2018 and 2019 using LCA methods; paper materials .....	51
<b>Figure 4.3</b> A comparative of the power production in waste power plant years of 2018 and 2019 using LCA methods; plastic materials.....	52
<b>Figure 4.4</b> A comparative of the CO <sub>2</sub> production in waste power plant years of 2018 and 2019.....	52
<b>Figure 4.5</b> A comparative of the CO production in waste power plant years of 2018 and 2019 using LCA methods; plastic materials .....	53
<b>Figure 4.6</b> A comparative of the CO production in waste power plant years of 2018 and 2019 using LCA methods; paper materials.....	53
<b>Figure 4.7</b> Fuzzification of number of waste.....	54
<b>Figure 4.8</b> Fuzzification of number of people .....	54
<b>Figure 4.9</b> (a, b and c) Fuzzification of of waste components.....	55
<b>Figure 4.10</b> Fuzzification of of CO <sub>2</sub> production .....	56
<b>Figure 4.11</b> Fuzzification of of WPP production .....	56
<b>Figure 4.12</b> Fuzzification measurement of number of waste .....	57
<b>Figure 4.13</b> Fuzzification measurement of number of people .....	57
<b>Figure 4.14</b> Fuzzification measurement of waste organic components .....	58
<b>Figure 4.15</b> Fuzzification measurement of waste paper components .....	58
<b>Figure 4.16</b> Fuzzification measurement of waste paper components .....	59
<b>Figure 4.17</b> Fuzzification measurement of CO <sub>2</sub> production .....	59
<b>Figure 4.18</b> Fuzzification measurement of WPP production .....	60
<b>Figure 4.19.</b> Output of CO <sub>2</sub> Production with lowest membership function.....	60
<b>Figure 4.20.</b> Output of CO <sub>2</sub> Production with normal membership function.....	61
<b>Figure 4.21.</b> Output of CO <sub>2</sub> Production with highest membership function .....	61
<b>Figure 4.22.</b> Output of CO <sub>2</sub> Production with all membership function.....	62
<b>Figure 4.23</b> The proposed rules and the output of CO <sub>2</sub> production is around 1240 tons and WPP production is 126 MW .....	63
<b>Figure 4.24.</b> Output of MW production with lowest membership function .....	64
<b>Figure 4.25.</b> Output of MW production with normal membership function .....	64
<b>Figure 4.26.</b> Output of MW production with highest membership function.....	65

<b>Figure 4.27.</b> Output of MW production with all membership function .....	65
<b>Figure 4.28.</b> Output of CO2 production with lowest membership function.....	66
<b>Figure 4.29.</b> Output of CO2 production with normal membership function.....	66
<b>Figure 4.30.</b> Output of CO2 production with highest membership function.....	67
<b>Figure 4.31.</b> Output of CO2 production with all membership function .....	67
<b>Figure 4.32.</b> Output of CO2 production with all membership function .....	68
<b>Figure 4.33.</b> Output of MW production with lowest membership function .....	68
<b>Figure 4.34.</b> Output of MW production with normal membership function .....	69
<b>Figure 4.35.</b> Output of MW production with highest membership function.....	69
<b>Figure 4.36.</b> Output of Rules for CO2 Production and MW production with all membership function .....	70
<b>Figure 4.37.</b> Output of MW production with all membership function .....	71
<b>Figure 4.38.</b> Output of MW production with all membership function .....	71
<b>Figure 4.39</b> 1 <sup>st</sup> scenario's of all input components are lowest, the CO2 production is 111000 tons and WPP is 125 MW .....	72
<b>Figure 4.40.</b> 2 <sup>nd</sup> scenario's all input components are normal, CO2 production is 125000 tons and WPP production is 183 MW .....	72
<b>Figure 3.41.</b> 3 <sup>rd</sup> scenario's all input components are highest, CO2 production increased to 15500 tons while WPP decreased into 99 MW .....	73
<b>Figure 4.42.</b> Output of MW production of waste power plant (WPP).....	73
<b>Figure 4.43.</b> Output of power production (kWH) of waste power plant (WPP).....	74
<b>Figure 4.44.</b> Output of power production (kWH) of waste power plant (WPP).....	74
<b>Figure 4.45.</b> Output of CO production of waste power plant (WPP) using conventional and fuzzy logic.....	75
<b>Figure 4.46.</b> Output of CO production of waste power plant (WPP) based on paper materials .....	76
<b>Figure 4.47.</b> Output of CO production of waste power plant (WPP) based on plastic materials.....	76

## LIST OF TABLE

<b>Table 2.1.</b> Composite energy produced by waste in Libya.....	11
<b>Table 2.2</b> Gas content of Landfill gas .....	15
<b>Table 2.3</b> Conversion of Gas Energy to Electricity .....	16
<b>Table 2.4</b> The content of the combustion reactor of WPP Incenerator .....	17
<b>Table 3.1.</b> Rules of the proposed model .....	27
<b>Table 4.1</b> Waste power plant analysis in 2018 .....	45
<b>Table 4.2</b> Waste power plant analysis in 2019.....	46
<b>Table 4.3</b> Waste power plant analysis paper materials in 2018 .....	47
<b>Table 4.4</b> Waste power plant analysis paper materials in 2019 .....	48
<b>Table 4.5</b> Waste power plant analysis plastic materials in 2018 .....	49
<b>Table 4.6</b> Waste power plant analysis paper materials in 2019 .....	50

