

DAFTAR PUSTAKA

- Abassi, M. R., Safavi, A., Haghverdi, M., & Saedi, B. (2016). Sleep disorders in ESRD patients undergoing hemodialysis. *Acta Medica Iranica*, 54(3), 176–184.
- Abdelghfar, S. Z. (2017). Effect of Aromatherapy on Uremic Pruritus among Patients Undergoing Hemodialysis. *IOSR Journal of Nursing and Health Science*, 06(02), 22–30. <https://doi.org/10.9790/1959-0602082230>
- Afrasiabifar, A., Mehri, Z., & Hosseini, N. (2017). Efficacy of topical application of sweet almond oil on reducing uremic pruritus in hemodialysis patients: A randomized clinical trial study. *Iranian Red Crescent Medical Journal*, 19(2). <https://doi.org/10.5812/ircmj.34695>
- Akhyani, M., Ganji, M. R., Samadi, N., Khamesan, B., & Daneshpazhooh, M. (2005). Pruritus in hemodialysis patients. *BMC Dermatology*, 5, 4–9. <https://doi.org/10.1186/1471-5945-5-7>
- Alfi, W. N., & Yuliwar, R. (2018). Hubungan kualitas tidur dengan tekanan darah pasien hipertensi. *Jurnal Berkala Epidemiologi*, 6, 18–26. <https://doi.org/10.20473/jbe.v6i12018.18-26>
- Altinok Ersoy, N., & Akyar, İ. (2019). Multidimensional pruritus assessment in hemodialysis patients. *BMC Nephrology*, 20(1), 42. <https://doi.org/10.1186/s12882-019-1234-0>
- Anwar, N., & Mahmud, S. N. (2018). Quality of sleep in CKD patients on chronic hemodialysis and the effect of dialysis shift. *Journal of the College of Physicians and Surgeons Pakistan*, 28(8), 636–639. <https://doi.org/10.29271/jcpsp.2018.08.636>
- Arab, Z., Shariati, A. R., Asayesh, H., Vakili, M. A., Bahrami-Taghanaki, H., & Azizi, H. (2016). A sham-controlled trial of acupressure on the quality of sleep and life in haemodialysis patients. *Acupuncture in Medicine*, 34(1), 2–6. <https://doi.org/10.1136/acupmed-2014-010369>
- Bathla, N., Ahmad, S., Gupta, R., & Ahmad, S. (2017). Prevalence and Predictors of Poor Sleep Quality in Patients on Maintenance Hemodialysis. *Sleep and Vigilance*, 1(1), 31–36. <https://doi.org/10.1007/s41782-017-0007-8>
- Berger, T. G., & Steinhoff, M. (2011). Pruritus and renal failure. *Seminars in Cutaneous Medicine and Surgery*, 30(2), 99–100. <https://doi.org/10.1016/j.sder.2011.04.005>
- Black, J. M., & Hawk, J. H. (2014). *Medical Surgical Nursing : Clinical Management for Positive Outcome* (7th ed.). W.B. Sounders Company.

- Bolognia, J. L., Jorizzo, J. L., & Schaffer, J. V. (2012). *Dermatology* (3rd ed.). Saunders Elsevier.
- Cahyaningsih, N. D. (2018). *Hemodialisis (cuci darah)* (H. Riwidikdo (ed.); IV). Mitra Cendikia Press.
- Cantekin, I., & Tan, M. (2013). The influence of music therapy on perceived stressors and anxiety levels of hemodialysis patients. *Renal Failure*, 35(1), 105–109. <https://doi.org/10.3109/0886022X.2012.736294>
- Celikbilek, F., & Ates, S. (2018). Complementary Methods Used for Uremic Pruritus. *International Journal of Caring Sciences*, 11(2), 751–758. <http://210.48.222.80/proxy.pac/docview/2148636683?accountid=44024>
- Cupisti, A., Piccoli, G. B., & Gallieni, M. (2020). Charcoal for the management of pruritus and uremic toxins in patients with chronic kidney disease. *Current Opinion in Nephrology and Hypertension*, 29(1), 71–79. <https://doi.org/10.1097/MNH.0000000000000567>
- Dahlan, S. (2014). *Statistik Untuk Kedokteran Dan Kesehatan* (6th ed.). salemba medika.
- Dharma-wardana, M. W. C., Amarasiri, S. L., Dharmawardene, N., & Panabokke, C. R. (2015). Chronic kidney disease of unknown aetiology and ground-water ionicity: study based on Sri Lanka. *Environmental Geochemistry and Health*, 37(2), 221–231. <https://doi.org/10.1007/s10653-014-9641-4>
- Drew, D. A., Weiner, D. E., Tighiouart, H., Duncan, S., Gupta, A., Scott, T., & Sarnak, M. J. (2017). Cognitive Decline and Its Risk Factors in Prevalent Hemodialysis Patients. *American Journal of Kidney Diseases*, 69(6), 780–787. <https://doi.org/10.1053/j.ajkd.2016.11.015>
- Elman, S., Hynan, L. S., Gabriel, V., & Mayo, M. J. (2010). The 5-D itch scale: A new measure of pruritus. *British Journal of Dermatology*, 162(3), 587–593. <https://doi.org/10.1111/j.1365-2133.2009.09586.x>
- Fauziah, N., & Soelistyowati, E. (2019). Faktor yang mempengaruhi terjadinya pruritus pada klien gagal ginjal kronik yang menjalani hemodialisis di rumah sakit islam jemursari surabaya. *Journal of Chemical Information and Modeling*, 53(9), 1689–1699.
- Fenny, & Supriatmo. (2016). Hubungan Kualitas dan Kuantitas Tidur dengan Prestasi Belajar pada Mahasiswa Fakultas Kedokteran. *Jurnal Pendidikan Kedokteran Indonesia*, 5, 140–147.
- Gerogianni, G., Polikandrioti, M., Babatsikou, F., Zyga, S., Alikari, V., Vasilopoulos, G., Gerogianni, S., & Grapsa, E. (2019). Anxiety–depression of dialysis patients and their caregivers. *Medicina (Lithuania)*, 55(5), 1–9. <https://doi.org/10.3390/medicina55050168>

- Harahap, S. A. J., Yustina, I., & Ardinata, D. (2015). FAKTOR-FAKTOR YANG BERHUBUNGAN DENGAN TINGKAT KECEMASAN PASIEN HEMODIALISIS DI RSUD Dr. PIRNGADI MEDAN. *Idea Nursing Journal*, 6(3), 1–9.
- Harlim, A., & Yogyartono, P. (2012). Pruritus Uremik pada Penyakit Gagal Ginjal Kronik. *Fakultas Kedokteran Universitas Kristen Indonesia*, 28(2), 100–111.
- Hawro, T., Hawro, M., Zalewska-Janowska, A., Weller, K., Metz, M., & Maurer, M. (2020). Pruritus and sleep disturbances in patients with psoriasis. *Archives of Dermatological Research*, 312(2), 103–111. <https://doi.org/10.1007/s00403-019-01998-7>
- Hidayat, A. A. A., & Uliyah, M. (2015). *Pengantar Kebutuhan Dasar Manusia* (2nd ed.). Salemba Medika.
- Hu, X., Sang, Y., Yang, M., Chen, X., & Tang, W. (2018). Prevalence of chronic kidney disease-associated pruritus among adult dialysis patients A meta-analysis of cross-sectional studies. *Medicine (United States)*, 97(21). <https://doi.org/10.1097/MD.00000000000010633>
- Juwita, L., Febrita, L., & Putri, Y. R. (2017). Efektivitas Latihan Fisik Intra Dialisis Terhadap Kadar Kreatinin Pasien Hemodialisa. *Journal Human Care*, 1(1).
- Kallenbach, J. Z. (2016). *Review Of Hemodialysis For Nurses and Dialysis Personnel* (10th ed.). Elsevier.
- Karadag, E., Kilic, S. P., Karatay, G., & Metin, O. (2014). Effect of baby oil on pruritus, sleep quality, and quality of life in hemodialysis patients: Pretest-post-test model with control groups. *Japan Journal of Nursing Science*, 11(3), 180–189. <https://doi.org/10.1111/jjns.12019>
- Kementrian Kesehatan RI. (2017). *InfoDATIN : Situasi Tenaga Keperawatan Indonesia*. Kemenkes RI.
- Kfouri, L. W., & Jurdi, M. A. (2012). Uremic pruritus. *Journal of Nephrology*, 25(5), 644–652. <https://doi.org/10.5301/jn.5000039>
- Ko, M. J., Wu, H. Y., Chen, H. Y., Chiu, Y. L., Hsu, S. P., Pai, M. F., Ju-YehYang, Lai, C. F., Lu, H. M., Huang, S. C., Yang, S. Y., Wen, S. Y., Chiu, H. C., Hu, F. C., Peng, Y. Sen, & Jee, S. H. (2013). Uremic Pruritus, Dialysis Adequacy, and Metabolic Profiles in Hemodialysis Patients: A Prospective 5-Year Cohort Study. *PLoS ONE*, 8(8). <https://doi.org/10.1371/journal.pone.0071404>
- Liaveri, P. G., Dikeos, D., Ilias, I., Lygkoni, E. P., Boletis, I. N., Skalioti, C., & Paparrigopoulos, T. (2017). Quality of sleep in renal transplant recipients and

- patients on hemodialysis. *Journal of Psychosomatic Research*, 93, 96–101. <https://doi.org/10.1016/j.jpsychores.2016.12.013>
- Mehrabi, S., Sarikhani, S., & Roozbeh, J. (2017). Sleep quality in patients undergoing long-term hemodialysis using the pittsburgh sleep quality index. *Nephro-Urology Monthly*, 9(2), 2–7. <https://doi.org/10.5812/numonthly.44278>
- Mubarak, W. I., Indrawati, L., & Susanto, J. (2015). *Buku Ajar Ilmu Keperawatan Dasar*. Salemba Medika.
- Muttaqin, A., & Sari, K. (2011). *asuhan keperawatan gangguan sistem perkemihan*. Salemba Medika.
- Nakamoto, H., Kobayashi, T., Noguchi, T., Kusano, T., Ashitani, K., Imaeda, H., & Maezono, M. (2019). Prevalence and Severity of Itching in Patients with End-Stage Renal Disease: Treatment with Nalfurafine Hydrochloride. *Blood Purification*, 47(Suppl2), 45–49. <https://doi.org/10.1159/000496637>
- Nashori, F., & Wulandari, E. D. (2017). *Psikologi Tidur : Dari Kualitas Tidur hingga Insomnia* (I). Universitas Islam Indonesia.
- Notoatmodjo, S. (2012). *Metodologi Penelitian Kesehatan*. Rineka Cipta.
- Nunley, J. R., & Lerma, E. (2015). *Dermatological Manifestation of Kidney Disease*. Springer.
- Nuraini, B. (2015). Risk Factors of Hypertension. *J Majority*, 4(5), 10–19.
- Nursalam. (2016). *Metodologi Penelitian Ilmu Keperawatan: Pendekatan Praktis* (4th ed.). salemba medika.
- Ohayon, M., Wickwire, E. M., Hirshkowitz, M., Albert, S. M., Avidan, A., Daly, F. J., Dauvilliers, Y., Ferri, R., Fung, C., Gozal, D., Hazen, N., Krystal, A., Lichstein, K., Mallampalli, M., Plazzi, G., Rawding, R., Scheer, F. A., Somers, V., & Vitiello, M. V. (2017). National Sleep Foundation's sleep quality recommendations: first report. *Sleep Health*, 3(1), 6–19. <https://doi.org/10.1016/j.slehd.2016.11.006>
- Ozen, N., Cinar, F. I., Askin, D., & Mut, D. (2018). Uremic pruritus and associated factors in hemodialysis patients: A multi-center study. *Kidney Research and Clinical Practice*, 37(2), 138–147. <https://doi.org/10.23876/j.krcp.2018.37.2.138>
- Palareti, G., Legnani, C., Cosmi, B., Antonucci, E., Erba, N., Poli, D., Testa, S., & Tosetto, A. (2016). Comparison between different D-Dimer cutoff values to assess the individual risk of recurrent venous thromboembolism: Analysis of results obtained in the DULCIS study. *International Journal of Laboratory Hematology*, 38(1), 42–49. <https://doi.org/10.1111/ijlh.12426>

- Pardede, S. O. (2016). Pruritus Uremik. *Sari Pediatri*, 11(5), 348. <https://doi.org/10.14238/sp11.5.2010.348-54>
- Price, S. A., & Wilson, L. M. C. (2012). *Patofisiologi : Konsep Klinis Proses-Proses Penyakit* (6th ed.). EGC.
- Rayner, H. C., & Imai, E. (2010). Approach to Renal Replacement Therapy. In *Comprehensive Clinical Nephrology* (Fourth Edi). Elsevier Inc. <https://doi.org/10.1016/B978-0-323-05876-6.00086-1>
- Rehman, I. U., Munib, S., Ramadas, A., & Khan, T. M. (2018). Prevalence of chronic kidney disease-associated pruritus, and association with sleep quality among hemodialysis patients in Pakistan. *PLoS ONE*, 13(11), 1–17. <https://doi.org/10.1371/journal.pone.0207758>
- RISKESDAS. (2018). *Badan Penelitian dan Pengembangan Kesehatan Kementerian Kesehatan RI*.
- Riyanto, A. (2011). *Aplikasi Metodologi Penelitian Kesehatan*. Nuha Medika.
- Roumelioti, M. E., Argyropoulos, C., Pankratz, V. S., Jhamb, M., Bender, F. H., Buysse, D. J., Strollo, P., & Unruh, M. L. (2016). Objective and subjective sleep disorders in automated peritoneal dialysis. *Canadian Journal of Kidney Health and Disease*, 3(1), 1–11. <https://doi.org/10.1186/s40697-016-0093-x>
- Safaringga, E., & Herpandika, R. P. (2018). Hubungan antara Kebugaran Jasmani dengan Kualitas Tidur. *Jurnal SPORTIF : Jurnal Penelitian Pembelajaran*, 4(2), 235. https://doi.org/10.29407/js_unpgri.v4i2.12467
- Scherer, J. S., Combs, S. A., & Brennan, F. (2017). Sleep Disorders, Restless Legs Syndrome, and Uremic Pruritus: Diagnosis and Treatment of Common Symptoms in Dialysis Patients. *American Journal of Kidney Diseases*, 69(1), 117–128. <https://doi.org/10.1053/j.ajkd.2016.07.031>
- Sembiring, F., Nasution, S. S., & Ariani, Y. (2020). *Gambaran pruritus uremik pasien gagal ginjal kronik di unit hemodialisa RSU pusat haji adam malik medan*. 4(1), 1–7.
- Shalini Nadarajah, Inda Astri, Y. F. Y. (2018). *Hubungan karakteristik klinis dan keparahan pruritus uremik pada pasien gagal ginjal kronik yang mendapat hemodialisa*. 140–145.
- Shirazian, S., Aina, O., Park, Y., Chowdhury, N., Leger, K., Hou, L., Miyawaki, N., & Mathur, V. S. (2017). Chronic kidney disease-associated pruritus: Impact on quality of life and current management challenges. *International Journal of Nephrology and Renovascular Disease*, 10, 11–26. <https://doi.org/10.2147/IJNRD.S108045>
- Simonsen, E., Komenda, P., Lerner, B., Askin, N., Bohm, C., Shaw, J., Tangri, N.,

- & Rigatto, C. (2017). Treatment of Uremic Pruritus: A Systematic Review. *American Journal of Kidney Diseases*, 70(5), 638–655. <https://doi.org/10.1053/j.ajkd.2017.05.018>
- Smeltzer, S. C. (2018). *Keperawatan Medikal-Bedah Brunner & Suddarth* (12th ed.). EGC.
- Smeltzer, S. C., & Bare, B. G. (2013). *Buku Ajar Keperawatan Medikal Bedah Brunner & Suddarth* (8th ed.). EGC.
- Smeltzer, S. C., Bare, B. G., Hinkle, J. L., & Cheever, K. H. (2010). *Brunner & Suddarth's Textbook of Medical Surgical Nursing* (12th ed.). Lippincott Williams & Wilkins.
- Sukmawati, N. M. H., & Putra, I. G. S. W. (2019). Reliabilitas Kusisioner Pittsburgh Sleep Quality Index (Psqi) Versi Bahasa Indonesia Dalam Mengukur. *Jurnal Lingkungan Dan Pembangunan*, 3(2), 30–38.
- Takahashi, N., Yoshizawa, T., Okubo, A., Kumagai, J., Kawanishi, H., Tsuchiya, S., Moriishi, M., Masaki, T., & Ebata, T. (2018). Usefulness of the Japanese version of the 5-D itch scale for rating pruritus experienced by patients undergoing hemodialysis. *Renal Replacement Therapy*, 4(1), 1–10. <https://doi.org/10.1186/s41100-018-0167-6>
- Ur Rehman, I., Chohan, T. A., Bukhsh, A., & Khan, T. M. (2019). Impact of pruritus on sleep quality of hemodialysis patients: A systematic review and meta-analysis. *Medicina (Lithuania)*, 55(10). <https://doi.org/10.3390/medicina55100699>
- Vasilopoulou, C., Bourtsi, E., Giaple, S., Koutekos, I., Theofilou, P., & Polikandrioti, M. (2016). The Impact of Anxiety and Depression on the Quality of Life of Hemodialysis Patients. *Global Journal of Health Science*, 8(1), 45–55. <https://doi.org/10.5539/gjhs.v8n1p45>
- Vrucinic, Z., Jakovljevic, B., & Preradovic, L. (2015). Pruritus in hemodialysis patients: Results from Fresenius dialysis center, Banja Luka, Bosnia and Herzegovina. *Our Dermatology Online*, 6(3), 252–256. <https://doi.org/10.7241/ourd.20153.70>
- Wahyuni, A., Lawati, U. Z., & Gusti, E. (2019). Korelasi Lama Menjalani Hemodialisa Dengan Pruritus Pada Pasien Hemodialisa. *Jurnal Endurance*, 4(1), 117. <https://doi.org/10.22216/jen.v4i1.3845>
- Wang, R., Tang, C., Chen, X., Zhu, C., Feng, W., Li, P., & Lu, C. (2016). Poor sleep and reduced quality of life were associated with symptom distress in patients receiving maintenance hemodialysis. *Health and Quality of Life Outcomes*, 14(1), 1–8. <https://doi.org/10.1186/s12955-016-0531-6>
- Weiss, M., Mettang, T., Tschulena, U., & Weisshaar, E. (2016). Health-related

quality of life in haemodialysis patients suffering from chronic itch: results from GEHIS (German Epidemiology Haemodialysis Itch Study). *Quality of Life Research*, 25(12), 3097–3106. <https://doi.org/10.1007/s11136-016-1340-4>

Wu, H. Y., Huang, J. W., Tsai, W. C., Peng, Y. Sen, Chen, H. Y., Yang, J. Y., Hsu, S. P., Pai, M. F., Ko, M. J., Hung, K. Y., & Chiu, H. C. (2018). Prognostic importance and determinants of uremic pruritus in patients receiving peritoneal dialysis: A prospective cohort study. *PLoS ONE*, 13(9), 1–12. <https://doi.org/10.1371/journal.pone.0203474>

Wulandani, M. P., Dachlan, A. S., & Yusharyahya, S. N. (2018). *Validity and Reliability of 5-D Itch Scale in Indonesian Language on Adult and Geriatric Patient at Dr. Cipto Mangunkusumo Hospital*. 24. <https://doi.org/https://doi.org/10.1166/asl.2018.12910>

