DAFTAR PUSTAKA

Abedi A, Azarnia M, Zahvarehy MJ, foroutan T, Golestani S. 2016. Effect of Different Times of Intraperitoneal Injections of Human Bone Marrow Mesenchymal Stem Cell Conditioned Medium on Gentamicin-Induced Acute Kidney Injury. *Miscellaneus*

Abouelkheir, M., El Tantawy, D.A., Saad, M.A., Abdelrahman, K.M., Sobh, M.A., Lotfy, A., 2016, Mesenchymal stem cells versus their conditioned medium in the treatment of cisplatin-induced acute kidney injury: evaluation of efficacy and cellular side effects, *Int J Clin Exp Med* 9(12):23222-23234.

Ali, I.H., Brazil, D.P., 2013, *Under the right conditions: protecting podocytes from diabetes-induced damage*, *Stem cell research & therapy* 4, 119.

Alwi, I., Salim, S., Hidayat, R., Kurniawan, J., Tahapary, D.L., 2015, Penatalaksanaan Di Bidang. Ilmu Penyakit Dalam : Panduan Praktik Klinis, Interna Pubslishing, Jakarta.

Balakumar P, Rohilla A, Thangathirupathi A. 2010. Gentamicin induced nephrotoxicity: Do we have a promising therapeutic approach to blunt it? *Pharmacol Res*. 62:179-186.

Cantinieaux, D., Quertainmont, R., Blacher, S., 2013, Conditioned medium from bone marrow-derived mesenchymal stem cells improves recovery after spinal cord injury in rats: an original strategy to avoid cell transplantation, *PLoS ONE* 8(8).

Chamberlain, Giselle., Fox, James., Ashton, Brian., Middleton, Jim., 2007, Concise Review: Mesenchymal Stem Cells: Their Phenotype, Differentiation Capacity, Immunological Features, and Potential for Homing, *J. Stem Cells*, 25, 11, 1634.

Chawla, L.S., Kimmel, P.L., 2012, Acute kidney injury and chronic kidney disease: an integrated clinical syndrome. *Kidney Int.* 2012, 82: 516–524.

Coca S.G., Singanamala S., Parikh C.R., 2012, Chronic kidney disease after acute kidney injury: a systematic review and meta-analysis. *Kidney Int*. 81: 442–448.

Cui C., Cui Y., Gao J., Li R., Jiang X., Tian Y., Wang K., Cui J., 2017, Intraparenchymal treatment with bone marrow mesenchymal stem cell-

conditioned medium exerts neuroprotection following intracerebral hemorrhage, *Molecular Medicine Reports* 15: 2374-2382.

Ding, D., Shyu, W., Lin, S., 2011, Mesenchymal stem cells, *Cell Transpl.* 20:5–14

Dontabhaktuni A, David RT, Mayankbhai P. 2016. Gentamicin renal excretion in rats: probing Strategies to mitigate drug-induced nephrotoxicity. *Pharmacol* 7:43-55.

El Badwi SMA, Bakhiet OA, Abedlel Gadir EH. 2012. Haemoto-biochemical effect of aqueous extract Of Khaya senegalensis Stem bark on gentamicin-induced nephrotoxicity in Wistar rats. J of BiolSci.1:1-6.

El Zaher, F.A., El Shawarby, A., Hammouda, G., Bahaa, N., 2017, Role of mesenchymal stem cells versus their conditioned medium on cisplatin-induced acute kidney injury in albino rat. A histological and immunohistochemical study, *The Egyptian Journal of Histology* 4(40):37-51.

Elahi, K.C., Klein, G., Avci-Adali, M., Sievert, K.D., MacNeil, S., Aicher, W.K., 2016, Human mesenchymal stromal cells from different sources diverge in their expression of cell surface proteins and display distinct differentiation patterns, *Stem Cells Int.* 2016: 5646384.

Fedik, A.R., Ferdiansyah, Purwati, 2014, *Stem Cell, Mesenchymal, Hematopoetik dan Model Aplikasi*. Edisi Kedua, Airlangga University Press, Surabaya, 1,10-12, 23-25, 26-38.

Gheisari1Y, Ahmadbeigi N, Naderi M, Nassiri SM, Nadri S, Soleimani M. 2011. Stem cell-conditioned medium does not protect against kidney failure. *Cell Biol. Int*. 35: 209–213.

Goyal, A., Siddiqui, A.H., Daneshpajouhnejad, P., Cozma, I., Bashir, K., 2019, *Acute Kidney Injury (Acute Renal Failure)*, Treasure Island (FL): StatPearls Publishing.

Halim, D., Murti H., Sandra F., Boediono A., Djuwantono T., Setiawan B., 2010, *Stem Cell Dasar Teori dan Apikasi Klinis*, Erlangga, Jakarta.

Hoch AI, Binder BY, Genetos DC, Leach JK. 2012. Differentiation-dependent secretion of proangiogenic factors by mesenchymal stem cells. *PLoS One*. 7(4, article e35579).

Hu C, Zhao L, Zhang L, Bao Q, Li L. 2020. Mesenchymal stem cell-based cell-free strategies: safe and effective treatments for liver injury. *Stem Cell Res Ther*. 2020; 11: 377.

Ibraheim, H., Giacomini, C., Kassam, Z., Dazzi, F., Powell, N., 2018, Advances in mesenchymal stromal cell therapy in the management of Crohn's disease, Expert Rev Gastroenterol Hepatol. 2018 Feb;12(2):141-153.

Justewicz, D.M., Shokes, J.E., Reavis, B., Boyd, S.A., Burnette, T.B., Halberstadt, C.R., Spencer, T., Ludlow J.W., Bertram T.A., Jain D., 2012, Characterization of the human smooth muscle cell secretome for regenerative medicine, *Tissue Eng. Part C Methods* 18:797–816.

Kasper, D.L., Hauser, S.L., Jameson, J.L., Fauci, A.S., Longo, D.L., Loscalzo, J., 2015, *Harrison's Principles of Internal Medicine.* 19"' Edition. New York: McGraw-Hill.

Khwaja A., 2012, KDIGO clinical practice guidelines for acute kidney injury, *Nephron Clin Pract.* 120(4):c179-84.

Kim, D.K., Nishida, H., An, S.Y., Shetty, A.K., Bartosh, T.J., Prockop, D.J., 2016, Chromatographically isolated CD63+ CD81+ extracellular vesicles from mesenchymal stromal cells rescue cognitive impairments after TBI, *Proc. Natl. Acad. Sci. USA* 113:170–175.

Kim, H.O., Choi, S., 2013, Mesenchymal stem cell-derived secretome and microvesicles as a cell-free therapeutics for neurodegenerative disorders, *Tissue Engineering and Regenerative Medicine* 10(3):93–101.

King, A., Balaji, S., Keswani, S.G., Crombleholme, T.M., The Role of Stem Cells in Wound Angiogenesis, *Adv. In Wound Care* 3(10): 614-625

Kumar V., Abbas A.K.., Aster J.C., 2015, *Buku Ajar Patologi Robbins Edisi 9*, Elsevier Saunders, Singapura.

Lameire, N.H., Bagga, A., Cruz D., De Maeseneer, J., Endre, Z., Kellum, J.A., Liu, K.D., Mehta, R.L., Pannu, N., Van Biesen, W., Vanholder, R., 2013, Acute kidney injury: an increasing global concern, *Lancet.* 382(9887):170-9.

Lee, D.E, Ayoub, N., Agrawal, D.K., 2016, Mesenchymal stem cells and cutaneous wound healing: novel methods to increase cell delivery and therapeutic efficacy, *Stem Cell Research & Therapy* 7:37.

Lee, S.H., Jin, S.Y., Song, J.S., Seo, K.K., Cho, K.H., 2012, Paracrine effects of adiposederived stem cells on keratinocytes and dermal fibroblasts, *Ann Dermatol* 24:136–43.

Lewington, A.J., Cerdá, J., Mehta, R.L., 2013, Raising awareness of acute kidney injury: a global perspective of a silent killer, *Kidney Int. 84(3):457-67.*

Li, D., Wang, N,. Zhang, L., Hanyu, Z., Xueyuan, B., Fu, B., Shaoyuan, C., Zhang, W., Xuefeng, S., Li, R., Chen, X., 2013, Mesenchymal stem cells protect podocytes from apoptosis induced by high glucose via secretion of epithelial growth factor. *Stem cell research & therapy* 4(5):103.

Lintong PM, Kairupan CF, Sondak PLN. 2012. Gambaran Mikroskopik Ginjal Tikus Wistar (Rattus Norvegicus) Setelah Diinduksi Dengan Gentamisin. *Jurnal Biomedik.* 4(3): 185-192.

Lopez-Novoa JM, Quiros Y, Vicente L, Morales AI, Lopez-Hernandez FJ. 2011. New insights into the mechanism of aminoglycoside nephrotoxicity: an integrative point of view. *Kidney Int.* 79:33-45.

Lotfinia, M., Lak, S., Ghahhari, N.M., Johari, B., Maghsood, F., Parsania, S., Tabrizi, B.S.. Kadivar, M., 2017, Hypoxia pre-conditioned embryonic mesenchymal stem cell secretome reduces il-10 production by peripheral blood mononuclear cells, *Iranian Biomedical Journal* 21(1): 24-31.

Lu HY, Ning XY, Chen YQ, Han SJ, Chi P, Zhu SN, Yue Y. 2018. Predictive Value of Serum Creatinine, Blood Urea Nitrogen, Uric Acid, and β2-Microglobulin in the Evaluation of Acute Kidney Injury after Orthotopic Liver Transplantation. *Chin Med J (Engl)*. 131(9): 1059–1066.

Lukiswanto BS, Yuniarti WM. 2017. Pengaruh Ekstrak Buah Delima Terstandar 40% Ellagic Acid terhadap Profil Darah Tikus Putih yang Mengalami Nefrotoksisitas Akibat Induksi Gentamisin. JSV. 35(2):208-215.

Madrigal, M., Rao, K.S., Riordan, N.H., 2014, A review of therapeutic effects of mesenchymal stem cell secretions and induction of secretory modification by different culture methods. *Journal of Translational Medicine* 2014, 12:260.

Maguire, G., 2013, Stem cell therapy without the cells. Commun. *Integr. Biol.* 6, e26631.

Markovic BS, Gazdic M, Arsenijevic A, Jovicic N, Jeremic J, Djonov V, Arsenijevic N, Lukic ML, Volarevic V. 2017. Mesenchymal Stem Cells Attenuate Cisplatin-Induced Nephrotoxicity in iNOS-Dependent Manner. *Stem Cells Int.*

Masoud MS, Anwar SS, Afzal MZ, Mehmood A, Khan SN, Riazuddin S. 2012. Pre-conditioned mesenchymal stem cells ameliorate renal ischemic injury in rats by augmented survival and engraftment. *J Transl Med*. 10:243.

Mehta, R.L., Cerdá, J., Burdmann, E.A., Tonelli, M., García-García, G., Jha, V., Susantitaphong, P., Rocco, M., Vanholder, R., Sever, M.S., Cruz, D., Jaber, B., Lameire, N.H., Lombardi, R., Lewington, A., Feehally, J., Finkelstein, F., Levin, N., Pannu, N., Thomas, B., Aronoff-Spencer, E., Remuzzi, G., 2015, International Society of Nephrology's 0by25 initiative for acute kidney injury (zero preventable deaths by 2025): a human rights case for nephrology, *Lancet.* 385(9987):2616-43.

Meran, S., Wonnacott, A., Amphlett, B., Phillips, A., 2014, How good are we at managing acute kidney injury in hospital? *Clin Kidney J.* 7: 144–150.

Mirabella, T., Cilli, M., Carlone, S., Cancedda, R., Gentili, C., 2011, Amniotic liquid derived stem cells as reservoir of secreted angiogenic factors capable of stimulating neo-arteriogenesis in an ischemic model, *Biomaterials* 32(15): 3689–3699.

Murray, R.K., 2012, Biokimia Harper Edisi 29. Penerbit Buku Kedokteran EGC: Jakarta.

Natalia MC, Yunita EP, Triastui E. 2017. Pengaruh Mikrosfer Kitosan Minyak Kelapa Sawit pada Mus m usculus dengan Nekrosis Tubular Akut. *Pharmaceutical Journal Of Indonesia*. 2(2): 37–43.

Negi, S., Koreeda, D., Kobayashi, S., Yano, T., Tatsuta, K., Mima, T., Shigematsu, T., Ohya, M., 2018, Acute kidney injury: Epidemiology, outcomes, complications, and therapeutic strategies, *Semin Dial.* 31(5):519-527.

Oh, M.S., 2011, Evaluation of renal function, water, electrolytes and acid base balance. In: Mc Pherson RA, Pincus MR, editors. Henry's clinical diagnosis and management by laboratory methods. 22 th ed. Philadelphia: Elsevier Saunders.

Pagana, K.D., 2015. *Diagnostic and Laboratory Test Reference*. 12 ed. Elsevier, United States of America.

Park, B.S., Kim, W.S., Choi, J.S., 2010, Hair growth stimulated by conditioned medium of adipose-derived stem cells is enhanced by hypoxia: evidence of increased growth factor secretion, *Biomedical Research* 31(1):27–34.

Paterson Y.Z., Rash N., Garvican E.R., Paillot R., Guest D.J., 2014, Equine mesenchymal stromal cells and embryo-derived stem cells are immune privileged *in vitro*, *Stem cell research and therapy* 5(4): 90.

Pawitan, J.A., 2014, Prospect of Stem Cell Conditioned Medium in Regenerative Medicine, *BioMed Research International* (2014).

Putra A., Pertiwi D., Milla M.N., Indrayani U.D., Jannah D., Sahariyani M., Trisnadi S., Wibowo J.W., 2019, Hypoxia-preconditioned mscs have superior effect in ameliorating renal function on acute renal failure animal model, *Open Access Maced J Med Sci*. 7(3):305-310.

Putra, A., 2019, *Basic Molecular Stem Cell*, Semarang, Unissula Press.

Reis, L.A., Borges, F.T., Simoes, M.J., Borges, A.A., Sinigaglia-Coimbra, R., Schor, N., 2012, Bone marrowderived mesenchymal stem cells repaired but did not prevent gentamicin induced acute kidney injury through paracrine effects, *Mesenchymal Stem Cells on G-Nephrotoxicity* 7(9):1- 11

Ribeiro CA, Fraga JS, Graos M, et al. 2012. The secretome of stem cells isolated from the adipose tissue and Wharton jelly acts differently on central nervous system derived cell populations. *Stem Cell Research & Therapy*. 3(3):p. 18.

Sacher, R.A., McPherso, R.A., 2012, *Tinjauan Klinis Hasil Pemeriksaan. Laboratorium Edisi 11*, Penerbit EGC, Jakarta.

Sandhaanam, S.D., Pathalam, G., Dorairaj, S., Savariar, V., 2013, Mesenchymal stem cells (MSC): Identification, Proliferation and Differentiation, *PeerJ PrePrints*,.

Schlosser, S., Dennler, C., Schweizer, R., Eberli, D., Stein, J.V., Enzmann, V., 2012, Paracrine effects of mesenchymal stem cells enhance vascular regeneration in ischemic murine skin, *Microvasc Res*. 83:267–75.

Setiati, S., Alwi, I., Sudoyo, A.W., Stiyohadi, B., Syam, A.F., 2014, *Buku Ajar Ilmu Penyakit Dalam Jilid II (ed) VI*, InternaPublishing, Jakarta.

Shah, S.R., Tunio, S.A., Arshad, M.H., Moazzam, Z., Noorani, K., Feroze, A.M., Shafquat, M., Hussain, H.S., Jeoffrey, S.A.H., 2016, Acute kidney injury recognition and management: A review of the literature and current evidence, *Glob J Health Sci.*, 8(5): 120–124.

Sherwood, L., 2014, *Fisiologi Manusia Dari Sel ke Sistem. Edisi 8.*, Penerbit Buku Kedokteran EGC, Jakarta.

Tamama, K., Kawasaki, H., Kerpedjieva, S.S., Guan, J., Ganju, R.K., Sen, C.K., 2011, Differential roles of hypoxia inducible factor subunits in multipotential stromal cells under hypoxic condition, *J Cell Biochem.* 112(3):804-17.

Togel, F.E., Westenfelder, C., 2012, Kidney protection and regeneration following acute injury: progress through stem cell therapy. *Am J Kidney Dis.* 2012, 60: 1012–1022.

Trivanović, D., Kocić, J., Mojsilović, S., Krstić, A., Ilić, V., Djordjević, I.O., Santibanez, J.F., Jovčić, G., 2013, Mesenchymal stem cells isolated from peripheral blood and umbilical cord wharton's jelly mesenchymal stem cells isolated from peripheral blood and umbilical cordwharton's jelly, *Srp Arh Celok Lek* 141(3- 4):178-86.

Tsuji K, Kitamura S, Wada J. 2018. Secretomes from Mesenchymal Stem Cells against Acute Kidney Injury: Possible Heterogeneity.*Stem Cells Int*. 2018: 8693137.

van Koppen, A., Joles, J.A, van Balkom, B.W., Lim, S.K., de Kleijn, D., Giles, R.H., Verhaar, M.C., 2012, *Human embryonic mesenchymal stem cell-derived conditioned medium rescues kidney function in rats with established chronic kidney disease*. *PloS* one 7(6):e38746.

Velazquez, O.C., 2007, Angiogenesis and vasculogenesis: Inducing the growth of new blood vessels and wound healing by stimulation of bone marrow-derived progenitor cell mobilization and homing, *J VascSurg* 45: 39-47.

Vishnubhatla, I., Corteling, R., Stevanato, L., Hicks, C., Sinden, J., 2014, The development of stem cell-derived exosomes as a cell-free regenerative medicine, *J. Circ. Biomark.* 3, 2.

Wang, Y., Fu, W., Zhang, S., He, X., Liu, Z., Gao, D., Xu, T., 2014, CXCR-7 receptor promotes SDF-1alpha-induced migration of bone marrow mesenchymal stem cells in the transient cerebral ischemia/reperfusion rat hippocampus, *Brain Res.* 1575:78–86.

World Health Organization, 2015,*Country Health Profiles 2012: Indonesia* diakses di https://www.who.int/gho/countries/idn.pdf?ua=1 pada tanggal 1 Agustus 2019.

Xing L, Cui R., Peng, L. *et al*. 2014. Mesenchymal stem cells, not conditioned medium, contribute to kidney repair after ischemia-reperfusion injury. *Stem Cell Res Ther* 5(101).

Yoshikawa, T, Mitsuno, H, Nonaka, I, Sen, Y, Kawanishi, K, Inada, Y., 2008, Wound therapy by marrow mesenchymal cell transplantation, *Plast Reconstr Surg.*121: 860-77.

Zhao Q., Hu J., Xiang J., Gu Y., Jin P., Hua F., Zhang Z., Liu Y., Zan K., Zhang Z., 2015, Intranasal administration of human umbilical cord mesenchymal stem cells-conditioned medium enhances vascular remodeling after stroke, *Brain Res.* 1624:489–496.