

DAFTAR PUSTAKA

- Amegovu, A. K., Chewere, T., & Mawadri, M. (2020). *Mid-Upper Arm Circumference (MUAC) Cut-Offs to Diagnose Overweight and Obesity among Adults*. 184–190. <https://doi.org/10.32474/JCCM.2020.02.000138>
- Arlinda, S., & Warsiti, W. (2015). *Hubungan Konsumsi Fast Food dengan Obesitas pada Remaja di SMP Muhammadiyah 10 Yogyakarta*.
- Cattermole, G. N., Graham, C. A., & Rainer, T. H. (2017). Mid-arm circumference can be used to estimate weight of adult and adolescent patients. *Emergency Medicine Journal*, 34(4), 231–236. <https://doi.org/10.1136/emered-2015-205623>
- Chaput JP. (2017). *Mid-upper arm circumference as a screening tool for identifying children with obesity: a 12-country study*. *Pediatric obesity*. 12(6):439–45.
- Crane, J., & McGowan, B. (2016). The GLP-1 agonist, liraglutide, as a pharmacotherapy for obesity. *Therapeutic Advances in Chronic Disease*, 7(2), 92–107. <https://doi.org/10.1177/2040622315620180>
- Danne, T., Biester, T., Kapitzke, K., Jacobsen, S. H., Jacobsen, L. V., Petri, K. C. C., Hale, P. M., & Kordonouri, O. (2017). Liraglutide in an Adolescent Population with Obesity: A Randomized, Double-Blind, Placebo-Controlled 5-Week Trial to Assess Safety, Tolerability, and Pharmacokinetics of Liraglutide in Adolescents Aged 12-17 Years. *Journal of Pediatrics*, 181, 146-153.e3. <https://doi.org/10.1016/j.jpeds.2016.10.076>
- Davies, M. J., Bergenstal, R., Bode, B., Kushner, R. F., Lewin, A., Skjøth, T. V., Andreasen, A. H., Jensen, C. B., DeFronzo, R. A., Valensi, P., Levy, M., Benabdallah, S., Serusclat, P., Courreges, J. P., Gouet, D., Clavel, S., Cariou, B., Tyler, K., Hanefeld, M., ... Zimmerman, T. S. (2015). Efficacy of liraglutide for weight loss among patients with type 2 diabetes: The SCALE diabetes randomized clinical trial. *JAMA - Journal of the American Medical Association*. <https://doi.org/10.1001/jama.2015.9676>
- Ekasari, M. F., Riasmini, N. M., & Hartini, T. (2018). *Meningkatkan Kualitas Hidup Lansia Konsep dan Berbagai Strategi Intervensi*.
- Feng, P., Yu, D. M., Chen, L. M., Chang, B. C., Ji, Q. Di, Li, S. Y., Zhu, M., Ding, S. H., Zhang, B. Z., Wang, S. L., Li, H. T., Lin, J. N., Wang, M. J., Guo, J. C., Liu, J., Liu, Z. D., Wu, S. T., & Yang, J. H. (2015). Liraglutide reduces the body weight and waist circumference in Chinese overweight and obese type 2 diabetic patients. *Acta Pharmacologica Sinica*, 36(2), 200–208. <https://doi.org/10.1038/aps.2014.136>
- Gallo, M. (2013). Thyroid safety in patients treated with liraglutide. In *Journal of Endocrinological Investigation*. <https://doi.org/10.1007/BF03346749>

- Ganesan, K., & Xu, B. (2018). Anti-obesity effects of medicinal and edible mushrooms. *Molecules*, 23(11). <https://doi.org/10.3390/molecules23112880>
- Hadi, A. J. (2019). *Model Modifikasi Intervensi Pencegahan Obesitas*.
- Hall, K. D., Kahan, S., & Diseases, K. (2018). Maintenance of lost weight. *Med Clin North Am.*, 102(1), 183–197. <https://doi.org/10.1016/j.mcna.2017.08.012>.Maintenance
- Herliani, E., Saleh, M., Adi, S., Anies, Widjanarko, B., Hadisaputro, S., & Purwanti, S. H. (2015). Polisi Lalu Lintas Di Kota Semarang Berisiko Obesitas. *Jurnal Pena Medika*, 5(1), 96–102.
- Irwan. (2018). *Epidemiologi Penyakit Menular* (1st ed.). Deepublish.
- Jackson, S. H., Martin, T. S., Jones, J. D., Seal, D., & Emanuel, F. (2010). Liraglutide (Victoza): The first once-daily incretin mimetic injection for type-2 diabetes. *P and T*, 35(9), 498–503.
- Jacobsen, L. V., Flint, A., Olsen, A. K., & Ingwersen, S. H. (2016). Liraglutide in Type 2 Diabetes Mellitus: Clinical Pharmacokinetics and Pharmacodynamics. *Clinical Pharmacokinetics*. <https://doi.org/10.1007/s40262-015-0343-6>
- Jensen, T. M., Saha, K., & Steinberg, W. M. (2015). Is there a link between liraglutide and pancreatitis? A post Hoc review of pooled and patient-level data from completed liraglutide type 2 diabetes clinical trials. *Diabetes Care*. <https://doi.org/10.2337/dc13-1210>
- Kemendes, K. K. R. I. B. P. dan P. (2018). *Laporan Hasil Riset Kesehatan Dasar Indonesia Tahun 2018*.
- Kemendes RI. (2017). *Panduan Pelaksanaan Gerakan Nusantara Tekan Angka Obesitas (GENTAS)*.
- Kumesan, O., Ticoalu, S. H. R., & Pasiak, T. F. (2016). Hubungan lingkaran lengan atas dengan obesitas pada mahasiswa Fakultas Kedokteran Universitas Sam Ratulangi. *Jurnal E-Biomedik*, 4(2). <https://doi.org/10.35790/ebm.4.2.2016.14619>
- Kurniawati, Y., Fakhriadi, R., & Yulidasari, F. (2016). Hubungan Antara Pola Makan, Asupan Energi, Aktifitas Fisik, dan Durasi Tidur Dengan Kejadian Obesitas Pada Polisi. *Jurnal Publikasi Kesehatan Masyarakat Indonesia*, 3(3), 112–117.
- M. Sopiudin Dahlan. (2013). Besar Sample dan Cara Pengambilan Sampel dalam Penelitian Kedokteran dan Kesehatan Edisi 3 Seri Evidence Based Medicine 2. In *Salemba Medika* (Vol. 53, Issue 9).
- Müller, T. D., Finan, B., Bloom, S. R., D'Alessio, D., Drucker, D. J., Flatt, P. R., Fritsche, A., Gribble, F., Grill, H. J., Habener, J. F., Holst, J. J., Langhans, W., Meier, J. J., Nauck, M. A., Perez-Tilve, D., Pocai, A., Reimann, F., Sandoval, D. A., Schwartz, T. W., ... Tschöp, M. H. (2019). Glucagon-like peptide 1

- (GLP-1). *Molecular Metabolism*, 30(September), 72–130. <https://doi.org/10.1016/j.molmet.2019.09.010>
- Mulyasari, I., & Purbowati, P. (2018). Lingkar lengan atas dan panjang ulna sebagai parameter antropometri untuk memperkirakan berat badan dan tinggi badan orang dewasa. *Jurnal Gizi Indonesia (The Indonesian Journal of Nutrition)*, 7(1), 30–36. <https://doi.org/10.14710/jgi.7.1.30-36>
- Musradinur. (2016). STRES DAN CARA MENGATASINYA DALAM PERSPEKTIF PSIKOLOGI. *Jurnal Kedokteran Indonesia*, 2(July), 183–200.
- PERKENI. (2019). *Pedoman Pengelolaan dan Pencegahan Diabetes Melitus Tipe 2 Dewasa di Indonesia*.
- Peterson, G. E., & Pollom, R. D. (2010). Liraglutide in clinical practice: Dosing, safety and efficacy. *International Journal of Clinical Practice*, 64(SUPPL. 167), 35–43. <https://doi.org/10.1111/j.1742-1241.2010.02498.x>
- Philip J, Zacharia I, Paul S, B. A. (2017). *Estimating height and weight in old-age from other anthropometric measurements - a community based cross-sectional study from central Kerala*. *Int J Med Sci Public Heal*.
- Pi-Sunyer, X., Astrup, A., Fujioka, K., Greenway, F., Halpern, A., Krempf, M., Lau, D. C. W., Le Roux, C. W., Ortiz, R. V., Jensen, C. B., & Wilding, J. P. H. (2015). A randomized, controlled trial of 3.0 mg of liraglutide in weight management. *New England Journal of Medicine*, 373(1), 11–22. <https://doi.org/10.1056/NEJMoa1411892>
- Prasetya, S. I. (2018). *Efektivitas Liraglutide sebagai Terapi Tambahan pada Insulin untuk Perbaikan Kontrol Glikemik pada Pasien Diabetes Mellitus tipe II : Tinjauan Kasus berbasis Bukti*. November, 1–25.
- Rachmawati, M. (2012). *Mencegah Obesitas Problema Obesitas pada Remaja*.
- Ramayulis, R. (2014). *Slim Is Easy*. Penebar Plus.
- Rerksuppaphol, S., & Rerksuppaphol, L. (2017). Mid-upper-arm circumference and arm-to-height ratio to identify obesity in school-age children. *Clinical Medicine and Research*, 15(3–4), 53–58. <https://doi.org/10.3121/cmr.2017.1365>
- Rerksuppaphol S, R. L. (2017). Mid-Upper-Arm Circumference and Arm-to-Height Ratio to Identify Obesity in School-Age Children. *Clinical Medicine & Research*, 15(3–4):53–8.
- Riskesdas. (2018a). *Laporan Provinsi Jawa Tengah Riskesdas 2018*.
- Riskesdas. (2018b). Riset Kesehatan Dasar. *Riset Kesehatan Dasar*.
- Roberto, F. A. (2004). *Anthropometric Standards for thr Assessment of Growth and Nutritional Status*. The University of Michigan Press. https://www.google.co.id/books/edition/Anthropometric_Standards_for_the_

Assessm/qPZ6vnKL90YC?hl=en&gbpv=1&dq=how+to+measure+of+muac
&printsec=frontcover

- Rohin, M. A. K., Rozano, N., Hadi, N. A., Nor, M. N. M., Abdullah, S., & Venkateshaiah, M. D. (2013). Anthropometry and body composition status during ramadan among higher institution learning centre staffs with different body weight status. *The Scientific World Journal*, 2013. <https://doi.org/10.1155/2013/308041>
- Santilli, F., Simeone, P. G., Guagnano, M. T., Leo, M., Maccarone, M. T., Castelnuovo, A. Di, Sborgia, C., Bonadonna, R. C., Angelucci, E., Federico, V., Cianfarani, S., Manzoli, L., Davi, G., Tartaro, A., & Consoli, A. (2017). Effects of liraglutide on weight loss, fat distribution, and b-cell function in obese subjects with prediabetes or early type 2 diabetes. *Diabetes Care*, 40(11), 1556–1564. <https://doi.org/10.2337/dc17-0589>
- Sherwood, L. (2014). *Fisiologi Manusia Dari Sel ke Sistem* (8th ed.). EGC.
- Sudargo, T., Freitag, H., Kusmayanti, A. N., & Rosiyani, F. (2018). Pola makan dan Obesitas. In *Pola makan dan Obesitas*.
- Sugondo, S. (2014). Buku Ajar Ilmu Penyakit Dalam. In *Imu Penyakit Dalam* (VI). Interna Publishing. https://doi.org/10.1007/978-3-319-40397-7_44
- Tonder, E. Van, Mace, L., Steenkamp, L., Gerber, K., & Group, F. (2019). *Mid-upper arm circumference (MUAC) as a feasible tool in detecting adult malnutrition Mid-upper arm circumference (MUAC) as a feasible tool in detecting adult malnutrition.* 0658. <https://doi.org/10.1080/16070658.2018.1484622>
- Trifiana, A. (2020, January). *Lingkar Lengan Atas, Cadangan Energi Penting untuk Bumil.* SehatQ.
- UNICEF. (2012). The State of the World's Children in 2012: Children in an Urban World. In *The State of the World's Children in 2012*. <https://doi.org/10.3846/20294913.2015.1087071>
- Utami, N., & Marbun, A. S. (2020). *Hubungan status gizi berdasarkan lingkar lengan atas (LiLA) dengan tekanan darah pada pasien hipertensi.* 14(1), 140–148.
- Zhang, P., Liu, Y., Ren, Y., Bai, J., Zhang, G., & Cui, Y. (2019). The efficacy and safety of liraglutide in the obese, non-diabetic individuals: A systematic review and meta-analysis. *African Health Sciences*, 19(3), 2591–2599. <https://doi.org/10.4314/ahs.v19i3.35>
- Zhu, Y., Lin, Q., Zhang, Y., Deng, H., Hu, X., Yang, X., & Yao, B. (2020). Mid-upper arm circumference as a simple tool for identifying central obesity and insulin resistance in type 2 diabetes. *PLoS ONE*, 15(5), 1–13. <https://doi.org/10.1371/journal.pone.0231308>