

## DAFTAR PUSTAKA

- [1] “The control system research of X-ray generator in medical diagnostic,” in *Electric, Electronic and Control Engineering*, 2015.
- [2] S. Santoso, M. Haddin, E. Nuryanto, and B. Susilo, “Determination of Exposure Factors And Interlock System Base on Fuzzy Logic In X-Ray Conventional Generator,” vol. 6, no. 4, 2018.
- [3] Y. Liu, B. B. Dong, J. J. Yang, and B. Z. Guo, “The control system research of X-ray generator in medical diagnostic,” 2015, doi: 10.1201/b18611-100.
- [4] S. Widadi, M. K. Huda, I. Ahmad, and O. tanane, “Atmega328P-based X-ray Machine Exposure Time Measurement Device with an Android Interface,” *J. Robot. Control*, vol. 1, no. 3, pp. 81–85, 2020, doi: 10.18196/jrc.1318.
- [5] V. V Klonov, I. A. Larionov, and N. N. Potrahov, “Specialized x-ray machine for neonatology,” pp. 5–7.
- [6] J. Nosil, “Automatic exposure controlled X ray,” no. May, 2018.
- [7] S. Guo, J. Wu, M. Xiang, and S. Wei, “Study of control system for X-ray generator,” *Procedia Eng.*, vol. 7, pp. 209–212, 2010, doi: 10.1016/j.proeng.2010.11.032.
- [8] N. H. Wijaya, Budimansyah, and D. Sukwono, “Wireless X-ray Machine Control Based on Arduino with Kv Parameters,” *J. Phys. Conf. Ser.*, vol. 1430, no. 1, pp. 0–9, 2020, doi: 10.1088/1742-6596/1430/1/012040.
- [9] N. Sujatno, Tatah Nurbarkah, Toto Trijasjono, “Pembuatan sistem pengendali parameter tegangan, arus dan pew aktu pada pesawat sinar-x,” pp. 367–376, 2013.
- [10] S. Nasional, K. Kesehatan, L. I. X. Jakarta, A. Telah, L. T. Object, and K. Kunci, “PENGEMBANGAN GENERATOR SINAR-X DIGITAL MENGGUNAKAN TABUNG KONVENSIONAL BERBASIS MIKROKONTROLER I Putu Susila , Wiranto Budi Santoso , Sukandar dan Budi Santoso Pusat Rekayasa Fasilitas Nuklir , Badan Tenaga Nuklir Nasional Kawasan Puspipstek Serpong Gd . 7,” no. June, 2014, doi: 10.13140/2.1.2929.5046.
- [11] A. Tegangan and T. Pada, “Analisis Tegangan Tinggi Pada Pesawat Sinar-X,” vol. 8, no. November, pp. 99–103, 2011.
- [12] N. M. R, J. Fisika, F. Sains, and U. I. N. A. Makassar, “X-Ray Mobile Dengan Menggunakan Piranha,” *Al-Kimia*, vol. VOL 2, NO, no. ISSN 2302-2736, pp. 76–85, 2014.
- [13] N. H. Wijaya, A. Yudhana, Robiyansah, and D. Sukwono, “X-Ray machine control with wireless based on mA parameters,” *IOP Conf. Ser. Mater. Sci. Eng.*, vol. 1088, no. 1, p. 012080, 2021, doi: 10.1088/1757-899x/1088/1/012080.
- [14] N. N. Potrakhov, V. B. Bessonov, A. V. Obodovskiy, A. Y. Gryaznov, K. K. Guk, and N. E. Staroverov, “Modern technologies of X-ray systems for control of electronic components,” *IOP Conf. Ser. Mater. Sci. Eng.*, vol.

- 387, no. 1, 2018, doi: 10.1088/1757-899X/387/1/012061.
- [15] “Mobile\_X-ray\_system.pdf.” .
- [16] N. Sakabe *et al.*, “U-shape rotating anti-cathode compact X-ray generator: 20 times stronger than the commercially available X-ray source,” *J. Synchrotron Radiat.*, vol. 20, no. 6, pp. 829–833, 2013, doi: 10.1107/S0909049513022188.
- [17] M. Irsal and G. Winarno, “Pengaruh Parameter Milliampere-Second (mAs) terhadap Kualitas Citra Dan Dosis Radiasi Pada Pemeriksaan CT scan Kepala Pediatrik,” *J. Fis. Flux J. Ilm. Fis. FMIPA Univ. Lambung Mangkurat*, vol. 17, no. 1, p. 1, 2020, doi: 10.20527/flux.v17i1.7085.
- [18] R. Anggarini, M. Muslim, and A. Mutanto, “Analisis Sebaran Radiasi Hambur Di Sekitar Pesawat Sinar-X Pada Pemeriksaan Tomografi Ginjal,” *J. Ilm. Giga*, vol. 17, no. 2, p. 63, 2019, doi: 10.47313/jig.v17i2.540.
- [19] B. Budi and H. Sutanto, “TEGANGAN TABUNG TERHADAP NILAI DENSITAS RADIOGRAF,” *Youngster Phys. J.*, vol. 4, no. 2, 2015.
- [20] S. Yu, “Study on minimum transmission dose for establishing x-ray imaging,” *Medico-Legal Updat.*, vol. 20, no. 1, 2020, doi: 10.37506/v20/i1/2020/mlu/194551.
- [21] H. F. Akhdar, “Assessment of entrance skin dose and effective dose of some routine x-ray examinations using calculation Technique,” *Methods*, 2007.
- [22] B. Rasuli, A. Mahmoud-Pashazadeh, M. Ghorbani, R. T. Juybari, and M. Naserpour, “Patient dose measurement in common medical X-ray examinations in Iran,” *J. Appl. Clin. Med. Phys.*, vol. 17, no. 1, 2016, doi: 10.1120/jacmp.v17i1.5860.
- [23] L. A. Daryan *et al.*, “Investigation of the Possibility of Using X-Rays to Control the Technical Condition of High-Voltage Low-Oil Switches,” *Russ. Electr. Eng.*, vol. 91, no. 8, 2020, doi: 10.3103/S1068371220080076.
- [24] N. N. Potrakhov *et al.*, “0.2BPM64-200 microfocus X-ray tube for projection radiography,” *Russ. J. Nondestruct. Test.*, vol. 53, no. 3, 2017, doi: 10.1134/S106183091703007X.
- [25] “PENGARUH PENGGUNAAN ATURAN SISTEM POIN PADA VARIASI TEGANGAN TABUNG TERHADAP NILAI DENSITAS RADIOGRAF FOTO THORAX,” *Youngster Phys. J.*, vol. 4, no. 2, 2015.
- [26] A. Fukuda, K. Koshida, I. Yamaguchi, A. Togashi, and K. Matsubara, “Method of estimating patient skin dose from dose displayed on medical X-ray equipment with flat panel detector,” *Nippon Hoshasen Gijutsu Gakkai zasshi*, vol. 60, no. 5, 2004, doi: 10.6009/jjrt.KJ00000922442.
- [27] H. Hayashi, “Necessity of Direct Dose Measurement during Current X-ray Diagnosis,” *Med. Res. Arch.*, vol. 5, no. 2, 2017, doi: 10.18103/mra.v5i2.1030.
- [28] V. E., “Diagnostic reference levels (DRLs)-help or hindrance?,” *Cardiovasc. Intervent. Radiol.*, vol. 39, no. 3, 2016.
- [29] G. Pourtaghi, H. Kakoei, M. Salem, F. Pourtaghi, and M. Lahmi, “Pulmonary effects of occupational exposure to welding fumes,” *Aust. J. Basic Appl. Sci.*, vol. 3, no. 4, 2009.

- [30] G. G. Onischenko *et al.*, “Modern principles of the radiation protection from sources of ionizing radiation in medicine. Part 1: Trends, structure of x-ray diagnostics and doses from medical exposure,” *Radiatsionnaya Gygiena*, vol. 12, no. 1, 2019, doi: 10.21514/1998-426X-2019-12-1-6-24.
- [31] D. R. Morton, “Development of a software based automatic exposure control system for use in image guided radiation therapy,” *ProQuest Diss. Theses*, vol. M.Sc., 2013.
- [32] D. Borrego *et al.*, “Organ-specific dose coefficients derived from Monte Carlo simulations for historical (1930s to 1960s) fluoroscopic and radiographic examinations of tuberculosis patients,” *J. Radiol. Prot.*, vol. 39, no. 3, 2019, doi: 10.1088/1361-6498/ab2f10.
- [33] F. J. Bradley, “The international atom: Evolution of radiation control programs,” *Health Phys.*, vol. 83, no. 1, 2002, doi: 10.1097/00004032-200207000-00015.
- [34] D. J. Mollura, M. P. Culp, M. P. Lungren, L. du Pisanie, J. S. Harford, and R. Sood, *Radiology in global health: Strategies, implementation, and applications*. 2018.
- [35] K. Khongsomboon, P. Indarack, K. Hamamoto, and S. Kondo, “Automatic parameter setting for differential volume rendering,” 2008, doi: 10.1109/ISCIT.2008.4700175.
- [36] T. Khotle, H. De Vos, C. P. Herbst, and W. I. D. Rae, “Optimization of exposure factors and image quality for computed radiography,” in *IFMBE Proceedings*, 2009, vol. 25, no. 2, doi: 10.1007/978-3-642-03879-2\_71.
- [37] H. Aichinger, S. Joite-Barfuß, J. Dierker, and M. Sabel, *Radiation exposure and image quality in X-ray diagnostic radiology: Physical principles and clinical applications*, vol. 9783642112416. 2012.
- [38] S. S. Choi, C. H. Lim, and S. H. Jeoung, “Automatic exposure control in chest radiography,” *Medico-Legal Updat.*, vol. 19, no. 1, 2019, doi: 10.5958/0974-1283.2019.00125.7.
- [39] P. Sprawls, “Film-screen radiography receptor development - A historic perspective,” *MPI J. - Spec. issuse - Hist. Med. Phys.*, no. 1, 2018.
- [40] P. P. Dendy and B. Heaton, *Physics for diagnostic radiology: Third edition*. 2011.
- [41] *Textbook of Radiology: Physics*. 2016.
- [42] E. Frank, B. Long, and B. Smith, *Radiographic Positioning and Procedures*. 2012.
- [43] S. Don, M. J. Goske, R. A. Uzenoff, G. Rodriguez, T. T. Mills, and D. C. Spelic, “Image gently: A survey of technique factors for CR-DR users,” *Pediatr. Radiol.*, vol. 42, 2012.
- [44] S. Gideon and T. Guswanto, “Optimasi Citra Dicom Dengan Menggunakan Aplikasi Pada Smartphone Android,” *Pros. SNFA (Seminar Nas. Fis. dan Apl.*, vol. 3, no. 1, p. 258, 2019, doi: 10.20961/prosidingsnfa.v3i0.28558.
- [45] A. Jamil, M. I. Mohd, and N. M. Zain, “THE CONSISTENCY of EXPOSURE INDICATOR VALUES in DIGITAL RADIOGRAPHY SYSTEMS,” *Radiat. Prot. Dosimetry*, vol. 182, no. 4, 2018, doi:

- 10.1093/rpd/ncy082.
- [46] B. W. Long, J. H. Rollins, and B. J. Smith, *Merril's Atlas of Radiographic Positioning and Radiographic Procedures Thirteenth Edition*. 2016.
- [47] A. Y. Bequet, L. Rusyadi, and F. Fatimah, "Nilai Contrast to Noise Ratio (CNR) Radiograf Thorax PA antara menggunakan Grid dengan tanpa Menggunakan Grid," *J. Imejing Diagnostik*, vol. 6, no. 2, 2020, doi: 10.31983/jimed.v6i2.5653.
- [48] "OPTIMASI FAKTOR EKSPISI PADA SISTEM RADIO OPTIMASI FAKTOR EKSPISI PADA SISTEM RADIOGRAFI GRAFI DIGITAL MENGGUNAKAN ANALISIS CNR (CONTRAST TO NOISE RATIO)," *Unnes Phys. J.*, vol. 3, no. 1, 2014.
- [49] Susilo, Sunarmo, I. K. Swakarma, R. Setiawan, and E. Wibowo, "Kajian Sistem Radiografi Digital sebagai Pengganti Sistem Computed Radiography yang Mahal," *J. Fis. Indones.*, vol. 17, no. 50, pp. 40–43, 2015.
- [50] X. H. Wei and H. Y. Sheng, "Design of medical X-ray unit control system based on Renesas R8C25," *J. Clin. Rehabil. Tissue Eng. Res.*, vol. 11, no. 48, 2007.
- [51] A. L. Filatov, S. R. Korjenevski, and S. V. Scherbinin, "'Control' diagnostic X-ray apparatus with a digital image visualization system," in *BEAMS 1998 - Proceedings of the 12th International Conference on High-Power Particle Beams*, 1998, vol. 1, doi: 10.1109/BEAMS.1998.822487.
- [52] R. Mohamed and M. C. Tarik, "Development of Control Strategy for Power Supply to Optimize Thermals Effects Induced in X-rays Tube for Medical use," 2019, doi: 10.1109/CCEE.2018.8634565.
- [53] A. E. Lomovtsev, T. E. Sheveleva, A. S. Karpukhin, and A. I. Volodicheva, "Radiation-hygienic monitoring and assessment of the doses of the public residing on the radioactively contaminated territories of the Tula region," *Radiatsionnaya Gygiena = Radiat. Hyg.*, vol. 12, no. 2(cB), 2019, doi: 10.21514/1998-426x-2019-12-2s-115-120.
- [54] K. Bacher, P. Smeets, K. Bonnarens, A. De Hauwere, K. Verstraete, and H. Thierens, "Dose reduction in patients undergoing chest imaging: Digital amorphous silicon flat-panel detector radiography versus conventional film-screen radiography and phosphor-based computed radiography," *Am. J. Roentgenol.*, vol. 181, no. 4, 2003, doi: 10.2214/ajr.181.4.1810923.
- [55] M. Parisot and G. Keck, "The problems of X-ray image formation in veterinary practice--result of a cyclic study with the use of a test phantom for the determination of image quality," *Berl. Munch. Tierarztl. Wochenschr.*, vol. 104, no. 6, 1991.
- [56] C. W. Jeong, S. C. Joo, J. H. Ryu, J. Lee, K. W. Kim, and K. H. Yoon, "Development of a Mini-Mobile Digital Radiography System by Using Wireless Smart Devices," *J. Digit. Imaging*, vol. 27, no. 4, 2014, doi: 10.1007/s10278-013-9659-7.
- [57] IAEA, *Diagnostic Reference Levels (DRLs) in medical imaging*. 2020.
- [58] T. Dalglish *et al.*, "Arduino Nano Datasheet," *J. Exp. Psychol. Gen.*, vol. 136, no. 1, 2007.



- [59] R. P. Onkare, P. Shankar Sargar, N. V. Kanase, P. B. Patil, and A. Professor, "Arduino Nano Based Automatic Forklift Robot," *Int. J. Adv. Res. Electr.*, vol. 6, no. 3, 2017.
- [60] S. K. Agarwal, A. Singh, V. Aniraj, A. Pandey, D. Prasad, and V. Nath, "RFID (MF-RC522) and Arduino Nano-Based Access Control System," in *Lecture Notes in Electrical Engineering*, 2020, vol. 642, doi: 10.1007/978-981-15-2854-5\_50.
- [61] Arduino, "Arduino Nano - Arduino Official Store," *Store.Arduino.Cc/Usa/*. 2017.

