

## DAFTAR PUSTAKA

- Al-Amin Z.M., Thomson M, Al-Qattan KK, Peltonen-Shalaby R, Ali M 2006. Anti-diabetic and hypolipidaemic properties of ginger (*Zingiber officinale*) in streptozotocin-induced diabetic rats. Br. J. Nutr. 96: 660-666.
- Anonim,2011, *Minyak Atsiri*,<http://id.wikipedia.org/wiki/atsiri>. Dikutip 18 september 2012.
- Comell dan McLachlan, 2003. Flora of Java (Spematophytes only), vol.III, NVP Noordhoff, Groningen-The Netherlands.
- Depkes RI. (2011). Vademeum Bahan Obat Tradisional. Jakarta : Departemen Kesehatan Republik Indonesia.
- Elshater. Abd-Elraheem A., Muhammad. M.A., Salman, et.al. 2009. Effect of Ginger Extract Consumption on levels of blood Glucose, Lipid Profile and Kidney Functions in Alloxan Induced-Diabetic Rats. Egypt. Acad.J. Biolog.Sci., 2 (1): 153-162. ISSN: 1680-8809.
- Hans. (2008). *Jumlah Penderita Diabetes Melitus di Indonesia Meningkat*. Diakses pada 03 Februari 2014 dari <http://www.nttonlinenews.com/ntt/index.php?view=article&id=1105%3Ajumlahpenderita-diabetes-melitus-diindonesiameningkat&option=com>
- Hapsoh, Y, 2008, *Budidaya Jahe, Prospek dan Permasalahannya*, Universitas Sumatera Utara Pers, Medan.
- Herlina, dkk, 2007, *Khasiat dan Manfaat Jahe Merah*, Argo Media Pustaka, Jakarta
- Jafri, S.A., Abass, S., Qasim, M., 2010. Hypoglycemic Effect of Ginger (*Zingiber Officinale*) in Alloxan Induced Diabetic Rats (*Rattus norvagicus*). Pak Vet, 2011, 31(2):160-162.
- Kalejaiye,O.F., *et al.*, 2002. Hypoglycemic Effect Of Nigerian *Zingiber officinale* Rhizome on Experimental Diabetic Rats. Nig. J. Nat. Proud and Med.Vol.06:33-35.
- Krishnakantha, Lokesh, 2003. Medicinal plants used for the treatment of diabetes and its long-term complications. Plants in Traditional and Modern Medicine: Chemistry and Activity, 2010: 69-175
- Kusumawati, D.,2004, *Bersahabat dengan Hewan Coba* , edisi 1, Yogyakarta: Gajah Mada University Press

- Lien HC, Sun WM, Chen YH, et al. Effects of ginger on motion sickness and gastric slowwave dysrhythmias induced by circularvection. *Am J Physiol Gastrointest Liver Physiol* 2003;284:G481-G489.
- Majeed, Mustafa Abd, 2012 Insulinotropic Effect of Aqueous Ginger Extract and Aqueous Garlic Extract on the Isolated Perfused Pancreas of Streptozotocin Induced Diabetic Rats. *Pakistan J. Zool.*, vol. 39(5), pp. 279-284
- Morakinyo A. O, Akindele A J, Ahmed Z. MarakinyoModulation of Antioxidant Enzymes and Inflammatory Cytokines: Possible Mechanism of Anti-diabetic Effect of Ginger Extracts. *Afr. J. Biomed. Res.* 14 (September 2011); 195 - 202
- Murray, R., Granner, D., Mayes, P. & Rodwell, V, 2003, *Biokimia Harper Edisi 25*, EGC Penerbit Buku kedokteran, Jakarta.
- Nammi,S., et al.,2009. Protective Effects of Ethanolic Extract of *Zingiber officinale* Rhizome on the Development of Metabolic Syndrome in High-Fat Diet-Fed Rats. *Basic & Clinical Pharmacology & Toxicology. Volume 104, Issue 5, pages 366 – 373*
- Ozougwu, J.C. and Eyo, J.E. (2011). Evaluation of The Activity of *Zingiber Officinale* (Ginger) Aquoeus Extracts On Alloxan-Induced Diabetic Rats. *Pharmacologyonline* 1 : 258-269.
- Rohilla. Ankur and Ali. Shahjad. 2012. Alloxan Induced Diabetes: Mechanisms and Effects. *International Journal of Research in pharmaceutical and Biomedical Sciences*. Vol. 3 (2) Apr – Jun 2012. ISSN: 2220-3701.
- Saswita, Dewi. Y.I, Bayhakki. (2011). Efektifitas minuman Jahe dalam Mengurangi Emesis Gravidarum Pada Ibu Hamil Trimester 1. *Ners Indonesia*, Vol. 1, No. 2, Maret 2011. Dari : <http://ejournal.unri.ac.id/index.php/JNI/article/download/634/627>
- Singh, Amar Bahadur, Akanksha ,Nilendra Singh, Rakesh Mauryaand Arvind Kumar Srivastava, 2009, *Anti-Hyperglycaemic, Lipid Lowering and Anti-Oxidant Properties of [6]-Gingerol in Db/Db Mice*, International Jounal of Medicine and Medical Sciences.Vol. 1(12), pp. 536-544.
- Soegondo, S, 2006, *Konsensus Pengelolaan Dan Pencegahan Diabetes Mellitus Tipe 2 di Indonesia*, PB PERKENI, Jakarta 12
- Subroto, A,. 2006, *Ramuan Herbal untuk Diabetes Melitus*. Penebar Surabaya, Jakarta
- Suherman SK dan Nafrialdi, 2012, Farmakologi dan terapi, edisi 5, Departemen farmakologi dan terapeutik Fakultas Kedokteran Universitas Indonesia, 490.

Suyono, Slamet. 2007. *Buku ajar Ilmu Penyakit Dalam*. Departemen ilmu penyakit dalam UI.Jakarta

Tanko SS, Dohle C, Schott Ohly P, Gleichmann H. 2002 .Molecular target structure in alloxan-induced diabetes. *Journal of Life Sciences* 71 (14) : 1681 - 1694.

Tony H., B. Suharto. 2005. *Farmakologi dan Terapi*. Edisi 4. Jakarta: Bagian Farmakologi Universitas Indonesia, pp: 467-481

Wijayakusuma, 2004. *Manfaat penggunaan rimpang jahe*, Karya Tulis Ilmiah, Fakultas Farmasi Gajah Mada Yogyakarta

Wulandari, Ayu, 2009, *Evaluasi Pemilihan Obat Antidiabetes Pada Penderita Diabetes Mellitus Di Instalasi Rawat Inap Rumah Sakit Umum Daerah Kota Salatiga Tahun 2008*, Karya Tulis Ilmiah, Fakultas Farmasi Universitas Muhamadiyah Surakarta.

Yiming Li, et al., 2006, Preventive and Protective Properties of Zingiber officinale (Ginger) in Diabetes Mellitus, Diabetic Complications, and Associated Lipid and Other Metabolic Disorders: A Brief Review.,Faculty of Pharmacy, The University of Sydney, Sydney.

Zhang, J.; Huang, Y.; Hou, T. and Wang, Y. (2006). Hypoglycemic effect of Artemisia sphaerocephala Krasch seed polysaccharide in alloxan-induced diabetic rats. SWISS. MED. WKLY., 136: 529-532