

**PROGRAM STUDI S1 KEPERAWATAN**  
**FAKULTAS ILMU KEPERAWATAN**  
**UNIVERSITAS ISLAM SULTAN AGUNG SEMARANG**  
**Skripsi, Maret 2015**

**ABSTRAK**

Adha Fauzan Arif

**HUBUNGAN KEBIASAAN JAJAN DENGAN KEJADIAN TYPHOID DI  
WILAYAH KERJA PUSKESMAS KARANGDORO KOTA SEMARANG  
PERIODE BULAN JANUARI SAMPAI OKTOBER TAHUN 2014**

**Latar Belakang :** Penularan penyakit typhoid adalah melalui air dan makanan. Kuman salmonella dapat bertahan lama dalam makanan. Penyakit ini dapat menyerang tubuh melalui makanan dan minuman yang telah tercemar kuman salmonella typhi yang menyebabkan infeksi usus halus. Jajanan yang tidak terjaga kebersihannya merupakan salah satu faktor yang menyebabkan terjadinya infeksi salmonella typhi. Tujuan penelitian ini adalah untuk mengetahui hubungan kebiasaan jajan dengan kejadian typhoid di wilayah kerja Puskesmas Karangdoro Kota Semarang periode bulan Januari sampai Oktober tahun 2014..

**Metode :** Penelitian ini adalah analitik observasional dengan rancangan *case control study*. Jumlah sampel dalam penelitian ini adalah 234 responden. Data yang diperoleh diolah dengan menggunakan uji *Chi-Square*.

**Hasil :** Berdasarkan hasil analisa diperoleh, karakteristik responden menurut umur 48.72% adalah usia 15-24 tahun, tingkat pendidikan yaitu 51.28% adalah SMA, jenis kelamin 56,41% adalah perempuan, Hasil uji Chi-Square didapatkan adanya hubungan kebiasaan jajan dengan kejadian typhoid di wilayah kerja Puskesmas Karangdoro Kota Semarang periode Bulan Januari sampai Oktober Tahun 2014 dengan *p value* 0,000 ( $< 0,05$ ) dan nilai OR 6,9 (OR $>1$ ).

**Kesimpulan :** Ada hubungan antara kebiasaan jajan dengan kejadian typhoid di wilayah kerja Puskesmas Karangdoro Kota Semarang periode bulan Januari sampai Oktober tahun 2014.

**Kata Kunci :** Kebiasaan Jajan, Typhoid

**Daftar Pustaka :** 24 (2009 - 2014)

**BACHELOR OF NURSING  
COLLEGE OF NURSING  
SULTAN AGUNG ISLAMIC UNIVERSITY SEMARANG**

## **ABSTRACT**

### **THE CONNECTION OF BUYING SNACK HABITS WITH TYPHOID IN KARANGDORO CLINIC WORKING AREA SEMARANG JANUARY TILL OCTOBER 2014 PERIOD**

**Background:** Typhoid is spread by air and food. Salmonella can survive in food. The body is attacked by the disease from food and beverage which contaminated by Salmonella. It effects small intestine infection. The cause of the disease is the buying snack is not enough clean. This study aims to identify the connection of buying snack habits with Typhoid in Karangdoro clinic working area Semarang, started from January till October 2014.

**Methods:** This study used observational analyticdesigning as age case control study. The number of samples are 234 respondent. The data is processed by Chi-Square test.

**Results:** According to the characteristicsrespondent, 48.72%age is 15-24 years old, 51.28% educational is senior high school, and 56.41% gender is female. So, based on test, there was connection between buying snacks habits with Typhoid in Karangdoro clinic working area Semarang, started from January till October 2014 with p value 0,000 (<0,05) and OR value 6,9 (OR>1).

**Conclusion:** There is connection between buying snacks habits with typhoid in Karangdoro clinic working area Semarang, started from January till October 2014.

**Keywords:** Buying snacks habits, Typhoid.

**Bibiliography:** 24 (2009 - 2014)