

## ABSTRAK

Ulfa Fauziyyah<sup>1</sup>, Drs. Budi Mulyono<sup>2</sup>, Kartika Adyani, S, SiT<sup>3</sup>

### Hubungan Disminorea Dengan Tingkat Kecemasan Pada Remaja Putri Di Pondok Pesantren Riyadhus Qur'an Semarang"

V BAB + 58 HALAMAN + 4 TABEL+ 3SKEMA + 2 GRAFIK+ 11 LAMPIRAN

Disminorea adalah menstruasi yang sangat nyeri disebabkan oleh kejang otot uterus, gejala utama adalah nyeri, dimulai pada saat awal menstruasi, nyeri dapat tajam (rasa sakit yang menusuk dan dalam), tumpul, siklik atau menetap, dapat berlangsung beberapa jam sampai 1 hari.

Beberapa faktor yang diduga berperan dalam timbulnya dismenore adalah faktor psikologis dan sosial, seperti kecemasan, mengalami konflik di lingkungannya, serta kultur keluarga dan masyarakat terhadap perempuan yang menstruasi. Salah satu faktor psikologis yang diduga dapat memicu terjadinya dismenore adalah kecemasan.

Tujuan penelitian ini adalah untuk Untuk mengetahui hubungan dismenore dengan tingkat kecemasan pada remaja putri di Pondok Pesantren Riyadhus Qur'an Kelurahan Rowosari Kecamatan Tembalang Kota Semarang.

Jenis penelitian ini adalah survey analitik dengan pendekatan *crossectional*, yaitu metode penelitian dimana variabel sebab atau resiko dan akibat kasus yang terjadi pada objek penelitian diukur atau dikumpulkan secara simultan dalam waktu yang bersamaan.

Hasil penelitian ini didapatkan tingkatan kejadian dismenore remaja putri di pondok pesantren Riyadhus Qur'an Semarang yang tertinggi adalah tidak mengalami dismenore sebanyak 35 responden (94,7%). Tingkatan kecemasan pada remaja putri di pondok pesantren Riyadhus Qur'an Semarang yang tertinggi adalah kecemasan ringan sebanyak 23 responden sebesar (60,5%).

Setelah dicocokkan dengan tabel Chi Square didapatkan  $p_{value} (0,000) < \alpha (0,05)$  sehingga dapat disimpulkan bahwa Ha diterima yaitu ada hubungan yang bermakna antara kejadian dismenore dengan tingkat kecemasan.

Simpulan dari penelitian ini adalah ada hubungan yang signifikan dan positif antara dismenore dengan tingkat kecemasan pada remaja putri di Pondok Pesantren Riyadhus Qur'an.

Kata Kunci : Dismenore dan Kecemasan,  
Kepustakaan : 29 (2000-2011)

1. Mahasiswa PRODI D3 Kebidanan
2. Pembimbing I PRODI D3 Kebidanan
3. Pembimbing II PRODI D3 Kebidanan

Medical School

Sultan Agung Islamic University in Semarang  
Study Program Diploma 3 Midwifery  
2015

## ABSTRACT

Ulfa Fauziyyah<sup>1</sup>, Drs. Budi Mulyono<sup>2</sup>, Kartika Adyani, S, SiT<sup>3</sup>

"Relationship Disminorea With Anxiety Levels In Young Women In Boarding  
Riyadhul Quran Semarang "

CHAPTER V + 58 + PAGE + 4 TABLE OF FIGURES 3SKEMA + 2 + 11  
APPENDIX

Disminorea is very painful menstruation caused by uterine muscle spasm, the main symptom is pain, starting at the beginning of menstruation, pain may be sharp (sharp pain and inside), blunt, cyclic or settled, may take several hours to 1 day.

Several factors are thought to play a role in the onset of dysmenorrhea is psychological and social factors, such as anxiety, conflict on the environment, as well as family and community culture towards women menstruation. One of the psychological factors that could be expected to trigger dysmenorrhea is anxiety.

The purpose of this study was to determine the relationship dysmenorrhea For the level of anxiety in teenage girls boarding school in the village Koran Riyadhul Rowosari District Tembalang Semarang.

This type of research is analytic survey with cross sectional approach, the method of research in which variables cause or the risks and consequences of the case with the object of research is measured or collected simultaneously at the same time.

Results of this study, the level of incidence of dysmenorrhea girls boarding school in Semarang highest Riyadhl Quran is not experiencing dysmenorrhea total of 35 (94.7%) of respondents. Levels of anxiety in young girls boarding school in Semarang highest Riyadhl Quran is mild anxiety as much as 23 (60.5%) of respondents.

Once matched with a table of  $\rho$  obtained Chi Square value (0,000)  $<\alpha$  (0.05) so that it can be concluded that  $H_a$  is accepted that there is a significant correlation between the incidence of dysmenorrhea with the level of anxiety.

Conclusions from this research is that there is a significant and positive relationship between dysmenorrhea with the level of anxiety in young girls at boarding school Riyadhl Qur'an.

Keywords: dysmenorrhea and Anxiety,

Bibliography: 29 (2000-2011)

1. Midwifery students Prodi D3
2. Supervisor I Prodi D3 Midwifery
3. Supervisor II Prodi D3 Midwifery