

TABLE OF CONTENT

Chapter	Content	Page
	TITLE PAGE	i
	APPROVAL	ii
	PROCESS VERBAUX	iii
	MOTTO	iv
	DEDICATION	v
	ACKNOWLEDGEMENT	vi
	ABSTRACT	viii
	ABSTRAK	ix
	TABLE OF CONTENT	x
	LIST OF TABLE	xiii
	LIST OF FIGURE	xiv
	ABBREVIATIONS	xv
I	INTRODUCTION	1
	1.1. Background Statement	1
	1.2. The Objective of the Research	4
	1.3. The Benefit of the Research	4
	1.4. Scope of Study	4
II	LITERATURE REVIEW	5
	2.1. Binders	5
	2.2. Behavior of bitumen binder	6
	2.3. The reasons to modify bitumen binders	8
	2.4. The role of modifying bitumen in hot mix asphalt (HMA) mixtures	8
	2.5. History, use, and benefits oh the present bitumen modification	11

2.6. Temperature susceptibility.....	12
2.6.1.Penetration Index.....	12
2.7. Hot Mix Asphalt Mixtures	14
2.7.1. Stone Mastic Asphalt bitumen mixtures	14 ..
2.8. Testing the Performance of Hot Mix Asphalt (HMA) mixtures ..	15
2.8.1. Indirect Tension Fatigue Test	16
2.8.2. Static Uniaxial Creep Test	18
2.8.3. Wheel Tracking Test	20
2.8.4. Moisture Susceptibility Test	21
2.9. Modifier Use in The Research	21
2.9.1. The Polyethylene terephthalate	21
2.10. Summary of The Literature Review	22
 III RESEARC DESIGN AND METODHOLOGY	24
3.1. Research Location	24
3.2. Research Periode	25
3.3. Flow Chart	25
3.4. Literature Review.....	26
3.5. Preparation of materials	26
3.6. Bitumen Characterization	27
3.7. Materials Test	27
3.7.1 Softening Point Test	27
3.7.2. Specific Gravity Test	29
3.7.2. Penetration Test	30
3.8. Determination of PI Content	31
3.9. Aggregate Characterization	31
3.10. Materials Test	32
3.10.1 Coarse and fine aggregate	32
3.10.2. Gradation limits of combined aggregates	32
3.11. Optimum Bitumen Content	33
3.12. Determination of mixing variables of Bitumen and PET.....	33
3.13. Hot Mix Asphalt (HMA) mixtures.....	35

3.13.1 Stone Mastic Asphalt.....	35
3.14. Marshall Stability and Flow Test.....	35
IV RESULT AND DISCUSSION	37
4.1. Bitumen Characterization	37
4.2. Mixing Bitumen with PET	39
4.3. Penetration Test	40
4.4. Softening Point	41
4.5. Penetration Index	42
4.6. Using PET –Modified Bitumen as Binder of Stone Mastic Asphalt 14 (SMA)	42
4.7. Mix Design of SMA 14 – Determination of Optimum Bitumen Content	43
4.8. Marshall stability and flow testing	46
CHAPTER V CONLUTIONS.....	49
REFERENCES	
APPENDIX A	
APPENDIX B	
APPENDIX C	
APPENDIX D	

LIST OF TABLE

Table No	Content	Page
2.1	PET Intrinsic Viscosity Range.....	22
3.1	Stone Mastic Asphalt	33
4.1	Bitumen Characterization	37
4.2	Bitumen Characterization	39
4.3	Statistical Analysis for all Test Result	40
4.4	Marshall Test for SMA-14 to Determine Optimum Bitumen Content	45
4.5	The Result of Compare Neat Bitumen with Bitumen Modified	46
4.5a	Marshall Test for SMA-14 Using Neat Bitumen	47
4.5b	Marshall Test for SMA-14 Using PET – 20% Content.....	48

LIST OF FIGURE

Figure No	Content	Page
1.1	Basic Flexible Pavement Structure	2
1.2	Load Distributions On Flexible Pavement	2
2.1	Bitument-time Temperature Dependency	6
2.2	Viscoelastic Behaviour of Bitumen	7
2.3	Visco-elastic Responses of an HMA Under Static Load	9
2.4	Visco-elastic Responses of An HMA Under Moving Wheel Load...	10
2.5	Nomograph to Determine Penetration Index (SP/Pen).....	13
2.6	a. Indirect Tensial Test (ITT) During Loading ; b. ITT at Failure	16
2.7	Typical Creep Relationship	18
3.1	Flow chart of Research Plant.....	25
3.2	Process of Softening Point Test.....	28
3.3	Apparatus for the Bitumen Penetration Test	31
3.4	Polyethylene terephthalate grains size.....	32
3.5	Illustration of Blending PET with Bitumen.....	32
4.1	Nomograph to Determine Penetration Index (SP/pen).....	38
4.2	Student t Distribution	39
4.3	Regrssion Model for Penetrasion Test	40
4.4	Regrssion Model for Softening Point Test	41
4.5	Regrssion Model for Penetration Index (PI)	42
4.6	Marshall Test Result to Determine Optimum Bitumen Content	44