

**PROGRAM STUDI ILMU KEPERAWATAN
FAKULTAS ILMU KEPERAWATAN
UNIVERSITAS ISLAM SULTAN AGUNG SEMARANG
SKRIPSI, SEPTEMBER 2015**

ABSTRAK

Ilham Aprian

**HUBUNGAN ANTARA LAMA RAWAT INAP TERHADAP
KEMAMPUAN PERAWATAN DIRI PASIEN DI RUMAH SAKIT JIWA
DR. AMINOGONDO HUTOMO SEMARANG**

XII +63 halaman + 9 tabel + 2 Bagan + 8 lampiran

Latar belakang: Defisit perawatan diri merupakan salah satu perilaku klien skizofrenia dimana seseorang mengalami gangguan atau hambatan untuk melakukan atau menyelesaikan aktivitas sehari-hari. Observasi dilapangan diketahui bahwa diperlukan waktu yang lama untuk merubah perilaku pasien karena lamanya pasien terpapar stresor, yakni terkait sejak kapan, sudah berapa lama, dan berapa frekwensi, akan berdampak pada pencapaian kemampuan perawatan diri. Tujuan dari penelitian ini adalah untuk mendeskripsikan pengaruh lama rawat dan lama sakit dengan tingkat kemampuan perawatan diri pasien di Rumah Sakit Jiwa dr. Aminogondo Hutomo.

Metode: Penelitian ini merupakan studi analitik korelasi dengan menggunakan pendekatan *cross sectional*. Sampel dalam penelitian ini adalah 77 pasien. Analisis yang digunakan adalah *chi square*.

Hasil: mayoritas responden memiliki lama rawat pada kategori lama dengan jumlah 46 responden (59.7%). Mayoritas responden memiliki perawatan diri pada kategori sedang dengan jumlah 55 responden (71.4%)

Simpulan: Terdapat hubungan lama rawat Dengan perawatan diri pasien di Rumah Sakit Jiwa dr. Aminogondo Hutomo dengan p-value 0.004

Kata Kunci :lama rawat, perawatan diri, pasien
Daftar Pustaka : 25 (2002-2013)

**UNDERGRADUATE NURSING STUDY PROGRAM
FACULTY OF NURSING SCIENCE
ISLAMIC SULTAN AGUNG UNIVERSITY
MINI THESIS, SEPTEMBER 2015**

ABSTRACT

Ilham Aprian

EFFECT ON THE ABILITY OF OLD HOSPITAL SELF CARE MENTAL PATIENTS IN HOSPITAL DR. AMINOGONDO HUTOMO SEMARANG

XII +63 pages + 9 tables + 2 Charts + 8 attachments

Background: Self-care deficit is one of the client's behavior schizophrenic disorder in which a person or obstacle to undertake or complete daily activities. Field observations in mind that it takes a long time to change the patient's behavior because of the length of patients exposed to stressors, namely related since when, how long, and at what frequency, will have an impact on the achievement of self-care ability. The aim of this study was to describe the influence of length of stay and duration of pain with a level of self-care ability of patients at the Mental Hospital dr. Aminogondo Hutomo.

Methods: This study is an analytic study of the correlation with cross sectional approach. The sample in this study was 77 patients. The analysis used was chi square.

Results: The majority of respondents have a longer length of stay in the category with a number of 46 respondents (59.7%). The majority of respondents have a self-care in the medium category with a number of 55 respondents (71.4%)

Conclusions: There is a long relationship with patient self-care patients at the Mental Hospital dr. Aminogondo Hutomo with a p-value 0.004

Key words: long care, personal care, patient

Reference: 25 (2002-2013)