

**PROGRAM STUDI ILMU KEPERAWATAN  
FAKULTAS ILMU KEPERAWATAN  
UNIVERSITAS ISLAM SULTAN AGUNG SEMARANG  
Skripsi, April 2015**

**ABSTRAK**

**Rahmad Fitriyan**

**HUBUNGAN ANTARA GOLONGAN DARAH DENGAN RESIKO  
BUNUH DIRI PADA PASIEN SKIZOFRENIA DI RUMAH SAKIT JIWA  
DAERAH dr. AMINO GONDOHUTOMO PROVINSI JAWA TENGAH**

54 hal + 9 tabel + xv

**Latar Belakang:** Golongan darah merupakan informasi yang sangat penting untuk mengungkapkan identitas lebih spesifik yang telah dikaruniakan sejak lahir. Golongan darah juga dapat menggambarkan karakter kepribadian seseorang. Dari keempat golongan darah (A, B, O dan AB) memiliki karakter masing-masing kepribadian. Ada yang memiliki karakter cenderung emosi yang besar. Tujuan penelitian ini untuk mengetahui apakah ada hubungan antara golongan darah dengan resiko bunuh diri pada pasien skizofrenia.

**Metode:** Penelitian ini merupakan penelitian *Analitik Observasi* dengan menggunakan desain pendekatan *Cross Sectional*. Teknik pengambilan sampling menggunakan *Total Sampling*. Data yang diperoleh diolah secara statistik dengan menggunakan uji *Chi-Square*.

**Hasil:** Berdasarkan hasil analisa diperoleh bahwa dari 35 responden, sebagian besar memiliki jenis golongan darah B sebanyak 65,5% responden, O sebanyak 17,1% responden, A sebanyak 11,4% responden, dan AB sebanyak 5,7% responden. Hasil penelitian juga menunjukkan 42,9% responden melakukan ancaman bunuh diri, 57,1% responden melakukan upaya bunuh diri. Golongan darah B sebanyak 65,7% responden melakukan ancaman dan upaya bunuh diri.

**Kesimpulan:** Hasil penelitian dengan uji *Chi-Square* menunjukkan nilai *P Value* = 0,006 (<0,05), maka ada hubungan antara golongan darah dengan resiko bunuh diri pada pasien skizofrenia.

**Kata Kunci:** *Golongan Darah, Resiko Bunuh Diri, Skizofrenia.*

**Daftar Pustaka:** 38 ( 1994 -2014)

**UNDERGRADUATE NURSING STUDY PROGRAM  
FACULTY OF NURSING SCIENCE  
SULTAN AGUNG ISLAMIC UNIVERSITY SEMARANG  
Mini Thesis, April 2015**

**ABSTRACT**

**Rahmad Fitriyan**

**THE RELATIONSHIP BETWEEN OF BLOOD GROUPS SUICIDE WITH  
OF SCHIZOPHRENIA PATIENT AT REGIONAL MENTAL HOSPITAL  
dr. AMINO GONDOKUTOMO CENTRAL JAVA**

54 pages + 9 tables + xv

**Background:** Blood type is very important information to reveal more specific identity that has given birth. Blood type can also describe the character of a person's personality. Of the four blood groups (A, B, O and AB) have each character's personality. There is a character who has a great emotional inclined. The purpose of this study to determine whether there is a relationship between blood type with the risk of suicide in patients with schizophrenia

**Methods:** This study is *Analytical Observations* using *Cross Sectional* design. Sampling technique using *Total Sampling*. The data obtained were processed statistically using *Chi-Square* test.

**Results:** Based on the results of the analysis, it was found that 35 respondents, most of respondents or 65,5% of respondents had B type of blood, 17,1% of respondents had O, 11,4% of respondents had A, and AB as much as 3,8% of respondents. The results also showed 42,9% of respondents do suicide threat, 57,1% of respondents did attempt suicide. Blood type B 65,7% of respondents do threats and suicide attempts.

**Conclusion:** The results of the study by *Chi-square* test showed the value of *P Value* = 0.006 (<0.05), then there is a relationship between blood type with the risk of suicide in patients with schizophrenia.

**Keyword:** *Blood Groups, Suicide, Schizophrenia.*

**Bibliographies:** 38 ( 1994 -2014)