

**PROGRAM STUDI ILMU KEPERAWATAN  
FAKULTAS ILMU KEPERAWATAN  
UNIVERSITAS ISLAM SULTAN AGUNG SEMARANG  
Skripsi, Maret 2015**

**ABSTRAK**

Yulitasari

**HUBUNGAN ANTARA TINGKAT KECEMASAN DENGAN PRODUKSI  
AIR SUSU IBU PADA IBU PRIMIPARA POST SECTIO CAESAREA DI  
RSUD KOTA SEMARANG**

62 hal + 8 tabel + xvii

**Latar Belakang:** semua ibu pada dasarnya ingin menyusui. Periode post partum dapat menyebabkan stres emosional pada ibu primipara. Tujuan penelitian ini untuk mengetahui hubungan antara tingkat kecemasan dengan produksi ASI pada ibu primipara post sectio caesarea.

**Metode:** jenis penelitian yang digunakan survey analitik dengan pendekatan cross sectional. Pengumpulan data dengan kuesioner sebanyak 32 responden. Analisis yang digunakan fisher's exact.

**Hasil:** Berdasarkan hasil analisa diperoleh bahwa responden mengalami tingkat kecemasan ringan-sedang dengan produksi ASI lancar berjumlah 12 responden (60%) dan produksi ASI tidak lancar berjumlah 8 responden (40%), responden mengalami tingkat kecemasan berat-berat sekali dengan produksi ASI tidak lancar berjumlah 12 responden (100%) dan produksi ASI lancar berjumlah 0 responden (0%).

**Simpulan:** Terdapat hubungan yang signifikan antara tingkat kecemasan dengan produksi Air Susu Ibu pada ibu primipara post sectio caesaria di RSUD Kota Semarang dengan  $P$  value = 0,001 yang berarti  $P$  value < 0,05

Kata Kunci : kecemasan, produksi ASI, primipara

Daftar pustaka : 47 ( 2001-2014)

**UNDERGRADUATE NURSING PROGRAM  
NURSING FACULTY  
SULTAN AGUNG ISLAMIC UNIVERSITY SEMARANG  
Mini Thesis, March 2015**

**ABSTRACT**

Yulitasari

**THE CORRELATION BETWEEN THE LEVEL OF ANXIETY AND  
BREAST MILK PRODUCTION ON MOTHER OF PRIMIPAROUS POST  
SECTIO CAESAREA IN SEMARANG CITY HOSPITAL**

62 Pages+ 8 Tabels + xvii

**Background:** all mothers basically want to breastfeed. Post partum period can cause emotional stress on primiparous mothers. The purpose of this study is to find out the correlation between the level of anxiety and breast milk production on mother of primiparous post sectio caesarea.

**Methods:** The type of this study used analytic survey with cross sectional approach. The collecting data was Questionnaire as many as 32 respondents . The analysis used was Fisher's exact.

**Results:** Based on the analysis results was obtained that respondents experienced mild-moderate anxiety level with smooth breast milk production totaled 12 respondents (60%) and not smooth breast milk production totaled 8 respondents (40%), respondents experienced strong anxiety level-very strong with milk production is not smoothly totaled 12 respondents (100%) and breast milk production smoothly totaled 0 respondent (0%).

**Conclusion:** There was a significant correlation between the level of anxiety and breast milk production on mother of primiparous post sectio Caesaria in Semarang City Hospital with P value = 0.001 which means P value <0.05.

**Keywords:** anxiety, breast milk production, primipara

**Bibliography:** 47 (2001-2014)