

## **DAFTAR PUSTAKA**

- Adrianjah, H., & Adam, J., 2006, Sindrom Metabolik: Pengertian, Epidemiologi, dan Criteria Diagnosis, *Informasi Laboratorium Prodia* No.4, Jakarta.
- Angraeni, D., 2007, Mewaspadai Adanya Sindrom Metabolik. Dalam : <http://labcito.co.id>.
- Angraini, R. D., 2014, Hubungan Indeks Massa Tubuh (IMT), Aktivitas Fisik, Rokok, Konsumsi Buah, Sayur dan Kejadian Hipertensi Pada Lansia Di Pulau Kalimantan, Universitas Esa Unggul, Jakarta.
- Antika, P. R., 2014, Hubungan Antara Rasio Lingkar Pinggang Panggul Dengan Kadar Kolesterol Total Pada Guru dan Karyawan SMA Muhammadiyah 1 dan 2 Surakarta, Universitas Muhammadiyah Surakarta, Surakarta.
- AR, Norafidah., MN, Azmawati, A, Norfazilah., 2013, Factors Influencing Abdominal Obesity By Waist Circumference Among Normal Bmi Population, *Malaysian Journal of Public Health Medicine*, Vol. 13(1): 37-47
- Aram V. Chobanian, M., 2007, Isolated Systolic Hypertension in the Elderly, *The New England Journal of Medicine*; 357, 789-796.
- Arambepola, C., 2007, Gender Differential of Abdominal Obesity Among the Adults in the District of Colombo, Sri Langka, *Preventive Medicine*, 44, 129-134.
- Asayama, K., Sato, A., Ohkubo, T., Mimura, A., Hayashi, K., Kikuya, M., et al., 2009, The association between masked hypertension and waist circumference as an obesity-related anthropometric index for metabolic syndrome: the Ohasama study, *Hypertension Research*, 438–443.
- Action on Smoking & Health Scotland (ASH Scotland), 2012, *Cigarette smoking and body mass index (BMI)*, Scotland
- Badan Penelitian dan Pengembangan Kesehatan Kementerian Kesehatan Republik Indonesia (Balitbang Kemenkes RI), 2013, Riset Kesehatan Dasar (Riskesdas), Jakarta.

- Belloco, R., Jia, C., Ye, W., & Lagerros, Y. T., 2010, Effects of physical activity, body mass index, waist-to-hip ratio and waist circumference on total mortality risk in the Swedish National March Cohort, *Springer*, Sweden, 777-788.
- Bergman, R.N., Kim, S.P., Catalano, K.J., Hsu, I.R., Chiu, J.D., Kabir, M., Hucking, K., Ader, M., 2006, *Why Visceral Fat is Bad: Mechanisms of the Metabolic Syndrome*, California, 16S-19S
- Bodhy, W., & Manampiring, A. E., 2011, Prevalensi Sindrom Metabolik Pada Remaja di Kota Tomohon, Universitas Sam Ratulangi, Manado.
- Bray, G., & Ryan, D. H., 2006, Overweight and The Methabolic Sindrome: from Bench to Bedside, *Springer Science*.
- Cena, H., Tesone, A., Niniano, R., Cerveri, I., Roggi, C., & Turconi, G. (2013). Prevalence rate of Metabolic Syndrome in a group of light and heavy smokers, *BioMed Central* , 1-7.
- Chiolero, A., Faeh, D., Paccaud, F., & Cornuz, J., 2008, Consequences of smoking for body weight, body fat distribution, and insulin resistance, *The American Journal of Clinical Nutrition*, Amerika, 801-809.
- Choi, K., & Forster, J. L., 2014, Frequency and Characteristics Associated With Exposure to Tobacco Direct Mail Marketing and Its Prospective Effect on Smoking Behaviors Among Young Adults From the US Midwest, *American Journal of Public Health*, Amerika, 2179-2183.
- Christina, A., 2012, Hubungan Antara Gaya Hidup dengan Rasio Lingkar Pinggang Panggul Orang Dewasa Di Kecamatan Rumbia Kabupaten Lampung Tengah 2010, Universitas Indonesia, Depok.
- Department of Health (2007). *Risk Factors Waist Hip Ratio*. Government of South Australia, Epidemiological Series Report .
- Despres, J. P., Lemieux, I., Bergeron, J., Pibarot, P., Mathieu, P., Larose, E., et al. (2008). Abdominal Obesity and the Metabolic Syndrome:Contribution to Global Cardiometabolic Risk, *Arterioscler Thromb Vasc Biol*, 1039-1049.
- Farmacia, M., 2007, Stress Oksidatif, Faktor Penting Penyulit Vascular. Dalam : [www.combiphar.com/ahp](http://www.combiphar.com/ahp).

- Haris, S., & Tambunan, T., 2009, Hipertensi pada Sindrom Metabolik, Volume 11, *Sari Pediatri*, 4, 257-263.
- Hasriana, Sukriyadi, & Yusuf, M., 2014, Faktor yang Berhubungan dengan Kejadian Obesitas Sentral Di Poliklinik Pabrik Gula Cammming PTP Nusantara X (Persero) Kab.Bone, Volume 5, *Jurnal ilmiah kesehatan Diagnosis*, ISSN : 2302-1721, 594-600.
- Hossain, M. S., Kypri, K., Rahman, B., & Milton, A. H., 2013, Smokeless tobacco consumption in the South Asian population of Sydney, Australia: prevalence, correlates and availability, *Australasian Professional Society on Alcohol and other Drugs*, 86-92.
- Huxley, R., Mendis, S., Zheleznyakov, E., Reddy, S., & Chan, J., 2010, Body mass index, waist circumference and waist hip ratio as predictors of cardiovascular risk—a review of the literature, *European Journal of Clinical Nutrition*, 16-22.
- International Diabetes Federation (IDF), 2005, *The IDF Concensus Worldwide Definition of the Metabolic Syndrome*.
- Jafar, N., 2011, Sindrom Metabolik, Universitas Hasanuddin, Makassar.
- Jafar, N., 2012, Sindroma Metabolik dan Epidemiologi, *Media Gizi Masyarakat Indonesia*, 71-78.
- Jha, P., Phil, D., & Peto, R., 2014, Global Effects of Smoking, of Quitting, and of Taxing Tobacco, *The New England Journal of Medicine*; 370, 60-68.
- Jolanda, D., 2005, Faktor-faktor yang Berperan Terhadap Kejadian Resistensi Insulin Pada Pasien Hipertensi Esensial Non Diabetika, Universitas Diponegoro, Semarang.
- Lairon, e. a., 2005, Dietary Fiber Intake and Risk Factors for Cardiovasculer Disease in French Adults, *American Journal Clinical Nutrition* .
- Liliani, E. I., Jafar, N., & Najamuddin, U., 2013, Hubungan Aktivitas Fisik dan Pola Makan Terhadap Komponen Sindrom Metabolik Pada Pasien Rawat Jalan DM TIPE 2 Di Wilayah Kerja Puskesmas Kota Makassar, Universitas Hasanuddin, Makassar.
- Marks, D.B., Allan, D.M., Collen, M.S., 2012, *Biokimia Kedokteran Dasar : Sebuah Pendekatan Klinis*, EGC, Jakarta.

- Mitolo, L. T., Dare, W. N., & Chris-Ozoko, L. E., 2015, Body Mass Index (BMI) and Waist Hip Ratio (WHR) Among Young Adults of Delta State Origin, *World Journal of Medical Sciences*, 21-25.
- Mizuno, O., Okamoto, K., Sawada, M., Mimura, M., Watanabe, T., & Morishita, T., 2005, Obesity and Smoking: Relationship with Waist Circumference and Obesity-Related Disorders in Men Undergoing a Health Screening, Volume 12, *Journal of Atherosclerosis and Thrombosis*; 4, Japan, 199-204.
- Murray, R.K., Granner, D.K., Rodwell, V.W., 2009, *Biokimia Harper*, Edisi 27, EGC, Jakarta.
- Nurjanah, F., & Roosita, K., 2015, Gaya Hidup dan Kejadian Sindrom Metabolik Pada Karyawan Laki-laki Berstatus Gizi Obes DI PT. Indocement Citeureup, Volume 10, *J. Gizi Pangan*, 17-24.
- Oviyanti, P. N., 2010, Hubungan Antara Lingkar Pinggang dan Rasio Lingkar Pinggang Panggul Dengan Tekanan Darah Pada Subjek Usia Dewasa, Universitas Sebelas Maret, Surakarta.
- Parlindungan, F., 2008, Sindroma Metabolik dan Penyakit Kardiovaskular, Universitas Sumatera Utara, Sumatera Utara.
- Pitsavos, C., 2006, *Diet, Exercise and Metabolic Syndrome*, The Review of Diabetic Studies.
- Pradana, A., 2010, Hubungan antara indeks massa tubuh dengan lemak viseral, Universitas Sumatera Utara, Sumatera Utara.
- Price, Gill, M., & al, e., 2006, Weight, shape, and mortality risk in older persons: elevated waist-hip ratio, not high body mass index, is associated with a greater risk of death, *American Journal of Clinical Nutrition* .
- R.D, P. S., 2010, Hubungan Rasio Lingkar Pinggang-Pinggul dan Asupan Natrium dari Western Fast Food Dengan Tekanan Darah Pada Remaja, Universitas Diponegoro, Semarang.
- Richardson, A., Pearson, J., Xiao, H., Stalgaitis, C., & Vallone, D., 2014, Prevalence, Harm Perceptions, and Reasons for Using Noncombustible Tobacco Products Among Current and Former Smokers, *American Journal of Public Health*, Amerika, 1437-1444.
- Rini, S., 2015, Sindrom Metabolik, Volume 4, *J Majority*; 4, Lampung, 88-93.

- Sartika, C. R., 2006, Penanda Inflamasi, Stress Oksidatif dan Disfungsi Endotel pada Sindroma Metabolik, Prodia Diagnostics Educational Services No.2.
- Sastroasmoro, S., & Ismael, S., 2011, *Dasar-dasar Metodologi Penelitian Klinis*, Sagung Seto, Jakarta.
- Shahab, A., 2007, Sindrom Metabolik, *Media Informasi Ilmu Kesehatan dan Kedokteran*.
- Sneve, M., & Jorde, R., 2001, Association Between Body Mass Index and Smoking with Reference to Other Lifestyle Factors, The 4th and The 5th Tromso Study, *European Congress of Endocrinology 2006*.
- Sneve, M., & Jorde, R., 2008, Cross-sectional study on the relationship between body mass index and smoking, and longitudinal changes in body mass index in relation to change in smoking status: The Tromsø Study, *Scandinavian Journal of Public Health 2008*.
- Sugianti, E., Hardinsyah, & Afriansyah, N., 2009, Faktor Risiko Obesitas Sentral Pada Orang Dewasa Di DKI Jakarta: Analisis Lanjut Data RISKESDAS 2007, *Gizi Indonesia*, 105-116.
- Sunarti, & Maryani, E., 2013, The Ratio of Waist and Hip Circumference to Coronary Heart Disease, Universitas Ahmad Dahlan, Yogyakarta.
- Tschoukalova, Yourka, D., & al, e., 2008, Subcutaneous adipocyte size and body fat distribution, *American Journal of Clinical Nutrition* .
- World Health Organisation (WHO), 2000, *Obesity: Preventing and Managing the Global Epidemic*, Geneva.
- World Health Organisation (WHO), 2008, *Waist Circumference and Waist-Hip Ratio*, Geneva.