

Daftar Pustaka

- AAP, & ACOG. (2007). *Guidelines for Perinatal Care*. New York: AAP dan ACOG.
- Anonim. (2014). Form Clinical Pathway Sectio Caesarea . *Rumah Sakit Islam Sultan Agung* .
- Buekens, P., Curtis, S., & Alayón, S. (2003). Demographic and Health Surveys: caesarean section rates in sub-Saharan Africa. *BMJ* , 136.
- Chestnut, D. H. (2009). *Chestnut's obstetric anesthesia : principles and practice*. Philadelphia: Elsevier.
- Conroy, K., Koenig, A. F., Yu, Y.-H., Courtney, A., Lee, H. J., & Norwitz, E. R. (2012). Infectious morbidity after cesarean delivery : 10 strategies to reduce risk. *Reviews in obstetric and gynaecology* , 72 - 76.
- Cunningham, F. G., Leveno, K. J., Bloom, S. L., Hauth, J. C., Rouse, D. J., & Spong, C. Y. (2010). *Williams Obstetrics*. New York: Mc Graw Hill.
- Datta, S., Kodali, B. S., & Segal, S. (2010). *Obstetric Anesthesia Handbook*. New York: Springer.
- De Bleser, L., Depreitere, R., De Waele, K., Vanhaecht, K., Vlayen, J., & Sermeus, W. (2006). Defining pathways. *Journal of Nursing Management* , 553 - 562.
- Evans-Lacko, M. J. (2010). Facilitator and barriers to implementing clinical care pathway. *BMC Health Services Research* , 2-5.
- Gagarine, A., Urschel, J. D., Miller, J. D., Bennett, W. F., & Young, J. E. (2003). Preoperative and Intraoperative Factors Predictive of Length of Hospital Stay after Pulmonary Lobectomy. *Ann Thorac Cardiovasc Surg* , 222 - 224.
- Greenhalgh T, R. G. (2004). Diffusion of innovations in service organization : systematic review and recommendation. *MilbankQ* , 581.
- Grivell, R. M., & Dodd, J. M. (2010). Short- and long-term outcomes after cesarean section. *Expert Rev. Obstet. Gynecol* , 206-210.

- Gyte GM, D. L. (2014). Different classes of antibiotics given to women routinely for preventing infection at caesarean section. *Cochrane Database Syst Rev* , 3-8.
- Hindle, D., & Yazbeck, A. (2005). Clinical pathways in 17 European Union countries: a purposive survey. *Aust Health Rev* , 94-104.
- Jones, A. (2004). Perceptions on the standardization of psychiatric work: development of a care pathway. *J. Psych Mental Health Nurse* , 11-15.
- Joy, S., & Contag, S. A. (2014, March 13). *Cesarean Delivery*. Dipetik Juni 1, 2015, dari <http://emedicine.medscape.com/article/263424-overview>.
- Karahasan, H., Ljuca, D., Karahasan, N., Suko, A., Babovic, A., & Rahimic, H. (2011). Antibiotic prophylaxis and inflammatory complications after cesarean section. *Journal of health sciences* , 147.
- Lee, Y. M., & D'Alton, M. E. (2008). Cesarean delivery on maternal request: maternal and neonatal complications. *Current Opinion in Obstetrics and Gynecology* , 1 - 4.
- Lumbiganon, P., Laopaiboon, M., Gulmezoglu, A. M., Souza, J. P., Taneepanichskul, S., Ruyan, P., et al. (2010). Method of delivery and pregnancy outcomes in Asia: the WHO global survey on maternal and perinatal health 2007–08. *The Lancet* , 490.
- Menacker, F., & Hamilton, B. E. (2010). Recent Trends in Cesarean Delivery in the United States. *NCHS Data Brief* , 1-2.
- Moody, G., Greenwood, J., & Choong, Y. Y. (2001). An action research approach to the development of a clinical pathway for women requiring Caesarean sections. *Contemporary Nurse* , 195 - 204.
- Murray, M. A., Osaki, S., Edwards, N. M., Johnson, M. R., Bobadilla, J. L., Gordon, E. A., et al. (2008). Multidisciplinary approach decreases length of stay and reduces cost for ventricular assist device therapy. *Interactive CardioVascular and Thoracic Surgery* , 84 - 88.
- NICE. (2011, November). *Caesarean section NICE Guideline*. Dipetik Juni 3, 2015, dari <https://www.nice.org.uk/guidance/cg132/chapter/1-Guidance>.
- Notzon, F., Cnattingius, S., & Bergsjö, P. (1994). Cesarean section delivery in the 1980s: international comparison by indication. *Am J Obstet Gynecol* , 495-504.

- Panella, M., Marchisio, S., & Stanislao, F. D. (2003). Reducing clinical variations with clinical pathways: do pathways work? *International Journal for Quality in Health Care* , 509 -516.
- Pearson, S. D., Kleefield, S. F., Soukop, J. R., Cook, E. F., & Lee, T. H. (2001). Critical Pathways Intervention to Reduce. *The American Journal of Medicine* , 175 -180.
- Permenkes. (2014). Peraturan Menteri Kesehatan Republik Indonesia Tentang Petunjuk Teknis Sistem Indonesian Case Base Groups (Ina-Cbgs). *Kementrian kesehatan republik Indonesia* .
- Posner, G. D., Dy, J., Black, A., & Jones, G. D. (2013). *Oxorn - Foote Human Labor And Birth*. New York: Mc Graw Hill.
- Rivany, R. (2010). Alur Klinis dan Biaya Pengobatan Rumatan Metadon di Rumah Sakit Ketergantungan Obat Jakarta. *Jurnal Kesehatan Masyarakat Nasional* , 91.
- Sermeus, W., De Bleser, L., Depreitere, R., De Waele, K., Vanhaecht, K., & Vlayen, J. (2005). The Use of Clinical Pathways and Guidelines to Determine Physicians' Hospital Fees Prospectively: Easier Said than Done. *KCE Reports. Vol. 18A Brussels: Belgian Healthcare Knowledge Centre (KCE)* .
- Smart, D. J., Lumbiganon, P., Festin, M. R., Ho, J. J., Mohammad, H., McDonald, S. J., et al. (2007). Optimising reproductive and child health outcomes by building evidence-based research and practice in South East Asia (SEA-ORCHID): study protocol. *BMC Medical Research Methodology* , 1 - 3.
- Suryati, T. (2012). Analisis Lanjut Data Riskesdas 2010)Persentase Operasi Caesaria Di Indonesia Melebihi Standard Maksimal, Apakah Sesuai Indikasi Medis? *Buletin Penelitian Sistem Kesehatan* , 332.
- Van Herck P, V. K. (2004). Effects of clinical pathways: do they work? *Journal Of Integrated Care Pathway* , 3-5.
- Vanhaecht, K., Bollmann, M., Bower, K., Gallagher, C., Gardini, A., Guezo, J., et al. (2006). Prevalence and use of clinical pathways in 23 countries –an international survey by the European Pathway Association. *Journal of Integrated Care Pathway* , 28 - 33.

- Vanhaecht, K., Witte, K. D., Depreitere, R., & Sermeus, W. (2006). Clinical pathway audit tools: a systematic review. *Journal of Nursing Management* , 529 - 530.
- Waite A, G. S. (2010). Clinically relevant doses of lidocaine and bupivacaine do not impair cutaneous wound healing in mice. *BR J Anaesth* , 2-5.
- Wanyonyi, S. Z., & Karuga, R. N. (2010). The utility of clinical care pathways in determining perinatal outcomes for women with one previous caesarean section; a retrospective service evaluation. *BMC Pregnancy and Childbirth* , 1 - 6.
- WHO. (1994). Indicators to monitor maternal health goals : report of a technical working group, Geneva, 8-12 November 1993. *WHO* .
- WHO. (2014). *Maternal Mortality*. Dipetik April 1, 2015, dari <http://www.who.int/mediacentre/factsheets/fs348/en/>.