

## DAFTAR PUSTAKA

- Abrams P. 2012. Re: Update on AUA guideline on the management of benign prostatic hyperplasia. *Journal of Urology* 2012;187:358-359
- Agrawal C. S., Chalise P.R., Bhandari B. B.. 2008. Correlation of prostate volume with international prostate symptoms score and quality of life in men with benign prostatic hyperplasia. *Nepal Med Coll J*; 10(2): 104-107.
- Alawad A, Younis F, Eltoum AM, Abdelgani SA (2014).Serum prostate-specific antigen as a predictor of prostate volume in Sudanese patients with benign prostatic hyperplasia. *Intern.J. Med.* 2(1): 40-42.
- Aprilia D. R. 2010. *Korelasi antara kejadian leukosituria dan volume prostat penderita pembesaran prostat jinak pada pemeriksaan ultrasonografi.*
- Argie D., 2008. *Pembesaran Prostat Jinak (Benign Prostate Hyperplasia).* <http://argie-health.blogspot.com/> (28 Januari 2015).
- As'ari M., Alif S., Santoso A., Widodo J.P., 2008. *Hubungan antara derajat intravesical prostatic protrusion dengan Q max, volume prostat, dan international prostate symptom score pada pasien BPH dengan LUTS tanpa komplikasi.* Disertasi.
- Bapat S.S., Purnapatre S.S., Pai K.V., Yadav P., Padhye A., Bodhe Y.G. 2006. Does estimation of prostate volume by abdominal ultrasonography vary with bladder volume: A prospective study with transrectal ultrasonography as a reference. *Indian J Urol.* 22: 322-5.
- Barkin J. 2011. Benign prostatic hyperplasia and lower urinary tract symptoms: evidence and approaches for best case management. *The canadian journal of urology.*
- Bosch J. L., Hop W.C., Kirkels W. J., Schroder F. H.. 1995. The International Prostate Symptom Score in community based sample of men between 55 and 74 years of age: prevalence and correlation of symptom with age, prostate volume, flow rate and residual urine volume. *Br. J. Urol*;75(5):622-30.
- Chapple C.R., Patel A.K. 2007. A pragmatic approach to the primary care management of men with lower urinary tract symptoms. *Int J Clin Pract.* 2007;61(9):1423-1425
- Chung H.F., De Vries S.H., Raijmakers R., Postma R., Bosch J.L., 2004. *Prostat Volume Ultrasonography.* [http:// linkinghub.elsevier .com/retrieve](http://linkinghub.elsevier.com/retrieve) (11 Februari 2015)

- Citra B.D. 2009. *Benign Prostate Hyperplasia (BPH)*. <http://www.Files-of-DrsMed.tk> (11 Februari 2015).
- Connel M. C.. 1999, *Epidemiology, Etiology, Pathophysiology, and Diagnosis of Benign Prostatic Hyperplasia in Campbell Urology*; 1432-33,1437-44.
- Dwindra M., Israr Y.A. 2008. *Benign Prostatic Hyperplasia (BPH)/ Pembesaran Prostat Jinak (PPJ)*.
- Groat W. C., Sarma A. V., Wei J. T., 2009. Benign Prostate Hyperplasia and lower Urinary Tract Symptom. *The New England Journal of Medicine* 2A09, Vol.9.
- Hardjowijoto S., Taher A. 2003. *Pedoman Penatalaksanaan BPH di Indonesia*. <http://iaui.or.id/ast/file/bph.pdf> (25 Januari 2015)
- Ho C.K.M., Habib F.K., 2011. Estrogen and androgen signaling in the pathogenesis of BPH. *Nat Rev Urol.* 2011;8(1):29–41. <https://yayanakhyar.wordpress.com/2008/04/25/bph-ppj/> (14 Juli 2015)
- Irga. 2010. *Benign Prostatic Hyperplasia*.
- Joseph M. A., Harlow D. S., Wel J. T., Sarma A. V., Dunn R. L., Taylor J. M., James S. A., Cooney K. A., Doerr K. M., Montie J. E., Schottenfeld D. 2003. Risk factors for lower urinary tract symptoms in a population-based sample of African-American men. *Am J Epidemiol.* 2003;157(10):906–14.
- Kidingallo Y., Murtala B., Ilyas M., Palinrungi A. M., 2010. *Kesesuaian ultrasonografi transabdominal dan transrektal pada penentuan karakteristik pembesaran prostat*.
- Kirby R., Christmas T. J.. 1997. *Benign Prostate Hyperplasia*; 2<sup>nd</sup> ed. Mosby International: 1-6.
- Kumar V., Abbas A.K., Fausto N. 2005. *Robbin's and Cotran Pathologic Basis and Disease*. Philadelphia: Elsevier Saunders, pp: 1048-51.
- Kuo H. C. 2007. *Differential Diagnosis of Male Lower Urinary Tract Symptoms Suggestive of Benign Prostatic Hyperplasia and Non-Benign Prostatic Hyperplasia*.
- Kwon Y. M., Cho B., Son KY, Choi HC, Park SG, Park JH (2012). Lower urinary tract symptoms have negative associations with glomerular filtration rate irrespective of prostate volume in Korean men. *Urology*, 79(1), 182-187.
- Lee E., Park C., Lee H., *et al.*. 1997. A High Risk Group of Prostatism : A population Based Epidemiological Study In Korea. *Br.J Urol*;79.736-41.

- Loeb S, Kettermann A, Carter HB, Ferrucci L, Metter EJ, Walsh PC. Prostate volume changes over time: Results from the baltimore longitudinal study of aging. *J.Urol.* 2009;182(4 Suppl):1458-62.
- Mosli HA, Abdel-Meguid TA, Al-Maghrabi JA, Kamal WK, Saadah HA, Farsi HM. The clinicopathologic patterns of prostatic diseases and prostate cancer in Saudi patients. *Saudi Med.J.* 2009;30(11):1439-43.
- Muruganandham K., Dubey D., Kapoor R. 2007. Acute urinary retention in benign prostatic hyperplasia: Risk factors and current management. *Indian J Urol.* 23: 347-53.
- Musa A., Sabilal A., Adi S., Widodo J.P. 2009. Hubungan antara derajat *intravesical prostatic protrusion* dengan Q max, volume prostat, dan *international prostate symptom score* pada pasien BPH dengan LUTS tanpa komplikasi. *JURI.* 16(2): 43-7.
- Negro C.L., Muir G.H. 2012. Chronic urinary retention in men: how we define it, and how does it affect treatment outcome. *BJU International* 2012;110:1590-1594.
- Nickel J.C. 2003. Benign Prostatic Hyperplasia: Does Prostate Size Matter?. *Medreviews.*
- Nugroho A. 2002. *Pengaruh Faktor Usia, Status Gizi dan Pendidikan Terhadap International Prostate Symptom Score (IPSS) pada Penderita Prostat Hiperplasia (PH).*
- Overland GB, Vatten L, Rhodes T, DeMuro C, JacobsenG, Vada K. 2001. Lower urinary tract symptoms, prostate volume and uroflow in norwegian community men. *Eur. Urol.* 39(1): 36-41.
- Patel P.R. 2007. *Lecture Notes: Radiologi.* Edisi kedua. Surabaya: Erlangga, pp : 7, 189.
- Penson D. F., Munro H. M., Signorello L. B., Blot W. J., Fowke J. H. 2011. Obesity, physical activity and lower urinary tract symptoms: results from the southern community cohort study. *J Urol.* 2011;186(6):2316–22.
- Purnomo B. B. 2011. *Dasar-Dasar Urologi*, Edisi 3. Jakarta : Sagung Seto.
- RadiologyInfo.org. 2014. <http://www.radiologyinfo.org/en/info.cfm?pg=us-prostate> (21 Februari 2015)
- Rodrigues P., Hering F. P., Campagnari J. C. 2008. Impact of Urodynamic Learning on the Management of Benign Prostate Hyperplasia Issue. Canada. *Canadian Medical Journal*

- Sampekalo G., Monoarfa R.A., Salem B., Angka kejadian LUTS yang disebabkan oleh BPH di RSUP PROF.DR.R.D.KANDOU MANADO periode 2009-2013. *Jurnal e-clinic*. 2015;568.
- Schoor J. 2009. Lower Urinary Tract Symptom (LUTS) In Men. *SA Pharmaceutical Journal*, Vol.76; No.4 (2009). Available from : <http://www.sapj.co.za/index.php/SAPJ/article/viewFile/567/515> (14 Juli 2015 )
- Shetty S. 2014. Transrectal ultrasonography of prostate. *Medscape*. <http://emedicine.medscape.com/article/457757/overview#aw2aab6b2b4> (21 Februari 2015)
- Sjamsuhidajat R. 2005. *Buku Ajar Ilmu Bedah*. Jakarta: EGC, pp: 782-5.
- Sugiyono, (2008). *Metode Penelitian Kuantitatif Kualitatif dan R&D*. Bandung Alfabeta.
- Vaughan, E. D. 2003. Medical Management of BPH. *New England Journal Medicine*.
- Vesely S, Knutson T, Damber JE, Dicuio M, Dahlstrand C. Relationship between age, prostate volume, prostate-specific antigen, symptom score and uroflowmetry in men with lower urinary tract symptoms. *Scand.J.Urol.Nephrol*. 2003;37(4):322-8.
- Yoshimura A., Niimi M., Akaza H., *et al.*. 1997. Assessment of Reproducibility and Unidimensionality of International Prostate Symptom Score Japanese Version. *Nippon- Hinyokika Gakkai Zoushi*;88(12);1013-20.