

DAFTAR PUSTAKA

- Afiatin., Roesli., R.M.A., Martakusumah, AH., Sukandar, E., 2009, Pengaruh Pemberian N-asetilsistein Intravena terhadap klirens homosistein pada penderita hemodialisis reguler dengan penggunaan dializer low flux, Fakultas Kedokteran Universitas Padjadjaran – RS. Hasan Sadikin Bandung, 14-15
- Anggraeni, Adisty Cyntia . 2012. *Asuhan Gizi Nutritional Care Process*, Graha Ilmu, Yogyakarta, hlm 181-183.
- Aziz, M.F., Witjaksono J., Rasjidi, I., 2008, Pedoman Pelayanan medik: Model interdisiplin penatalaksanaan kanker serviks dengan gangguan ginjal, EGC, Jakarta, 50.
- Chasani, S., Thaha, M., Widiana, I.G.R., Subrata, G., 2010, Pendekatan komprehensif untuk penyakit gagal ginjal dan hipertensi, <http://www.jurnalmedika.com/699-edisi-no-12-vol-xxxvi-2010/kegiatan-39483/1445-pendekatan-komprehensif-untuk-penyakit-ginjal-dan-hipertensi>, Dikutip tanggal 26 Februari 2016.
- Cairns, D., 2008, *Essential of Pharmaceutical Chemistry*, Third edition, London: Pharmaceutical Press; Pages 177-180
- Corwin, J.E., 2009, Buku Saku Patofisiologi, Terjemahan Nike Budhi S, Edisi III, Cetakan I, EGC, Jakarta; hlm 647-660
- Cuzzocrea, S., Mazzon, E., Dogu, L., Serraino, I., Ciccolo, A., Centorrino, T., De Sarro, A., Caputi, A.P., 2006, *Protective effects of n-acetylcysteine on lung injury and red blood cell modification induced by carrageenan in the rat*, *FASEB J.* 15: 1187-1200
- Daugirdas, J.T., Blake, P.G., Ing, T.S., 2007, *Handbook of Dialysis*, Philadelphia, Lipincott William & Wilkins, 4th ed, 36th vol, 6, 298-332
- Franscesco, S., Veronique, W.S., Tilamn, D., and Beatrice, D.L., 2008, *Restoring glutathione as a therapeutic strategy in chronic kidney disease*, *Nephrol Dial Transplant*, 19, 1951-55
- Genet S, Kale RK, Baquer NA, 2008, “*Effects of free radicals on cytosolic creatine kinase activities and protection by antioxidant enzymes and sulfhydryl compounds*”, *Mol Cell Biochem* 210: 23–28.
- Guyton, A.N., Hall, J.E., 2008, Buku Ajar Fisiologi Kedokteran, Edisi 11, EGC, Jakarta, 79-95

- Iskandarsyah, A., 2006, Hubungan Antara *Health Locus Of Control* Dan Tingkat Depresi Pada Pasien Gagal Ginjal Kronis Di RS. Ny. R.A. Habibie, Dalam: <http://resources.unpad.ac.id/unpad-collection/hubungan-antara-healthlocus-of-control-dan-tingkat-depresi-pada-pasien-gagal-ginjal-kronis-dirs-ny-habibie-bandung-2>. Dikutip tanggal 25 April 2015
- KDOQI, 2009, *Clinical Practice Guidelines for Chronic Kidney Disease: Evaluation, Classification and Stratification Cardiovascular Disease in Dialysis Patient*. New York: NKF. Am J Kidney Dis 39 (2 suppl 1) : S1-S266. Retrieved Maret 2013, from http://www.kidney.org/professionals/kdoqi/pdf/ckd_evaluation_classification_stratification.pdf
- Lestari, Betty D., 2010, Pengaruh pemberian N-asetilsistein intravena dosis tinggi terhadap hiperhomosisteinemia pada pasien gagal ginjal kronik stadium V yang menjalani hemodialisis rutin, Tesis Penelitian Fakultas Kedokteran Universitas Gadjah Mada, Yogyakarta
- Makmur N.W, Tasa H., Sukriyadi, 2013, “Pengaruh Hemodialisis Terhadap Kadar kreatinin Dan Kreatinin Darah Pada Pasien Gagal Ginjal Kronik Yang Menjalani Hemodialisis Di Ruang Hemodialisis (Hd) Rsup Dr. Wahidin Sudirohusodo Makassar”, olume 2 Nomor 1 Tahun 2013; 1-7.
- Makmur N.W, Tasa H., Sukriyadi, 2013, “Pengaruh Hemodialisis Terhadap Kadar kreatinin Dan Kreatinin Darah Pada Pasien Gagal Ginjal Kronik Yang Menjalani Hemodialisis Di Ruang Hemodialisis (Hd) Rsup Dr. Wahidin Sudirohusodo Makassar”, olume 2 Nomor 1 Tahun 2013; 1-7.
- Malinow, M.R., Bostom, A.G., Krauss, R.M., 2007, *Homocyst(e)ine, diet and cardiovascular diseases, A statement for healthcare professionals from the nutrition committee, American Heart Association*, Circulation 99: 178-82
- Morton PG, Fontaine D, Hudak CM and Gallo BM.2005. *Critical Care Nursing, A Holistic Approach*, Lippincott, Philadelphia.
- Murray, Robert, K., Daryl, K., Granner, Victor W., Rodwell., 2009, Biokimia Harper, Edisi 27, EGC, Jakarta, 283-286
- Nascimento, M.M., Suliman, M.E., Silva, M., Chinaglia, T., 2009, *Effect of Oral N-Acetylcystein Treatment on Plasma Inflammatory And Oxidative Stress Markers in Peritoneal Dialysis Patients: A Placebo-Controlled Study*. Perit Dial Int 2010; 30:336–342.
- Nawawi, Q., Populasi penderita gagal ginjal terus meningkat di 2013, Dalam: <http://health.okezone.com/read/2013/06/28/482/829210/populasi-penderita-gagal-ginjalterus-meningkat-di-2013>. Dikutip Oktober 2013

- Noer, M.S., 2008, Evaluasi Fungsi Ginjal secara Laboratorik, Laboratorium-SMF Ilmu Kesehatan Anak Fakultas Kedokteran Airlangga, Surabaya, 50-52
- Price, S.A., Wilson, L.M., 2005, Patofisiologi: konsep klinis proses-proses penyakit, Edisi 6, EGC, Jakarta, 813-815
- Priyanto, 2010, Farmakologi Dasar, Lembaga Studi dan Konsultasi Farmakologi (LESKONFI): Depok, hlm 95
- Pusparini, 2005, Cystatin C Sebagai parameter Alternatif Uji Fungsi Ginjal, Universal Medica, Vol 24 No 2
- R. Hojs, S. Bevc, R. Ekart, M. Gorenjak, and L. Puklavec, 2010, “*Serum cystatin C-based formulas for prediction of glomerular filtration rate in patients with chronic kidney disease,*” *Nephron—Clinical Practice*, vol. 114, no. 2, pp. c118–c126.
- Ratnawati, 2014, Efektifitas dialiser proses ulang (DPU) pada penderita gagal ginjal kronik, *J Ilmu Widya, Bandung*, 2(1): hlm 48-52.
- Rindiastuti, Yuyun, 2006, Deteksi Dini Dan Pencegahan Penyakit Gagal Ginjal Kronik, Dalam: <http://yuyunrindi.files.com/2008/05/deteksi-dini-dan-pencegahan-penyakit-gagal-ginjal-kronik.pdf>. Dikutip tanggal 27 Maret 2011
- Riswanto, 2010, Pemeriksaan Laboratorium Kreatinin–kinase, Diakses 20 November 2012 dari Dalam: <http://labkesehatan.com/2010/10/kreatinin-kinase.html>. Dikutip tanggal 20 September 2013
- Sang-Ho, Jo, 2011, *N-acetylcysteine for Prevention of Contrast-Induced Nephropathy: A Narrative Review*, *Division of Cardiology, Department of Internal Medicine*, Hallym University Sacred Heart Hospital, Anyang, Korea, May 41(15): 695–702
- Sanrnak, M.I., Levey, A.S., School, W.C. 2006, *Kidney disease as arisk factor for development of cardiovascular disease. A statement from the American Heart Association Councils on Kidney in Cardiovascular Disease, High Blood Pressure Research, Clinical Cardiology, Epidemiology and Prevention, Hypertension*, 42: 1050-1065
- Saryono, Handoyo, 2006, Kadar kreatinin Dan Kreatinin Darah Pada Pasien Yang Menjalani Terapi Hemodialisis Di Rumah Sakit Umum Margono Soekarjo Purwokerto, www.digilib.stikesmuhgombang.ac.id/download.php?id=375, 36-42.
- Saryono, Handoyo, 2006, Kadar kreatinin Dan Kreatinin Darah Pada Pasien Yang Menjalani Terapi Hemodialisis Di Rumah Sakit Umum Margono

Soekarjo Purwokerto,
www.digilib.stikesmuhgombong.ac.id/download.php?id=375, 36-42.

- Sastroasmoro, Sudigdo, Sofyan Ismael, 2008, *Dasar-dasar Metodologi Penelitian Klinis Edisi ke-3*, Sagung Seto, Jakarta, 99-100
- Scholze, A., Rinder, C., Beige, J., Riezler, R., Zidek, W., Tepel, M., 2005, *Acetylcysteine reduces plasma homocysteine concentration and improves pulse pressure and endothelial function in patients with end-stage renal failure*, *Circulation* 109:369-374
- Sja'bani, M., Irijanto, f., Kamindang, E., Sapto. 2006. Pengaruh pemberian N-asetilsistein intravena terhadap kualitas hidup penderita gagal ginjal kronik stadium 5 yang menjalani hemodialisis. *Pernefri*. Padang.
- Sukandar, E., 2006, *Gagal ginjal Kronis dan Terminal: Nefrologi Klinik, Edisi III*, Penerbit ITB, Bandung, hlm 378-382
- Tepel, M., van der Giet, M., Statz, M., Jankowski, J., Zidek, W., 2005, *The antioxidant acetylcysteine reduces cardiovascular events in patients with end stage renal failure A randomized controlled Trial*. *Circulation*: 107: 992-995
- Theresia, I., 2011, *Peranan Hemodialisis Dalam Upaya Menurunkan Kadar Ureum dan Kreatinin Pada Pasien Gagal Ginjal Kronik di Ruang Hemodialisis RSUP Dr. Wahidin Sudirohusodo Makassar*, Skripsi tidak diterbitkan, Program Studi S1 Keperawatan – SNHM, Makassar
- Tian N., Rose R.A., Jordan S., Dwyer T.M., Hughson M.D., Manning R.D.J., 2006, “*N-Acetylcysteine improves renal dysfunction, ameliorates kidney damage and decreases blood pressure in salt-sensitive hypertension*”, *J. Hypertens*;24(11):2263–70.
- Trimarchi, H., Mongitore, M.R., Baglioni, P., Forrester, M., Freixas, E.A., Schropp, MT., Pereyra, IL, Aionso, M. 2005, *N-acetylcyteine reduces malondialdehyde levels in chronic hemodialysis patients-a pilot study*, *ClinNephrol*. 59: 441-6
- Urquhart, B.L. and House, A.A, 2007, *Assesing plasma total Homocysteine in patients with end-stage renal disease*, *perit dial Int*. 27 : 476-88.
- Vitahealth Tim, 2008, *Gagal Ginjal*, PT Gramedia Pustaka Utama, Jakarta, 62-65
- Ventura, P., Panini, R., Abbati, G., Marchetti, G., Sallvioli, G., 2006, *Urinary and plasma homocysteine and cysteine levels during prolonged oral n-acetylcysteine therapy*, *Pharmacology*, 68, 105-114

- Wariato, C., 2010, Diet kalori rendah protein: *Health information. Up to date* 16.3
- Wilson, L.M., 2005, Patofisiologi: konsep klinis proses-proses penyakit, Edisi 6. EGC, Jakarta, 113-115
- Wuyts, W.A., Vanaudenaerde, B.M., Duppont, L.J., Demedts, M.G., Verleden, G.M. 2005, *N-acetylcysteine reduces chemokine release via inhibition of p38 MAPK in human airway smooth muscle cells. Eur Respir J*, 22:43-49
- Wyss M, Kaddurah-Daouk R., 2009, *Creatine and creatinine metabolism, Physiol Rev*3: 1108–1213.
- Zulhair, A., Chalid, I., Effendi, I., 2005, Efek N-asetilsistein terhadap kadar homosistein pasien hemodialisis kronik: Uji Klinis berpembanding, *Ginjal Hipertensi*,5, No 4: 112-116