

DAFTAR PUSTAKA

- Algerina, A., 2008, Demam Tifoid dan Infeksi Lain dari Bakteri Salmonella, dalam:
http://medicastore.com/penyakit/10/Demam_Tifoid.html
- Anonim, 2010, Profil Kesehatan Kota Semarang, Dinas Kesehatan, Semarang
- Croucher, M., 2005, An Evaluation of the Quality of Integrated Care Pathway Development in the UK National Health Service, International Journal of Care Coordination Volume 9, Number 1, 6-12
- Crump, J.A., 2004, The Global Burden of Typhoid Fever, Buletin WHO Vol. 82, No. 5
- De Bleser, L., Depreitere, R., De Waele, K., Vanhaecht, Kris, Vluyen, J., Sermeus, W., 2006, Defining Pathways, Journal of Nursing Management 14, 553-563
- Depkes RI, 2005, Pedoman Pengendalian Demam Tifoid Bagi Tenaga Kesehatan, Jakarta
- Depkes RI, 2010, Clinical Pathway, Jakarta: Ditjen Bina Pelayanan Medik
- Davis, N., 2005, Integrated Care Pathways a Guide to Good Practice, National Leadership and Innovation Agency for Healthcare, 1-905456-01-8, dalam:
<http://www.wales.nhs.uk/sitesplus/documents/829/integratedcarepathways.pdf>
- European Pathways Association (EPA), 2005, Slovenia Board Meeting
- Firmanda, D., 2006, Clinical Pathway Kesehatan Anak, Sari Pediatri Vol. 8 No. 3, 195-208
- Frei, Christoper R., Bell, Allison M., Traugott, Kristi A., Jaso, Terry C., Daniels, Kelly R., Mortensen, Eric M., Restrepo, Marcos I., Oramasionwu, Christine U., Ruiz, Andres D., Mylchreest, William R., Sikirica, V., Raut, Monika R., Fisher, A., Schein, Jeff R., 2011, A Clinical Pathway for Community-Acquired Pneumonia: An Observational Cohort Study, BMC Infectious Disease 11:188, 1-6
- Gani, A. T., 1999, Analisis Ekonomi dalam Pelayanan Bedah, Jakarta: Fakultas Kesehatan Masyarakat Universitas Indonesia
- Gasem, H., 2003, Persistance of Salmonellae in Blood and Bone Marrow:

Randomized Controlled Trial Comparing Ciprofloxacin and Chloramphenicol Treatments Against Enteric Fever, Antimicrobial Agents and Chemotherapy, 1727-1731

Hajji, M., Mdaghri, N. El, Benbachir, M., Filali, K. Marhoum El, Himmich, H., 1988, Prospective Randomized Comparative of Pefloxacin versus Cotrimoxazol of The Treatment of Thypoid Fever in Adults, European Journal of Clinical Microbiology and Infectious Disease Volume 7 Number 3, 361-363

Juwono, R., 2004, Demam Tifoid dalam Buku Ajar Ilmu Penyakit Dalam, Jilid 1, Edisi Ketiga, Jakarta: Balai Penerbit FKUI

Keputusan Menteri Kesehatan RI Nomor 364/ Menkes/ SK/ V/ 2006 tentang Pedoman Pengendalian Demam Tifoid

Koval, Kenneth J., 2004, Clinical Pathway for Hip Fractures in The Elderly: The Hospital for Joint Diseases Experience, Clinical Orthopaedics and Related Result Volume 425- Issue- pp, 72-81, dalam: http://journals.lww.com/corr/Abstract/2004/08000/Clinical_Pathway_for_Hip_Fractures_in_the_Elderly_10.aspx

Marleni, M., 2012, Ketepatan Uji Tubex TF dibandingkan Nested-PCR dalam Mendiagnosis Demam Tifoid pada Anak pada Demam Hari ke-4, Palembang: Fakultas Kedokteran Universitas Sriwijaya

Musnelina, L., 2004, Analisis Efektivitas Biaya Pengobatan Demam Tifoid Anak Menggunakan Kloramfenikol dan Seftriakson di Rumah Sakit Fatmawati Jakarta Tahun 2001-2002, Makara Kesehatan Vol.8 No. 2, 59-64

Nelwan, R., 2013, A Single Blind Comparative Randomized Non-Inferior Multicenter Study for Efficacy and Safety of Levofloxacin versus Ciprofloxacin in The Treatment of Uncomplicated Typhoid Fever, Advances in Microbiology 3, 122-127

Nursalam, S., Utami, 2005, Asuhan Keperawatan Bayi dan Anak, Jakarta: Salemba Medika, hal. 152

Olaondo, L. Lopez, Carrascosa, F., Pueyo, F. J., Monedero, P., Busto, N., Saez, A., 1996, Combination of Ondansetron and Dexamethasone in The Prophylaxis of Postoperative Nausea and Vomiting, British Journal of Anaesthesia 76, 835-840

Panella, M., Marchisio, S., Stanislao, S., 2003, Reducing Clinical Variation with Clinical Pathway : Do Pathways Work, International Journal for Quality in Health

Care Volume 15 Number 6:pp ,509-521

Rabbani, M. W., 1998, A Comparative Study of Cefixime and Chloramphenicol in Children with Typhoid Fever, JPMA 48, 163-164

Rahayu, E, 2013, Sensitivitas Uji Widal dan Tubex untuk Diagnosis Demam Tifoid berdasarkan Kultur Darah. Semarang: Universitas Muhammadiyah Semarang.

Rampengan, T. H., 1993, Penyakit Infeksi Tropik Pada Anak, Cetakan 1,Jakarta: EGC

Rani, M. U., 2015, Comparative Study of Efficacy of Cefuroxime and Ceftriaxone in Enteric Fever, IOSR Journal of Medical and Sciences Volume 14, Issue 1, pp 27-32

Rani, A. A., Fauzi, A., 2009, Buku Ajar Ilmu Penyakit Dalam Jilid I, Edisi V, Jakarta : Pusat Penerbit Departemen Ilmu Penyakit Dalam Interna Publishing, hal 501-508

Salyers A., Whitt D., 2002, Bacterial Pathogenesis: A Molecular Approach 2nd Edition, ASM Press

Soedarmo, S. S., Garna, H., Hadinegoro, S. R., Satari, H. I., 2008, Buku Ajar Infeksi & Pediatric Tropis, Edisi ke-2, Jakarta: IDAI

Sudoyo, A. W, 2010, Buku Ajar Ilmu Penyakit Dalam Jilid 3, Jakarta: Fakultas Kedokteran Universitas Indonesia

Vanhaeck, K., Bollman, M., Bower, K., Gallagher, C., Gardini, A., Guezo, J., Jansen, U., Massoud, R., Moody, K., Sermeus, W., Zelm, R. V., Whittle, C., Yazbeck, Anne-M., Zander, K., Panella, M., 2006, Prevalence and Use of Clinical Pathways in 23 Countries-An Interna Survey by The European Pathway Association, Journal of Integrated Care Pathways 10, 28-34.

Vitaz, Todd W., 2001, Developmentand Implementation of a Clinical Pathway for Severe Traumatic Brain Injury, The Journal of Trauma 51, 369-375

Widodo, D., 2009, Buku Ajar Ilmu Penyakit Dalam Jilid III, Edisi V, Jakarta : Pusat Penerbit Departemen Ilmu Penyakit Dalam Interna Publishing, hal 2797-2805

World Health Organization, 2003, Background Document: The Diagnosis, Treatment, and Prevention of Typhoid Fever, dalam:
http://whqlibdoc.who.int/hq/2003/WHO_V&B_03.07.pdf

World Health Organization, 2011, Guidelines for The Management of Typhoid Fever