

DAFTAR PUSTAKA

- Aini, N., Setiawan, B., & Sandra, F. (2008). *Biological Characteristic and Differentiation of Stem Cell: Focus on Mesenchymal Stem Cell.* (B. Setiawan, Ed.) Cermin Dunia Kedokteran , 35, 60.
- Atala, A., & Lanza, R. (Eds.). (2012, September). *Handbook of Stem Cells.* Elsevier.
- Bunnel, B. A., Flaat, M., Gagliardi, C., Patel, B., & Ripoll, C. (2008). *Adipose-derived Stem Cells: Isolation, Expansion and Differentiation.* NCBI .
- Castracane, V. D., & Henson, M. C. (Eds.). (2006). *Leptin.* 280.
- Champbell, N.A.; Reece , J.B.; Mitchell, LG. 2005. *Biology.* 7th ed.San Fransisco: Pearson Benjamin Cummings
- Choy, L., Skillington, J., & Derynck, R. (2005). *Roles of autocrine TGF-beta receptor and Smad signaling in adipocyte differentiation.* J Cell Biol , 149:667–682.
- Cryer, A., & Van, R. L. (Eds.). (2014). *New Perspective in Adipose Tissue: Structure, Function, and Development.* England: Butterworths.
- Diez, J. M., Bauman, E., Gajardo, R., & Jorquera, J. I. (2015). *Culture of Human Mesenchymal Stem Cells Using A Candidate Pharmaceutical Grade Xeno-Free Cell Culture Supplement Derived from Industrial Human Plasma Pools.* Stem Cell Research and Therapy.
- Dominici, M., Le Blanc, K., Mueller, I., Slaper-Cortenbach, I., Marini, F., Krause, D., et al. (2006). *Minimal Criteria for Defining Multipotent Mesenchymal Stromal Cell. The International Society for Cellular therapy Position Statement.* NCBI.
- Even, M., Sandusky, C., & Barnard, N. (2006). *Serum-free hybridoma culture: ethical, scientific and safety considerations.* Trends Biotechnol , 24:105–108.
- Felicia, N., Boucher, S., Koh, S., Sastry, K. S., Chase, L., Lakshmipathy, U., et al. (2008). *PDGF, TGF- β , and FGF signaling is important for differentiation and growth of mesenchymal stem cells (MSCs): transcriptional profiling can identify markers and signaling pathways important in differentiation of MSCs into adipogenic, chondrogenic, and oste.* Blood , 112 (2).

- Fisher. (2014). *Growth Comparison Studies Between FBS and Other Serum Products*. fishersci . www.thermofisher.com
- Fjaere, E., Aune, U. L., Roen, K., Keenan, A., Ma, T., Borkowski, K., et al. (2014). *Indomethacin Treatment Prevents High Fat Diet-Induced Obesity and Insulin Resistance* . Journal of biological chemistry .
- Ghoniem, A. A., Acil, Y., Wiltfang, J., & Gierloff, M. (2015, June). *Improved Adipogenic in Vitro Differentiation: Comparison of Different Adipogenic Cell Culture Media on Human Fat and Bone Stroma Cells for Fat Tissue Engineering*. Anatomy and Cell Biology .
- Gomperts, B. D., Kramer, I. M., & Tatham, P. E. (2009). *Signal Transduction* (2nd ed.). Burlington, USA: Elsevier.
- Granner, D. K. Kerja Hormon & Transduksi Sinyal. In R. Murray, D. Granner, V. Rodwell, N. Wulandari, L. Randy, L. Dwijayanthi, Lienna, F. Dany, & L. Y. Rahman (Eds.), *Biokimia Harper* (B. Pendit, Trans., 27 ed.). Jakarta: EGC.
- Hagmann, S., Moradi, B., Frank, S., Dreher, T., Kammerer, P. W., Richter, W., et al. (2013). *Different Culture Media Affect Growth Characteristics, Surface Marker Distribution and Chondrogenic Differentiation of Human Bone Marrow-Derived Mesenchymal Stromal Cells*. BMC Musculoskeletal Disorder
- Halim, D., Murti, H., Sandra, F., Boediono, A., Djuwantono, T., & Setiawan, B. (2010). *Stem Cell: Dasar Teori dan Aplikasi Klinis*. Jakarta: Erlangga.
- Hu, Y., Ji, J., Ji, X., et al., (2012). *An in vitro comparison study: The effects of fetal bovine serum concentration on retinal progenitor cell multipotentiality*. Neuroscience Letter.
- Huang, F., & Chen, Y.-G. (2012). *Regulation of TGF- β receptor activity*. Cell & Bioscience , 2-9.
- Jain, S., & Yadav, H. (2015). *In vitro Adipocytes Differentiation* . NCBI .
- Kadegowda, A. K., Bionaz, M., Piperova, L. S., Erdman, R. A., & Loor, J. J. (2009, September). *Peroxisome proliferator-activated receptor-gamma activation and long-chain fatty acids alter lipogenic gene networks in bovine mammary epithelial cells to various extents*. Journal of Dairy Science .
- Kakudo, N., Shimotsuma, A., Kusumoto, K. (2007). *Fibroblast growth factor-2 stimulates adipogenic differentiation of human adipose-derived stem cells*. Biochemical and Biophysical Research Communications, 239-244.

- Knudsen, M., Bury, M., Holwegner, C., Reinhardt, A. L., Yuan, F., Zhang, Y., et al. (2015). *Effect of Dexamethasone Prodrug on Inflamed Temporomandibular Joints in Juvenile Rats*. *Arthritis Research and Therapy*.
- Kwon, D., Kim, J.S., Cha, B.H., et al. (2015). *The Effect of Fetal Bovine Serum on Efficacy of Cellular Reprogramming for Induced Pluripotent Stem (iPS) Cells Generation*. *Cell Transplant*.
- Ma, X.-L., Que, Y.-H., Kong, J., Liu, H.-Q., & Zhang, J.-S. (2009). *Effect of Fetal Bovine Serum on the proliferation and Differentiation of Murine Corneal Epithelial Cells in vitro*. *International Ophtalmological Journal*, 2, 298-301.
- Marks, F., Klingmuller, U., & Decker, K. M. (2009). *Cellular Signal Processing*. New York, USA: Garland Science Informa.
- Marr, R. A., Thomas, R. M., & Peterson, D. A. (2010). *Insights Into Neurogenesis and Aging: Potential Therapy for Degenerative Disease*. NCBI.
- Massagué, J., Seoane, J., & Wotton, D. (2005). *Smad transcription factors*. *Genes Dev*, 19:2783–2810.
- Mikami, Y., Lee, M., Irie, S., & Honda, M. J. (2011). *Dexamethasone modulates osteogenesis and adipogenesis with regulation of osterix expression in rat calvaria-derived cells*. *J Cell Physiology*.
- Mills, J. A. (2007). *Cytokine and Growth Factor Networks Associated with Epidermal-Mesenchymal Cell During Keratinocyte-Stem Cell Growth in Bovine Claw*.
- Moseley, Timothy A.; Zhu, Min; Hedrick, Marc. (2006). *Adipose-Derived Stem and Progenitor Cells as Fillers in Plastic and Reconstructive Surgery*. *Plastic and Reconstructive Surgery Journal of the American Society of Plastic Surgeons*, 121S-128S.
- Moustakas, A., & Heldin, C. (2005). *Non-Smad TGF-beta signals*. *J Cell Sci*, 118:3573–3584.
- Navarrete, J. M., & Real, J. M. (2012). *Adipocyte Differentiation*. (M. Symonds, Ed.) *Adipose Tissue Biology*, 1-38.
- Niemala, S., Miettinen, S., Sarkanen, J. R., & Asammakhi, N. (2008). *Adipose Tissue and Adipocyte Differentiation: Molecular and Cellular Aspects and Tissue Engineering Applications*. *Topics in Tissue Engineering*, 4, 1-26.

- Ohta, H., Itoh, N. (2014). *Roles of FGFs as Adipokines in Adipose Tissue Development, Remodeling, and Metabolism.* Endocrinology.
- Rizatti, V., Boschi, F., Pedrotti, M., Zoico, E., Sbarbati, A., & Zamboni, M. (2013). *Lipid Droplets Characterization in Adipocyte Differentiated 3T3-L1 Cells: Size and Optical Density Distribution.* Europe Journal of Histochemistry , 1-6.
- Rosen, E. D., & MacDougald, O. A. (2006, December). *Adip[ocyte Differentiation from the Inside Out.* Molecular Biology.
- Salma, N., Xiao, H., & Imbalzano, A. N. (2005). *Temporal recruitment of CCAAT/enhancer-binding proteins to early and late adipogenic promoters in vivo.* Journal of Molecular Endocrinology, 1-8
- Schroeder, J. A., Ruta, J. D., Gordon, J. S., Rodrigues, A. S., & Foote, C. C. (2012, June). *The Phosphodiesterase Inhibitor Isobutylmethylxanthine Attenuates Behavioral Sensitization to Cocaine.* Behavioral Pharmacology .
- Scott, M.A., Nguyen, V.T., Levi, B., 2011, Current Methods of Adipogenic Differentiation of Mesenchymal Stem cells, Stem cells Dev, doi: [10.1089/scd.2011.0040](https://doi.org/10.1089/scd.2011.0040)
- Setiawan, B., 2006, *Aplikasi Terapeutik Sel Stem Embrionik pada Berbagai Penyakit Degeneratif*, cdk, 153
- Sigma Aldrich. (2015). *Sigma Aldrich.* Retrieved September 3, 2015, from <http://www.sigmaldrich.com>
- Song, L., Tuan, R.S., 2006, *Transdifferentiation potential of human mesenchymal stem cells derived from bone marrow*, NCBI, 15084518
- Sotiropoulou, P. A., Perez, S. A., Salagini, M., Baxevanis, C. N., & Papamichail, M. (2006). *Characterization of the Optimal Culture Conditions for Clinical Scale Production of Human Mesenchymal Stem Cells.* NCBI.
- Styner, M., Sen, B., Xie, Z., Case, N., & Rubin, J. (2010, Nov). *Indoethacin Promotes Adipogenesis of Mesenchymal Stem Cells Through a Cyclooxygenase Independent Mechanism.* J Cell Biochem .
- Tang, L., & Zhang, Y. (2011). *Non-degradative ubiquitination in Smad-dependent TGF-beta signaling.* Cell Biosci , 1: 43.
- Tsurutani, Y., Fujimoto, M., Takemoto, M., Irisuna, H., Koshizaka, M., Onishi, S., et al. (2011). *The roles of transforming growth factor- β and Smad3 signaling in adipocyte differentiation and obesity.* Biochem Biophys Res Commun , 40.

- Wang, M.-K., Sun, H.-Q., Xiang, Y.-C., & Ji, F. (2012). *Different roles of TGF- β in the multi-lineage differentiation of stem cells*. World J Stem Cells , 4(5): 28–34.
- Wilkes, M., Mitchell, H., Penheiter, S., Doré, J., & Suzu. (2005). *Transforming growth factor-beta activation of phosphatidylinositol 3-kinase is independent of Smad2 and Smad3 and regulates fibroblast responses via p21-activated kinase-2*. Cancer Res , 65:10431–10440.
- Yang, H.Q., Wang, Y.H., Chen, J.X., et al. (2012). *Efficacy of Proliferation of HeLa Cells under Three Different Low-Intensity Red Lasers Irradiation*. International Journal of Photoenergy.
- Yu, S. P., Wei, Z., & Wei, L. (2013). *Preconditioning strategy in stem cell transplantation therapy*. NCBI.
- Zhao, P., Deng, Y., Wang, Y., Zhou, H., Chen, P., Fan, X. (2013). *Insulin-like growth factor 1 promotes the proliferation and adipogenesis of orbital adipose-derived stromal cells in thyroid-associated ophthalmopathy*. Exp Eye Res, 65-73.