

DAFTAR PUSTAKA

1. Halim Danny; Murti Harry; Sandra Ferry; Boediono Arief; Djuwantono Tono; Setiawan Boenjamin. *Stem cell – Dasar Teori & Aplikasi Klinis*. Penerbit Erlangga. 2010.
2. Rantam A. Fedik; Ferdiansyah; Purwati. *Stem cell: Mesenchymal, Hematopoetik, dan model aplikasi*. Edisi kedua. Surabaya: Airlangga University Press (AUP). 2014.
3. Jyh Lai-Jiann; Pao Lai-Kuo; Hsiang Chuang-Kuang; Chang Philip; Chen Yu-I; Jye Lin-Wen; Chang Chawngshang. Monocyte / macrophage androgen receptor supresses cutaneous wound healing in mice by enhancing local TNF- α expression. *J Clin Invest*. 10: 3739-51.
4. Goel Anjana; Kumar Sandeep; Singh Kumar Dilip; Kumar Bhatia Ashok. Wound healing potential of *Ocimum sanctum* Linn. With induction of tumor necrosis factor- α □ *Indian Journal of Experimental Biology*. Vol.48, April 2010, 402-6.
5. Kyungjin Lee; Byonghee Lee; Hwa Lee-Me; Bumjung Kim; Khanita Suman Chinannai; Inhye Ham; Young Choi-Ho. Effect of *Ampelopsis Radix* on wound healing in scalded rats. *BMC Complementary and Alternative Medicine*. 2015, 15:213.
6. Baratawijdjaja G. Karnen, Rengganis Iris, *Imunologi Dasar*. Edisi ke-11, Badan Penerbit FKUI. 2014: 217-85.
7. Rustad KC., Gurtner GC., 2012, “*Mesenchymal Stem cells Home to Sites of Injury and Inflammation*”, *Adv Wound Care (New Rochelle)*; 1(4): 147–152.
8. Takaesu G, Inagaki M, Takubo K, Mishina Y, Hess PR, Dean GA, *et al*. *TAK1 (MAP3K7) signaling regulates hematopoietic stem cells through TNF-dependent and -independent mechanisms*. *PLoS One*. 2012;7.
9. Mei SHJ, Haitisma JJ, Dos Santos CC, Deng Y, Lai PFH, Slutsky AS, *et al*. *Mesenchymal Stem cells Reduce Inflammation while Enhancing Bacterial Clearance and Improving Survival in Sepsis*. *Am J Respir Crit Care Med*. 2010;182:1047–57.
10. Tomchuck, S.L., Zwezdaryk, K.J., Coffelt, S.B., Waterman, R.S., Danka, E.S., and Scandurro, A.B. *Toll-like receptors on human mesenchymal stem cells*

- drive their migration and immunomodulating responses. Stem cells, 2008; 26: 99–107.*
11. Bongso A & Lee EH. *Stem cells: From Bench to Bedside*. Singapore: World Scientific Publishing Co. Pte. Ltd. 2005.
 12. Shenghui H, Nakada D, and Morrison SJ. *Mechanisms of Stem cell Self-Renewal Annu. Rev. Cell Dev. Biol.* 2009.
 13. Aini, N., Setiawan, B., Sandra, F., *Karakteristik Biologis dan Diferensiasi Stem cell: Fokus pada Mesenchymal stem cell*, 2008. cdk,161.
 14. Lagasse, E., Connors, H., Al Dhalimy, M., Reitsma, M., Dohse, M., Osborne, L., Wang, X., Finegold, M., Weissman, I.L., and Grompe, M. *Purified hematopoietic stem cells can differentiate into hepatocytes in vivo. Nat. Med.* 2007. 6, 1229–1234.
 15. Dominici, M., Le Blanc, K., Mueller I, *et.al.*, *Minimal Criteria for Defining Multipotent Stromal Cells. The International Society for Cellular Therapy position statement.*, 2006, NCBI, 16923606.
 16. Dorland, W.A Newman. *Kamus Saku Kedokteran Dorland Ed.28* (Alih Bahasa: Albertus Agung Mahode). Jakarta: EGC. 2011.
 17. Corwin, Elizabeth J. 2009. *Buku Saku Patofisiologi* edisi 3. EGC: Jakarta
 18. Wilmana, P.F., dan Gan, S., 2007. Analgesik-Antipiretik Analgesik Anti-Inflamasi Nonsteroid dan Obat Gangguan Sendi Lainnya. *Dalam: Gan, S.,Setiabudy, R., dan Elysabeth, eds. Farmakologi dan Terapi.* Edisi 5. Jakarta:Departemen Farmakologi dan Terapeutik FK UI, 237-239.
 19. Robbins & V. Kumar. *Robbins Basic Pathology* (7th ed.) (pp33-59). Philadelphia: Elsevier Saunders. 2007.
 20. Mitchell, R.N. & Cotran, R.S. *Acute and chronic inflammation.* Dalam S. L. 2003.
 21. Miyasaka, M. & Tanaka, T. *Lymphocyte trafficking across high endothelial venules: dogmas and enigmas. Nature Reviews. Immunology,* 2004; 360-70.
 22. Tomchuck, S.L., Zvezdaryk, K.J., Coffelt, S.B., Waterman, R.S., Danka, E.S., and Scandurro, A.B. Toll-like receptors on human mesenchymal *stem cells* drive their migration and immunomodulating responses. *Stem cells,* 2008; 26: 99–107.

23. Kholodenko V, Konieva A.A., Kholodenko R.V. dan Yarygin K.N.. *Molecular mechanisms of migration and homing of intravenously transplanted mesenchymal stem cells. Journal of Regenerative Medicine and Tissue Engineering* 2013 **2**:4.
24. Sohni A., Verfaillie C.M., Mesenchymal Stem Cells Migration *Homing* and Tracking. *Stem Cells International*. Volume 2013. 2013. <http://dx.doi.org/10.1155/2013/130763>
25. Paik, J.H.; Ding, Z.; Narurkar, R.; Ramkissoon, S.; Muller, F.; Kamoun, W.S.; Chae, S.S.; Zheng, H.; Ying, H.; Mahoney, J.; *et al.* FoxOs cooperatively regulate diverse pathways governing neural *stem cell* homeostasis. *Cell Stem cell* 2009, *5*, 540–553.
26. Horwitz, E.M., and Dominici, M. How do mesenchymal stromal cells exert their therapeutic benefit? *Cytotherapy*, 2008; *10*: 771–74.
27. Keating, A. *Mesenchymal stromal cells: new directions. Cell Stem Cell* *10*, 709–716. 2012.
28. Dimmeler S, Zeiher AM, Schneider MD. Unchain my heart: the scientific foundations of cardiac repair. *J Clin Invest*. 2005;115:572–583.
29. Radji, M. 2010. Buku Ajar Mikrobiologi Panduan Mahasiswa Farmasi dan Kedokteran. Jakarta: EGC.
30. Chang, Y. H. *et al.* Bone marrow transplantation rescues intestinal mucosa after whole body radiation via paracrine mechanisms. *Radiother. Oncol.* *105*, 371–377 (2012).
31. Chen H, Min X.H, Wang Q.Y, Leung F.W, Shi L, Zhou Y. Pre-activation of mesenchymal *stem cells* with TNF- α , IL-1 β and nitric oxide enhances its paracrine effects on radiation-induced intestinal injury. *Scientific Reports* **5**, Article number: 8718. 2015.
32. Gharibi B, Ghuman M.S., Hughes F.J., Akt- and Erk-mediated regulation of proliferation and differentiation during PDGFR β -induced MSC self-renewal, *J Cell Mol Med.*; *16*(11): 2789–2801. 2012.
33. Cuschieri J., Maier RV., 2005, “Mitogen-activated protein kinase (MAPK)”, *Crit Care Med.*; *33*:S417–S419.
34. Ries K, Nakada D, and Morrison SJ. 2009. *Mechanisms of Stem cell Self-Renewal Annu. Rev. Cell Dev. Biol*

35. Jyh Lai-Jiann; Pao Lai-Kuo; Hsiang Chuang-Kuang; Chang Philip; Chen Yu-I; Jye Lin-Wen; Chang Chawmshang. Monocyte / macrophage androgen receptor supresses cutaneous wound healing in mice by enhancing local TNF- α expression. *J Clin Invest.* 10: 3739-51.
36. Goel Anjana; Kumar Sandeep; Singh Kumar Dilip; Kumar Bhatia Ashok. Wound healing potential of *Ocimum sanctum* Linn. With induction of *tumor necrosis factor- α* *Indian Journal of Experimental Biology.* Vol.48, April 2010, 402-6.
37. Kyungjin Lee; Byonghee Lee; Hwa Lee-Me; Bumjung Kim; Khanita Suman Chinannai; Inhye Ham; Young Choi-Ho. Effect of *Ampelopsis Radix* on wound healing in scalded rats. *BMC Complementary and Alternative Medicine.* 2015, 15:213.
38. Pricola KL, Kuhn NZ, Smith H.H., Song Y., Tuan R.S., Interleukin-6 Maintains Bone Marrow-Derived Mesenchymal *Stem cell* Stemness by an ERK1/2-Dependent Mechanism. *J Cell Biochem.* 2009 Oct 15; 108(3): 577–588.
39. Humphrey RK, Beattie GM, Lopez AD, Bucay N, King CC, Firpo MT, Rose-John S, Hayek A. Maintenance of pluripotency in human embryonic *stem cells* is STAT3 independent. *Stem cells.* 2004;22:522–30.
40. Dimitrios T, Theodoros V. Molecular Mechanisms of Action of Interleukin-6 (IL-6). *PNEUMON .* 2007 ; Number 2, Vol. 20.
41. Gu Y., He M., Zhou X., Liu J., Hou N., Bin T., et al., Endogenous IL-6 of mesenchymal *stem cell* improves behavioral outcome of hypoxic-ischemic brain damage neonatal rats by supressing apoptosis in astrocyte. *Scientific Reports* 6, Article number: 18587. 2016.
42. Cancer Chemoprevention Research Center Farmasi UGM, 2009, Pengamatan Ekspresi Protein Dengan Metode Imunositokimia.
43. Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/AF4117.
44. Granick MS., Gamelli RL. 2007. *Surgical Wound Healing and Management.* New York: Informa.
45. Tseng WP, Su CM, Tang CH. 2010. FAK activation is required for TNF-alpha-induced IL6 production in myoblasts. *J Cell Physiol.* 2010 May;223(2):389-96. doi: 10.1002/jcp.22047.

46. Tanabe K, Nishiwaki RM, Yamaguchi S, Iida Hal, Dohi S, Kozawa O. 2010. Mechanisms of *tumor necrosis factor- α* -induced interleukin-6 synthesis in glioma cells. *J Neuroinflammation*; 7: 16.
47. Alsaffar H, Martino N, Lowery A, Adam A, Vincent P, 2015, IL6 is Part of an Autocrine Loop in TNF- α /SFK Induced Increase in Endothelial Monolayer Permeability. *The FASEB Journal* vol. 29 no. 1 Supplement 763.
48. Eissner G., Kolch W., Scheurich P., Ligands working as receptors: reverse signaling by members of the TNF superfamily enhance the plasticity of the immune system. *Cytokine Growth Factor Rev*, 15 (2004), pp. 353–36.
49. Watts A.D., Hunt N.H., Wanigasekara Y., Bloomfield G., Wallach D., Roufogalis B.D., *et al.* A casein kinase I motif present in the cytoplasmic domain of members of the tumour necrosis factor ligand family is implicated in ‘reverse signalling’. *EMBO J*, 18; 1999. pp. 2119–2126.
50. Xin L.W.J., Zhang H., Shi W., Yu M., Li Q., Jiang X., *et al.* Dual regulation of soluble tumor necrosis factor- α induced activation of human monocytic cells via modulating transmembrane TNF- α -mediated ‘reverse signaling’. *Int J Mol Med*, 18. 2006. pp. 885–892.
51. Eissner G., Kirchner S., Lindner H., Kolch W., Janosch P., Grell M., *et al.* Reverse signaling through transmembrane TNF confers resistance to lipopolysaccharide in human monocytes and macrophages. *J Immunol*, 164 2000. pp. 6193–6198
52. Sedger L.M., McDermott M.F., TNF and TNF-receptors: From mediators of cell death and inflammation to therapeutic giants – past, present and future. *Cytokine & Growth Factor Reviews*. Volume 25, Issue 4, August 2014, Pages 453–472.
53. Zhang H., Yan D., Shi X., Liang H., Pang Y., Qin N., *et al.* Transmembrane TNF- α mediates “forward” and “reverse” signaling, inducing cell death or survival via the NF- κ B pathway in Raji Burkitt lymphoma cells. *J Leukoc Biol*, 84 (2008), pp. 789–797.
54. Egea V, Baumgarten LV, Schichor C, Berninger B, Popp T, Neth P, Goldbrunner R, 2011, TNF- α respecifies human mesenchymal *stem cells* to a neural fate and promotes migration toward experimental glioma, *Cell Death Differ*; 18(5): 853–863.
55. Böcker W, Docheva D, Prall WC, Egea V, Pappou E, Rossmann O, Popov C, Mutschler W, Ries C, Schieker M., 2008. IKK-2 is required for TNF- α -

induced invasion and proliferation of human mesenchymal *stem cells*. *J Mol Med (Berl)*.;86(10):1183-92.

56. Huang J.R., Seasholtz T.M., Chang J.W., *et al.*, *Tumor necrosis factor- α -stimulated Cell Proliferation Is Mediated through Sphingosine Kinase-dependent Akt Activation and Cyclin D Expression*. January 12, 2007 *The Journal of Biological Chemistry*, 282, 863-870.
57. Velazquez OC. 2007. Angiogenesis and vasculogenesis: Inducing the growth of new blood vessels and wound healing by stimulation of bone marrow-derived progenitor cell mobilization and *homing*. *J VascSurg*; 45: 39-47.