

TABLE OF CONTENTS

	Page
COVER	i
APPROVAL PAGE	ii
DECLARATION	iii
PREFACE	iv
TABLE OF CONTENTS	vi
LIST OF FIGURE	ix
LIST OF TABLE	xi
ABSTRACT	xii
ABSTRAK	xiii
I. INTRODUCTION	1
1.1. Background	2
1.2. Problem Statement	3
1.3. Research Objective	3
1.4. Contribution	4
1.5. Thesis Organization	5
II. LITERATURE REVIEW	6
2.1. Definition of Oscilloscope	6
2.1.1. Kinds of Signals	8
2.1.2. Classification of Signal	16
2.1.3. Alternating Signal and Digital Signals	19
2.1.4. General Concept for Principle Taking Samples	20
2.1.5. Theory of Generating Samples	20
2.2. Definition Computer	23
2.3. Feedback	25
2.3.1. Basic Principals	25

2.3.2. Voltage-Sample Current-Sum Feedback	27
2.3.3. Voltage-Sample Voltage-Sum Feedback	28
2.3.4. Current-Sample Current-Sum Feedback	29
2.3.5. Current-Sample Voltage-Sum Feedback	30
2.4. Operational Amplifier	32
2.5. Oscillators	33
2.5.1. One Harmonic Oscillator	34
2.5.2. Multi-Harmonic Oscillators	37
2.5.3. Principle of Oscillator Work	40
2.5.4. Read to Frequency, Amplitude, and Period from Oscilloscope.....	42
2.6. Programming Part for the System	43
2.7. A General Diagram for the System	44
III. RESEARCH METHOD	50
3.1. Type of Study	50
3.2. Identification of Research Variable	51
3.2.1. Independent Variable	51
3.2.2. Dependent Variable	51
3.2.3. Control Variables	52
3.3. The Generator “DAC”	52
3.4. Filter of Signal	53
3.5. Amplifier of Programmer Signal	55
IV. RESULTS AND DISCUSSIONS	57
V. CONCLUSIONS	63
5.1. Conclusions.....	63
5.2. Suggestion.....	63

REFERENCES	64
APPENDIX	65

LIST OF FIGURE

Figure 2.1 Sine Wave	9
Figure 2.2 Square Wave	10
Figure 2.3 Rectangular Wave	12
Figure 2.4 Ramp Wave	13
Figure 2.5 Saw Tooth Wave	14
Figure 2.6 Sweep Wave	14
Figure 2.7 Exponential Wave	15
Figure 2.8 Random Wave	16
Figure 2.9 A. Limited Time Signal, B. Limited Frequently Range Signal	18
Figure 2.10 A. Low Frequent Signal, B. Middling Frequent Signal	18
Figure 2.11 A. Continual Signal, B. Interrupted Signal	19
Figure 2.12 A. Signal $X(t)$, B. Sampling Function, C. Sampled Signal	22
Figure 2.13 Case Diagram for Ideal Feedback Amplifier	27
Figure 2.14 Case Diagram for Parallel Feedback Network – Parallel	28
Figure 2.15 Case Diagram for Feedback Network Sequence –Parallel	29
Figure 2.16 Parallel – Sequence Feedback Network	30
Figure 2.17 Sequence- Sequence Feedback Formation	31
Figure 2.18 General Form of Operational Amplifier	32
Figure 2.19 Operating Diagram of Operational Amplifier	33
Figure 2.20 Amplifier and Oscillator (A) non Inverting Amplifier (B) Wien Bridge Oscillator	34
Figure 2.21 Hartley Oscillator	35
Figure 2.22 Colpits Oscillator	36
Figure 2.23 Clapp Oscillator	36
Figure 2.24 Explains Two Output Signals for this Kind of Oscillators	38
Figure 2.25 Explains Two Output Signals for this Kind of Oscillator	39
Figure 2.26 Explains Two Output Signals for this Kind of Oscillator	40

Figure 2.27 Diagram at Oscillators Work	41
Figure 2.28 Oscilloscope Device	42
Figure 2.29 Division of the Wave	42
Figure 2.30 Time /div	42
Figure 2.31 Peak to Peak	43
Figure 2.32 Volts/div	43
Figure 3.6 Form Interface Program	45
Figure 3.7 Deriving of a Triangular Wave	46
Figure 3.8 Flowchart of the Program	49
Figure 3.1 Block Diagram for the System	50
Figure 3.2 Generator DAC	53
Figure 3.3 Low Passing Filter	54
Figure 3.4 Amplifier of Programming Signal	55
Figure 3.5 Planned Electronic System	56
Figure 4.1 Sine Wave, Frequency 2500 Hz, Amplitude 10 V	58
Figure 4.2 Triangular Wave, Frequency 2500 Hz, Amplitude 10 V	59
Figure 4.3 Triangular Wave, Frequency 2500 Hz, Amplitude 10 V	61

LIST OF TABLE

Table 4.1 Sine Wave Test	58
Table 4.2 Triangular WaveTest	59
Table 4.3 Square WaveTest	61