

DAFTAR PUSTAKA

- Aini, Qurrotul. 2016. Uji Aktivitas Antioksidan Antara Fraksi Etil Asetat dan Etanol dari Ekstrak Etanolik Daun Kopi Robusta (*Coffea canephora Peirre ex Froehner*), Skripsi, Fakultas Kedokteran Program Studi Farmasi Universitas Islam Sultan Agung Semarang.
- Aniszewski., 2007, Alkaloids Secrets of Life Alkaloid Chemistry, Biological Significance, Applications and Ecological Role, *Research and Teaching Laboratory of Applied Botany Faculty of Biosciences University of Joensuu, Finland.*
- Anuraga and A. Sofyan., 2008, Penentuan Aktivitas Biologis Tanin Beberapa Hijauan Secara in Vitro Menggunakan ‘Hohenheim Gas Test’ dengan Polietilen Glikol Sebagai Determinan, *Media Peternakan*, 31(1)
- Apaka, R., Guclu, K., Demirata,B., Ozyurek, M., Celik, S.E., Bektasoglu, B. K., Berker, I., and Ozyurt, D., 2007. Comparative Evaluation of Various Total Antioxidant Capacity Assays Applied to Phenolic Compounds with The CUPRAC Assay, *Molecules*, 12, 1496-1547.
- Arullappan, S., Rajamanickam, P., Thevar, N., Narayanasamy, D., Yee, H. Y., Kaur, P., and Mahandan, M., 2015. Cytotoxic Effect and Antioxidant Activity of Bioassay-guided Fractination from Solanum nigrum Extracts, *Trop. J. Pharm. Res.*
- BPOM RI., 2010, *Acuan Sediaan Herbal*, volume kelima edisi pertama, Jakarta: direktorat OAI.
- BPOM RI., 2004, Monografi Ekstrak Tumbuhan Obat Indonesia, Volume 1, 51-54, 114-117, BPOM, Jakarta.
- Chanda, S. and Dave, R., 2009, In Vitro Modeles for antioxidant activity Evaluation Some Medical Plants Possesing Antioxidant Properties : An Overview. *Afr. J. Microbiol. Res.*, 3(13)
- Clement, J., 2005. Studies of Bioactive Natural Product and Mechanism-Based Bioassay, Doctoral Thesis, University of Virginia.
- Cutignano, A., Nuzzo, G., Ianora, A., Luongo, E., Romano, G., Gallo, C., Sansone, C., Apea, S., Mancini, F., D'oro, U., and Fontana, A., 2015. Development and Application of a Novel SPE-Method for Bioassay-Guided Fractionation of Marine Extract, *Mar. Drugs*, 13, 5736-5749.

- Departemen Kesehatan RI., 2008, *Profil Kesehatan Indonesia*. Jakarta.
- Es-Safi., Ghidouche., Ducrot., 2007, Flavonoids: Hemisynthesis, Reactivity, Characterization And Free Radical Scavenging Activity, *Molecule*, 12 (9).
- Gandjar, Ibnu G., dan Rohman, A., 2012, *Kimia Farmasi Analisis*, Pustaka Pelajar, Yogyakarta.
- Gani, I., Amalia, S, 2015, *Aplikasi Statistik untuk Penelitian Bidang Ekonomi dan Sosial*, Penerbit ANDI, Yogyakarta.
- Handa, S.S., Khainuja, S.P.S., Longo, G., Rakesh, D.D. 2008. Extraction Technologies for Medicinal and Aromatic Plants. Trieste: International Centrefor Science and High Technology.
- Handajani, Betty, and Herti, 2010.Faktor-faktor yang Berhubungan dengan Pola Kematian.*Buletin Penelitian Sistem Kesehatan*, 13(1).
- Hajnos, M.W., Sherma, J., 2011.High performance liquid chromatography in phytochemical analysis, Boca Raton, CRC Press
- Heinrich, M., Barnes, J., Gibbons, S., and Williamson, E. M., 2012. Fundamentals of Pharmacognosy and Phytotherapy, 2nd edition, Elsevier Ltd., British.
- Hulupi R, Martini E., 2013, Pedoman budi daya dan pemeliharaan tanaman kopi di kebun campur, Bogor, *Indonesia: World Agroforestry Centre* (ICRAF) Southeast Asia Regional.
- Irianti, T., Puspitasari, A., Suryani, E., 2011, Aktivitas Penangkapan Radikal 2,2-Difenil-1-Pikrihidrazil Oleh Ekstrak Etanolik Batang Brotowali (*Tinospora crispa* (L.) Miers) dan Fraksi-Fraksinya, *Majalah Obat Tradisional*.
- Irwan., Noer., Rusdiana., 2007, Uji Aktivitas Ekstrak Saponin Fraksi N-Butanol Dari Kulit Batang Kemiri (*Aleurites Moluccana Willd*) Pada Larva Nyamuk Aedes Aegypti, *Sains dan Terapan Kimia*, 1(2), 93 – 101
- Javaid, A., and Munir, R., 2012. Bioassay Guided Fractionation of Witahnia somnifera for the Management of Ascochyta rabiei, *Int. J. Agricr. Biol.*
- Jayanti, N.W., Astuti, M.D., Komari, N., dan Rosyidah, K., 2012, Isolasi dan Uji Toksisitas Senyawa Aktif dari Ekstrak Metilena Klorida (Mtc)

- Lengkuas Putih (*Alpinia galanga* (L)Willd), *Chem. Prog.* Vol. 5, No.2. Program Studi Kimia Fakultas MIPA Universitas Lambung Mangkurat
- Kadare, Sagar B. 2011. Genesis and Development of DPPH Method of Antioxidant assay. *Journal of Food Science and Technology*.
- Khopkar, S. M., 2008, *Konsep Dasar Kimia Analitik*, Jakarta : UI-Press.
- Kosela, S., 2010, *Cara Mudah dan Sederhana Penetuan Struktur Molekul Berdasarkan Spektra Data (NMR, Mass, IR, UV)*. Jakarta: Lembaga Penerbit FE UI.
- Kristanti, Alfinda Novi, Nanik Siti Aminah, Mulyadi Tanjung, dan Bambang Kurniadi, 2008. *Buku Ajar Fitokimia*, Airlangga University Press, Surabaya.
- Lin, H.C., Tsai, S.H., Chen, C.S., Chang, Y.C., Lee, C.M., Lai, Z.Y, Lin.,C.M.. 2008. Structure–activity relationship of coumarin derivatives on xanthine oxidase-inhibiting and free radical-scavenging activities. *Biochemical Pharmacology*, 75, 1416-1425.
- Lind, D.A., Marchal, W.G., Wathen, S.A., 2008, *Statistical Techniques in Business and Economics with Global Data Sets 13th ed*, McGraw-Hill Companies, Inc.
- Marks. 2007.Biokimia Kedokteran Dasar Edisi 2. Lippincott Williams and Wilkins, penerjemah. Jakarta: Buku Kedokteran EGC. Terjemahan dari :*Basic Medical Biochemistry: A Clinical Approach*.
- Melodita, R., 2011, Identifikasi Pendahuluan Senyawa Fitokimia dan Uji Aktivitas Antioksidan Ekstrak Daun Cincau Hitam Dengan Perlakuan Jenis Pelarut.Skripsi. Fakultas Teknologi Pertanian. Universitas Brawijaya. Malang.
- Molyneux, P. 2004. The use of the stable free radical diphenylpicryl-hydrazyl (DPPH) for estimating antioxidant activity. *Journal of Science and Technology*, 26(2), 211-219.
- Mulyadin, 2012, Uji Efek Ekstrak Etanol 70% Daun Belimbing Wuluh (*Alverrhoa bilimbi L*) Tarhadapan Kadar Glukosa Darah Tikus Putih Jantan Galur Wistar. Surakarta, FKUMS.
- Nayeem, Naira., Gladys Denny., Shalini Kapoor Mehta, 2011. Comparative Phytochemical Analysis, Antimicrobial and Antioxidant Activity of

- The Methanolic Extracts of The Leaves of *Coffea Arabica* and *Coffea Robusta*. *Der Pharmacia Lettre*, 3(1), 292-297
- Ndip, R. N., Ajonglefac, A. N., Wirna, T., Luma, H. N., Wirmum, C., and Efange, S. M. N., 2009. In-vitro Antimicrobial Activity of Ageratum conyzoides (Linn) on Clinical Isolates of Helicobacter pylory, *Afr. J. Pharm. Pharmacol.*, 3(11), 585-592.
- Nurkhakim, Yusnu & Sri ., 2014, Perkebunan Kopi Skala Kecil Cepat Panen, Infra Pustaka, Depok.
- Ode, O. J., Asuzu, I. U., and Ajayi, I. E., 2011. Bioassay-Guided Fractionation of the Crude Methanol Extract of Cassia singueana Leaves, *J. Adv. Scient. Res.*, 2(4), 81-86.
- Otsuka, H., 2006, Purification by Solvent Extraction Using Partition Coefficient, *In:*
- Priyanto, duwi, 2010, SPSS :Paham Analisa Sytatistik Data dengan SPSS, Mediakom, Yogyakarta.
- Rahardjo, Pudji., 2012, *Panduan Budidaya dan Pengolahan Kopi Arabika dan Robusta*, Penebar Swadaya, Jakarta.
- Reynertson, K.A. 2007. Phytochemical analysis of bioactive constituents from edible Myrtaceae fruit. Dissertation. New York: The City University of New York.
- Rijke E., 2005, Trace-level Determination of Flavonoids and Their Conjugates Application ti Plants of The Leguminosae Family., *Disertasi*, Amsterdam, Universitas Amsterdam Suwarto dan Octavianty, Y., 2010, Budi Daya 12 Tanaman Perkebunan Unggulan, Penebar Swadaya, Jakarta.
- Rohman, A., 2007. *Kimia Farmasi Analisis*. Cetakan Pertama, Pustaka Pelajar, Yogyakarta
- Rohman, A., 2009, *Kromatografi Untuk Analisis Obat*, Graha ilmu, Yogyakarta.
- Salamah, N., Widyasari, E., 2015, Aktivitas Antioksidan Ekstrak Metanol Daun Kelengkeng (*Euphorbia Longan* (L) Steud.) Dengan Metode Penangkapan Radikal 2,2-Difenil-1-Pikrihidrazil, *Pharmaciana*.

- Samidurai, K., and Mathew, N., 2014. Bioassay Guided Fractionation and GC-MS Analysis of Euphorbia lacteal Extract for Mosquito Larvicidal Activity, *Int. J. Pharm. Pharm. Sci.*
- Santongaun,W., R. Assawarachan, and A. Noomhorm., 2011, The Influence of Drying Temperature and Extraction Method on Mangostin in Mangosteen Pericarp, *J Food Sci Eng.*
- Santoso, Singgih, 2010, *Statistik Non Parametrik Konsep dan Aplikasi dengan SPSS*, PT. Elex Media Komputindo, Jakarta.
- Sarker, S. D., and Nahar, I., 2012. *Natural Product Isolation*, 3thed, Humana Press, New York, United States.
- Si, W., Gong, J., Tsao, R., Kalab, M., Yang, R., and Yin, Y., 2006. Bioassay-guided Purification and Identification of Antimicrobial Components in Chinese Green Tea Extract, *J. Chromatogr. A.*, 1125, 204-210.
- Sjogren, J., 2005. Bioassay-Guided Isolation and Characterisation of Antifungal Metabolites, *Doctoral Thesis*, University of Agricultural Science, Swedish.
- Sule, A., Ahmed, Q. U., Sammah, O. A., Omar, M. N., Hassan, N. M., Kamal, L. Z. M. and Yarmo, M. A., 2011. Bioassay Guided Isolation of Antibacterial Compounds from Andographidis paniculata, *Am. J. Applied Sci.*
- Suwarto dan Octavianty, Y., 2010, *Budi Daya 12 Tanaman Perkebunan Unggulan*, Penebar Swadaya, Jakarta.
- Tobo, F., Mufidah., Taebe, B., Mahmud, A.I., 2001, Buku *Pegangan Laboratorium Fitokimia I*, UNHAS, Makassar.
- Tonnesen, H.H. and Karlsen, J., 1985, Studies on Curcumin and Curcuminoids: V. Alkaline Degradation of Curcumin, *Lebenum Uniers Forch.*
- Wang, Kan., 2006. Agrobacterium protocols. Edisi 2. Totowa New Jersey. Humana press inc.
- Watson, D. G., 1999. *Pharmaceutical Analysis*, Harcourt Publisher, London, p.313-327.