

## DAFTAR PUSTAKA

- Alhabisy, D. F., Suryanto, E., Wewengkang, D. S. 2014. Aktivitas Antioksidan dan Tabir Surya pada Ekstrak Kulit Buah Pisang Gorojo (*Musa acuminate L.*). *Jurnal IlmiahFarmasi*, 3(2) :107-114.
- Ansel, H.C. (2005). Pengantar Bentuk Sediaan Farmasi. Edisi Keempat. Penerjemah: Farida Ibrahim. Jakarta: Penerbit Universitas Indonesia. Hal. 162-163, 357-389
- Baratawidjaja, K. 1993. Penyakit alergi. Yayasan Penerbit IDI. Jakarta.
- Boscoe F. P., Schymura M. J. (2006) Solar ultraviolet-B exposure and cancer incidence and mortality in the United States, 1993–2002. *BMC Cancer* 6, 264–272
- Bratawidjaya KG. Reaksi hipersensitivitas. Dalam : Imunologi Dasar. Edisi ke-7. Jakarta. Balai penerbit FKUI.2006
- Buckley ,WallsAF. Identification of mastcellsand mast cell subpopulations. *Methods Mol Med.* 2008;138:285-97. doi: 10.1007/978-1-59745-366-0\_24.
- Byrne S. N., Limon-Flores A. Y., Ullrich S. E. (2008) Mast cell migration from the skin to the draining lymph nodes upon ultraviolet irradiation represents a key step in the induction of immune suppression. *J. Immunol.* 180, 4648–4655
- Citramukti, I., (2008), Ekstraksi dan Uji Kualitas Pigmen Antosianin Pada Kulit Buah Naga Merah (*Hylocereus costaricensis*), (Kajian Masa Simpan Buah dan Penggunaan Jenis Pelarut), Skripsi Jurusan THP Universitas Muhammadiyah Malang, Malang
- D'Orazio J, Jarrett S, Amaro-Ortiz A, et al. UV Radiation and the Skin. *Int J Mol Sci.* 2013;14:12222–12248.
- Endoh, I .Ultraviolet B irradiation selectively increases the production of interleukin-8 in human cord blood-derived mast cells. *Clin Exp Immunol.* 2007 Apr; 148(1): 161–167.doi: 10.1111/j.1365-2249.2007.03332.x
- Gunawijaya, F. A. 1994. Jaringan penyambung. Buku Teks Histologi jilid I. Binarupa Aksara. Jakarta. 169 – 70.
- Herawati N. 2013. Formulasi Ekstrak Kulit Buah Naga Merah (*Hylocereus polyrhizus*), Rosella dan Buah Salam pada Pembuatan Minuman Alami.” Belum Diplublikasikan. Jember: Fakultas Teknologi Pertanian Universitas Jember.

Jaafar, Ali, R., Nazri, M., dan Khairuddin, W., 2009, Proximate Analysis of Dragon Fruit (*Hylecereus polyhizus*), American Journal of Applied Sciences, 6 : 1341-134

Jalal, E. A. 1998. Mast cell konsep baru tentang ciri morfologik dan fungsinya. Jurnal Kedokteran Yarsi. 6 ( 3 ): 28 – 40.

Junqueira,LC., 2007. Persiapan jaringan untuk pemeriksaan mikroskopik. Histology Dasar: teks dan atlas. Edisi 10. Jakarta : EGC. 3 – 5.

Kaempe, H., Suryanto, E. & Kawengian, S., 2013, Potensi Ekstrak Fenolik Buah Pisang Goroho (*Musa Spp.*) Terhadap Gula Darah Tikus Putih (*Rattus norvegicus*), Chem. Prog.,6 (1), 6-10

Kalesnikoff J<sup>1</sup>, Galli SJ. New developments in mast cell biology. Nat Immunol. 2008 Nov;9(11):1215-23. doi: 10.1038/ni.f.216.

Kalinski, P., Muthuswamy, R., Urban, J., 2013. Dendritic cells in cancer immunotherapy: vaccines and combination immunotherapies. Expert Rev. Vaccines 12, 285-295.

Kelly, D.A., Seed, P.T., Young, A.R., Walker, S.L. A commercial sunscreen's protection against ultraviolet radiation-induced immunosuppression is more than 50% lower than protection against sunburn in humans. J Invest Dermatol. 2003;120:65–71

Kosmadaki, M.G., Gilchrest, B,A,. 2004. The role of telomeres in skin aging/ photoaging. Micron 35:155

Kristanto. 2008. Buah Naga Pembudidayaan di Pot dan di Kebun. Penebar Swadaya. Jakarta.

Kullavanijaya, P., Lim, H.W. Photoprotection. J Am Acad Dermatol. 2005;52:937–958 (quiz 59-62).

Li Chen Wu, Hsiu-Wen Hsu, Yun-Chen Chen, Chih-Chung Chiu, Yu-In Lin and Annie Ho . 2005. Antioxidant And Antiproliferative Activities Of Red Pitaya . Department of Applied Chemistry, National Chi-Nan University, Nomor 1 University Road, Puli, Nantou, 545 Taiwan

Middleton E Jr, Kandaswami C, Theoharides TC.The effects of plant flavonoids on mammalian cells: implications for inflammation, heart disease, and cancer. Pharmacol Rev. 2000 Dec;52(4):673-751.

Moyal D, FountainierA. 2004 . Acute and chronic effects of UV on skin. In : Rigel DS, Weiss RA, Lim HW, Dover JS, eds. Photoaging. New York : Marcel Dekker, pp. 15-32

Nazaruddin, R. N, Norziah, S. M. I., dan Zainudin, M. 2011. Pectins from Dragon Fruit (*Hylocereus polyrhizus*) Peel. Malays. Appl. Biol. 40 (1): 19-23

- Nurliyana, R., Syed Zahir, I., Mustapha Suleiman, K., 'Aisyah, M. R. and Kamarul Rahim, K. 2010. Antioxidant study of pulps and peels of dragon fruits: A comparative study. International Food Research Journal, 17: 367-375
- Nugroho,AE. 2010. Efek Senyawa Flavonoids dari Kemuning (murraya paniculata [L.] jack.) terhadap Pelepasan Histamin dari Kultur Sel Mast. Majalah Obat Tradisional, 15(1), 34 – 40
- Patel, D.C., Evans, A.V., Hawk, J.L.M. Topical pseudocatalase mousse and narrowband UVB phototherapy is not effective for vitiligo: an open, single-center study. Clin Exp Dermatol. 2002;27:641–644.
- Prasiddha, dkk . 2016. Potensi Senyawa Bioaktif Rambut Jagung Untuk Tabir Surya Alami – Jurnal Pangan dan Agroindustri Vol. 4 No 1 p. 40-45, Januari 2016
- Riset Kesehatan Dasar (Risikesdas) 2007. Pedoman Pewawancara Petugas Pengumpul Data. Jakarta: Badan Litbangkes, Depkes RI, 2007
- S. Kulevanova, M. Stefova, T. Kadifkova Panovska and T. Stafilov, HPLC identification and determination of myricetin, quercetin, kaempferol and total flavonoids in herbal drugs, *Maced.Pharm. Bull.* 48 (2002) 25–30.
- Sarchio et al., 2012 .S.N. Sarchio, L.-F. Kok, C. O'Sullivan, et al. Dermal mast cells affect the development of sunlight-induced skin tumours Exp Dermatol, 21 (2012), pp. 241–248
- Svobodova, A; Psotova, J; Walterova, D. Natural Phenolics in the Prevention of UV-Induced Skin Damage. Biomed. Pap. 2003, 147, 137-145
- Syamsuni, H. A., 2006. Ilmu Resep. Penerbit Buku Kedokteran EGC, Jakarta. Hal 166-171
- Theoharides, T.C.,etal.,2010a.Mastcellsandinflammation. Biochim.Biophys.Acta 1822,21–33.
- Valencia A & Kochevar IE (2008). Nox1-based NADPH oxidase is the major source of UVA-induced reactive oxygen species in human keratinocytes. J Invest Dermatol, 128: 214–222. doi:10.1038/sj.jid.5700960 PMID:17611574
- Wang Y., Digiovanna J. J., Stern J. B., Hornyak T. J., Raffeld M., Khan S. G., Oh K. S., Hollander M. C., Dennis P. A., Kraemer K. H. (2009) Evidence of ultraviolet type mutations in xeroderma pigmentosum melanomas. Proc. Natl. Acad. Sci. USA 106, 6279–6284
- Winarsi,H.2007. Antioksidan Alami dan Radikal Bebas. Penerbit Kanisius. Yogyakarta
- Zukesti Effendi, dr. 2003.Peranan Leukosit Sebagai Anti Inflamasi Alergik dalam Tubuh.Bagian Histologi Fakultas Kedokteran Universitas Sumatera Utara. USU digital libraray

