

## **ABSTRAK**

**Wahyuningsih<sup>1</sup>, Muliatul Jannah<sup>2</sup>, Machfudloh<sup>3</sup>**  
**Asuhan Kebidanan Berkelanjutan pada Ny. N Umur 31 tahun G<sub>2</sub>P<sub>1</sub>A<sub>0</sub> di**  
**Wilayah Kerja Puskesmas Bangetayu Kota Semarang**

**214 halaman + 25 tabel + 1 gambar + 13 lampiran**

Filosofi asuhan kebidanan adalah meyakini bahwa proses reproduksi perempuan merupakan proses alamiah dan normal yang dialami oleh setiap perempuan. Berdasarkan filosofi tersebut, maka bidan mempunyai peran yang sangat penting dengan memberikan asuhan kebidanan yang berfokus pada perempuan secara berkelanjutan. Asuhan kebidanan berkelanjutan adalah pemberian asuhan kebidanan sejak kehamilan, bersalin, bayi baru lahir, nifas hingga memutuskan menggunakan KB. Hal ini bertujuan sebagai upaya untuk membantu memantau dan mendeteksi adanya kemungkinan timbulnya komplikasi yang menyertai ibu dan bayi dari masa kehamilan sampai ibu menggunakan KB.

Penulisan Laporan Tugas Akhir ini dalam bentuk studi kasus dengan menggunakan pendekatan manajemen kebidanan 7 langkah varney dan didokumentasikan dalam bentuk SOAP. Sampel yang digunakan sebanyak 1 sampel yaitu Ny. N di wilayah kerja Puskesmas Bangetayu.

Hasil pengkajian ini diperoleh diagnosa Ny. N usia 31 tahun G<sub>2</sub>P<sub>1</sub>A<sub>0</sub> usia kehamilan 36 minggu 4 hari dengan hamil normal, dengan persalinan normal, diikuti dengan masalah bayi baru lahir dengan BBLR (Berat Badan Lahir Rendah) dan masa nifas fisiologis dengan keluhan puting susu lecet dan pusing pada saat kunjungan nifas kedua (6 hari setelah melahirkan). Selama kehamilan kebutuhan ibu akan penambahan berat badan kurang dari normal, kebutuhan 10T saat kunjungan kehamilan tidak terpenuhi. Di dalam proses melahirkan bayi tidak dilakukan IMD (Inisiasi Menyusui Dini) sesuai dengan ketentuan yang berlaku dan penulis tidak mendampingi selama proses persalinan.

Hasil pendampingan dapat disimpulkan terdapat kesenjangan antara teori dan raktik pada penerapan asuhan kebidanan yaitu pada proses asuhan dan perubahan fisiologis. Setiap individu mempunyai cara atau teknik sehingga asuhan yang diberikan sesuai dengan kondisi pasien.

---

**Kata kunci** : Asuhan Kebidanan Kehamilan, Persalinan, Bayi Baru Lahir dan Nifas

**Pustaka** : 37 pustaka (2007 - 2016)

Penulis

Mahasiswi prodi DIII Kebidanan Universitas Islam Sultan Agung Semarang

## **ABSTARCT**

**Wahyuningsih<sup>1</sup>, Muliatul Jannah<sup>2</sup>, Machfudloh<sup>3</sup>**  
**Comprehensive Midwifery Care to Mrs. N 31<sup>th</sup> years old G<sub>2</sub>P<sub>1</sub>A<sub>0</sub> in Bangetayu  
Public Health Center Semarng Regency**

**214 pages + 25 tables + 1 pictures + 13 attachments**

*The philosophy of midwifery is to believe that the process of female reproduction is a natural and normal process experienced by every woman. Based on that philosophy, midwives have a very important role bay providing continous women focused midwifery care. Continuity of careis the provision of midwifery care since pregnancy, childbirth, newborn baby, postnatal to decide to us contraseption. It purpose to help monitor and detect the possible complications that accompany the mother and baby from pregnancy until the mother use birth control.*

*The form of this final reports is case study which use 7 steps varney midwifery management approach and SOAP documentation. The sample of this case study is Mrs. N age of 31<sup>th</sup> years old in Bangetayu Public Health area.*

*The research result were Mrs. N age of 31<sup>th</sup> years 36 weeks 4 days of gestational G<sub>2</sub>P<sub>1</sub>A<sub>0</sub> normally pregnancy, with the problem of BBLR newborn baby and physiological postnatal with complaints of nipple blisters and dizziness at the time of the second puerperal visit (6 days postnatal). Respondent didn't get standart implementation 10T examination and weight gain is less than normal during pregnancy. In the process childbirth, the baby didn't have IMD (Initiation of Early Breastfeeding) corresponding of provisions and authors didn't accompany during the chidbirth.*

*The conclusion of this study is the application of midwifery care has a gap between theory and practice. There are gaps in the process of care and physiological changes, which means that each individual is unique so that the care provided must also be adapted to the conditions.*

---

**Keywords** : Comprehensive Midwifery Care, Pregnancy, Childbirth,  
Postpartum, Newborn, Birth Control

**Bibliography** : 37 bibliography (2007 - 2016)

Author

Lecturer Semarang DIII Midwifery Program Islamic Sultan Agung Univercity

